



Creation Date 05-May-2009

Revision Date 08-Jul-2021

Revision Number 10

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Cat No. : Synonyms CAS-No EC-No. Molecular Formula Reach Registration Number	<u>1,4-Dioxane</u> D/4500/21, D/4500/17, D/4500/08, D/4500/PB17, D/4500/25, D/4500/27 Diox 123-91-1 204-661-8 C4 H8 O2 01-2119462837-26
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Uses advised against	Laboratory chemicals. No Information available
1.3. Details of the supplier of the sa	afety data sheet
Company	UK entity/business name . Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom EU entity/business name Acros Organics BVBA Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Flammable liquids

Category 2 (H225)

#### Health hazards

#### 1,4-Dioxane

Serious Eye Damage/Eye Irritation Carcinogenicity Specific target organ toxicity - (single exposure)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

- H319 Causes serious eye irritation
- H351 Suspected of causing cancer

H335 - May cause respiratory irritation

EUH019 - May form explosive peroxides

EUH066 - Repeated exposure may cause skin dryness or cracking

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

Contains a known or suspected endocrine disruptor

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
1,4-Dioxane	123-91-1	EEC No. 204-661-8	>95	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)

Category 2 (H319)

	STOT SE 3 (H335) Carc. 2 (H351)
	EUH019
	EUH066

**Reach Registration Number** 

01-2119462837-26

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
4.3. Indication of any immediate me	dical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically. Symptoms may be delayed. SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

# Extinguishing media which must not be used for safety reasons No information available.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. May form explosive peroxides. Vapors may form explosive mixtures with air.

#### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), peroxides.

#### 1,4-Dioxane

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Use personal protective equipment as required. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Handle under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. If peroxide formation is suspected, do not open or move container. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Wash hands before breaks and immediately after handling the product.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Flammables area. May form explosive peroxides. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) Class 3 (Germany)

#### 7.3. Specific end use(s)

Use in laboratories

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

**FSUD4500** 

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE -** 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
1,4-Dioxane	STEL: 60 ppm 15 min	TWA: 20 ppm (8h)	TWA: 20 ppm 8 hr. technical
	STEL: 219 mg/m <sup>3</sup> 15 min	TWA: 73 mg/m <sup>3</sup> (8h)	grade
	TWA: 20 ppm 8 hr		TWA: 73 mg/m <sup>3</sup> 8 hr.
	TWA: 73 mg/m <sup>3</sup> 8 hr		technical grade
	Skin		STEL: 60 ppm 15 min
			STEL: 219 mg/m <sup>3</sup> 15 min
			Skin

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

#### Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

#### Engineering Measures

Personal protective equipment

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

	Eye Protection	Tight sea	aling safety goggles (	Goggles (Europea	an standard - EN 166)
	Hand Protection	Protectiv	ve gloves		
Γ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
	Butyl rubber	> 480 minutes	0.7 mm	Level 6	As tested under EN374-3 Determination of
	Viton (R)	> 480 minutes	0.7 mm	EN 374	Resistance to Permeation by Chemicals Permeation rate 38 µg/cm2/min
	Butyl rubber	< 200 minutes	0.35 mm		r emedien rate oo µg/em2/min
	Skin and body prot	ection Long sle	eved clothing.		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	No information available.

vironmental exposure controls No information available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Petroleum distillates	
Odor Threshold	No data available	
Melting Point/Range	12 °C / 53.6 °F	
Softening Point	No data available	
Boiling Point/Range	101 °C / 213.8 °F	@ 760 mmHg
Flammability (liquid)	Highly flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 2 vol%	
	Upper 22 vol%	
Flash Point	12 °C / 53.6 °F	Method - No information available
Autoignition Temperature	355 °C / 671 °F	
Decomposition Temperature	No data available	
рН	6-8	500 g/l aq.sol
Viscosity	1.32 mPa.s @ 20 °C	
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wat	er)	
Component	log Pow	
1,4-Dioxane	-0.42	
Vapor Pressure	41 mbar @ 20 °C	
Density / Specific Gravity	1.034	
Bulk Density	Not applicable	Liquid
Vapor Density	3	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	
9.2. Other information		
Molecular Formula	C4 H8 O2	
Molecular Weight	88.11	
Explosive Properties	Vapors may form explosive mixtures	with air

# **SECTION 10: STABILITY AND REACTIVITY**

1,4-Dioxane

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	May form explosive peroxides, Hygroscopic.
10.3. Possibility of hazardous reac	tions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. May form explosive peroxides.
10.4. Conditions to avoid	Incompatible products. Heat, flames and sparks. Exposure to air or moisture over prolonged periods. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Strong oxidizing agents. Reducing Agent. Halogens.
40 C Henerdeus deservessition en	

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). peroxides.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity;

```
Óral
Dermal
Inhalation
```

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,4-Dioxane	5170 mg/kg(Rat)	LD50 = 7600 mg/kg (Rabbit)	48.5 mg/L (Rat)4 h
	4200 mg/kg(Rat)		<u> </u>

Component	EU	UK	Germany	IARC
	The table below	indicates whether each a	gency has listed any ingr	edient as a carcinogen
(f) carcinogenicity;	Category 2			
(e) germ cell mutagenicity;	Based on availab	ble data, the classification	o criteria are not met	
(d) respiratory or skin sensitiz Respiratory Skin	Based on availab	ble data, the classification ble data, the classification		
(c) serious eye damage/irritat	ion; Category 2			
(b) skin corrosion/irritation;	Based on availab	ble data, the classification	n criteria are not met	

Component	EU	UK	Germany	IARC
1,4-Dioxane				Group 2B

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;	Category 3
Results / Target organs	Respiratory system.
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met
Target Organs	None known.
(j) aspiration hazard;	Based on available data, the classification criteria are not met
Other Adverse Effects	See actual entry in RTECS for complete information
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

## SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity Ecotoxicity effects

1,4-Dioxane

Component	Freshwater Fish	Water Flea	Freshwater Algae
1,4-Dioxane	LC50: > 10000 mg/L, 96h semi-static (Lepomis macrochirus) LC50: > 10000 mg/L, 96h static (Lepomis macrochirus) LC50: = 9850 mg/L, 96h (Pimephales promelas) LC50: 10306 - 14742 mg/L, 96h static (Pimephales promelas) LC50: = 9850 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 163 mg/L 48h	

Component	Microtox	M-Factor
1,4-Dioxane	EC50 = 610 mg/L 5 min	
	EC50 = 668 mg/L 15 min	
	EC50 = 733 mg/L 30 min	

#### 12.2. Persistence and degradability Not readily biodegradable

Persistence Soluble in water, Persistence is unlikely, based on information available.

#### 12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1,4-Dioxane	-0.42	0.2 - 0.7 OECD 305C

12.4. Mobility in soil

The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

<u>12.5. Results of PBT and vPvB</u> assessment	Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).
12.6. Endocrine disrupting properties Endocrine Disruptor Information Assess endocrine disrupting properties for the environment	Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or suspected substance This product does not contain any known or suspected substance
SE	CTION 13: DISPOSAL CONSIDERATIONS
13.1. Waste treatment methods	
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but
Other Information	application specific. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

<u>14.1. UN number</u>	UN1165
14.2. UN proper shipping name	DIOXANE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

ADR

<u>14.1. UN number</u>	UN1165
14.2. UN proper shipping name	DIOXANE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

<u>IATA</u>

<u>14.1. UN number</u>	UN1165
14.2. UN proper shipping name	DIOXANE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

14.5. Environmental hazards

No hazards identified

#### 14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	IECSC	ENCS	ISHL	AICS	KECL
1,4-Dioxane	204-661-8	-		Х	Х	-	Х	Х	Х	Х	Х	KE-10463

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1,4-Dioxane		Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 204-661-8 - Carcinogenic (Article 57a) Equivalent level of concern having probable serious effects to the environment (Article 57f -environment)
			Equivalent level of concern having probable serious effects to human health (Article 57f –human health)

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals Not applicable

#### **National Regulations**

WGK Classification

See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
1,4-Dioxane	WGK2	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)				
1,4-Dioxane	Tableaux des maladies professionnelles (TMP) - RG 84				
UK Take note of Control of Substances Upgordaus to Upgith Degulations (COSULI) 2002 and 2005 Amondment					

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

#### 1,4-Dioxane

H319 - Causes serious eye irritation H335 - May cause respiratory irritation H351 - Suspected of causing cancer

EUH019 - May form explosive peroxides

EUH066 - Repeated exposure may cause skin dryness or cracking

#### Legend

CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory al DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic	<ul> <li>TWA - Time Weighted Average</li> <li>IARC - International Agency for Research on Cancer</li> <li>Predicted No Effect Concentration (PNEC)</li> <li>LD50 - Lethal Dose 50%</li> <li>EC50 - Effective Concentration 50%</li> <li>POW - Partition coefficient Octanol:Water</li> <li>vPvB - very Persistent, very Bioaccumulative</li> </ul>
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date	05-May-2009
Revision Date	08-Jul-2021
Revision Summary	SDS sections updated, 2, 11, 12, 15.

### This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# End of Safety Data Sheet