

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 15.09.2019

Version 17.9

SECTION 1. Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier

CAS-No.	10043-35-3
REACH Registration Number	01-2119486683-25-XXXX
Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis, Chemical production
	In compliance with the conditions described in the annex to
	this safety data sheet.

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B, H360FD For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Page 1 of 25



Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Danger

Hazard statements H360FD May damage fertility. May damage the unborn child.

Precautionary statements Prevention P201 Obtain special instructions before use. Response P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users.Index-No.005-007-00-2

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Н₃ВО₃	BH₃O₃ (Hill)
Index-No.	005-007-00-2	
EC-No.	233-139-2	
Molar mass	61,83 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration Classification number boric acid (<= 100 %) PBT/vPvB: Not applicable for inorganic substances

10043-35-3 01-2119486683-25-XXXX Reproductive toxicity, Category 1B, H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

Page 2 of 25



Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

drop in temperature, agitation, spasms, Diarrhoea, Nausea, Vomiting, Tiredness, ataxia (impaired locomotor coordination)

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: boron compounds

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.



Page 3 of 25

Catalogue No. 10 Product name Bo

100165 Boric acid for analysis EMSURE® ACS, ISO, Reag. Ph Eur

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Worker DNEL, longterm	Systemic effects	inhalation	8,3 mg/m³
Worker DNEL, longterm	Systemic effects	dermal	392 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	4,15 mg/m³
Consumer DNEL, longterm	Systemic effects	dermal	196 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	oral	0,98 mg/kg Body weight
Consumer DNEL, acute	Systemic effects	oral	0,98 mg/kg Body weight

Predicted No Effect Concentration (PNEC)		
PNEC Fresh water	2,02 mg/l	
PNEC Marine water	2,02 mg/l	
PNEC Aquatic intermittent release	13,7 mg/l	
PNEC Sewage treatment plant	10 mg/l	
PNEC Soil	5,4 mg/kg	

8.2 Exposure controls

Engineering measures

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 25

Catalogue No. Product name

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	Nitrile rubber 0,11 mm > 480 min
splash contact:		
	Glove material:	Nitrile rubber

Glove material:	Nitrile rubb
Glove thickness:	0,11 mm
Break through time:	> 480 min
5	

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Page 5 of 25



Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Form	solid
Colour	white
Odour	odourless
Odour Threshold	Not applicable
рН	3,8 - 4,8 at 33 g/l 20 °C
Melting point	Not applicable, (decomposition)
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable. Flammability (solids)
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour pressure	< 1 Pa at 25 °C Method: OECD Test Guideline 104
Relative vapour density	No information available.
Density	1,489 g/cm3 at 23 °C Method: OECD Test Guideline 109
Relative density	No information available.
Water solubility	49,2 g/l at 20 °C Method: OECD Test Guideline 105
Partition coefficient: n- octanol/water	log Pow: -1,09 (22 °C) OECD Test Guideline 107 Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	70 °C

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 25

Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	not combustible
Bulk density	ca.400 - 600 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

hygroscopic

10.3 Possibility of hazardous reactions

Risk of explosion with: Acetic anhydride Violent reactions possible with:

strong oxidising agents, Bases

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 3.450 - 4.080 mg/kg

(ECHA)

Acute inhalation toxicity LC50 Rat: > 2,03 mg/l; 4 h ; dust/mist OECD Test Guideline 403 (highest concentration to be prepared)

Page 7 of 25



Catalogue No. Product name

Acute dermal toxicity LD50 Rabbit: > 2.000 mg/kg (ECHA)

Skin irritation Rabbit Result: No skin irritation

(ECHA)

Eye irritation Rabbit Result: slight irritation OECD Test Guideline 405

Sensitisation Buehler Test Guinea pig Result: negative Method: OECD Test Guideline 406

Germ cell mutagenicity Genotoxicity in vivo In vivo micronucleus test Mouse male and female oral Result: negative Method: OECD Test Guideline 474

Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): Mouse lymphoma test Result: negative Method: OECD Test Guideline 476

Mutagenicity (mammal cell test): Chinese hamster ovary cells Result: negative Method: OECD Test Guideline 482

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 25

Catalogue No. Product name 100165 Boric acid for analysis EMSURE® ACS, ISO, Reag. Ph Eur

CMR effects Reproductive toxicity: May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

After absorption of large quantities: Vomiting, Nausea, Diarrhoea, agitation, spasms, Tiredness, ataxia (impaired locomotor coordination), drop in temperature Other dangerous properties can not be excluded. This substance should be handled with particular care.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 Oncorhynchus mykiss (rainbow trout): 79 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 133 mg/l; 48 h (ECOTOX Database)

Toxicity to algae static test EC50 Pseudokirchneriella subcapitata (green algae): 52,4 mg/l; 74,5 h Analytical monitoring: yes OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) semi-static test NOEC Danio rerio (zebra fish): 6,4 mg/l; 34 d

OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 34,2 mg/l; 21 d OECD Test Guideline 211

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -1,09 (22 °C) OECD Test Guideline 107

Bioaccumulation is not expected.

Page 9 of 25



The life science business of Merck operates as MilliporeSigma in the US and Canada

Catalogue No. Product name

100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment PBT/vPvB: Not applicable for inorganic substances

12.6 Other adverse effects

Additional ecological information Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA) 14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)		
14.1 - 14.6		

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>EU regulations</i> Major Accident Hazard Legislation	SEVESO III Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances not regulated that deplete the ozone layer



Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Regulation (EC) No 850/2004 of the not regulated European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

Substances of very high concern (SVHC)

/HC) This product does contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 59 above the respective regulatory concentration limit of > 0.1 % (w/w). Contains: boric acid

National legislationStorage class6.1 D

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out according to regulation (EC) No. 1907/2006 (REACH) for this substance.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H360FD

May damage fertility. May damage the unborn child.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Danger

Hazard statements H360 May damage fertility or the unborn child.

Precautionary statements Prevention P201 Obtain special instructions before use. Response P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Further information

Page 11 of 25



Catalogue No. Product name

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Page 12 of 25



Catalogue No. Product name

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis, Chemical production)

Sectors of end-use

- *SU 3* Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU9 Manufacture of fine chemicals
- *SU 10* Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC21 Laboratory chemicals

Process categories

- *PROC1* Use in closed process, no likelihood of exposure
- *PROC2* Use in closed, continuous process with occasional controlled exposure
- *PROC3* Use in closed batch process (synthesis or formulation)
- *PROC4* Use in batch and other process (synthesis) where opportunity for exposure arises
- *PROC5* Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)
- *PROC9* Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
- *PROC15* Use as laboratory reagent
- PROC26 Handling of solid inorganic substances at ambient temperature

Environmental Release Categories

- *ERC1* Manufacture of substances
- *ERC2* Formulation of preparations
- *ERC4* Industrial use of processing aids in processes and products, not becoming part of articles
- *ERC6a* Industrial use resulting in manufacture of another substance (use of intermediates)
- *ERC6b* Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures 2.1 Contributing scenario controlling environmental exposure for: ERC1

Amount used Annual amount per site Remarks	55000 t Expressed as, Boron
Environment factors not influence Dilution Factor (River)	ed by risk management 37
	ns affecting environmental exposure 220
Emission or Release Factor:	0,53 g/t

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 25

Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Air Emission or Release Factor: Water	554 g/t
Technical conditions and meas Air	sures / Organizational measures exhaust air scrubber Fabric filter Air cyclones for dust collection Electrostatic precipitation for dust collection.
Conditions and measures relat Type of Sewage Treatment Plant	ted to municipal sewage treatment plant not required
Type of Sewage Treatment	Municipal sewage treatment plant
Plant Remarks	The concentration in the sewage treatment plant should be below the respective PNEC STP
Conditions and measures relat Disposal methods	ted to external treatment of waste for disposal Dispose of as hazardous waste in compliance with local and national regulations.
Additional good practice advic Additional good practice	e beyond the REACH Chemical Safety Assessment Sweep up or vacuum up spillage and collect in suitable
advice	container for disposal.
2.2 Contributing scenario cont	rolling environmental exposure for: ERC2
Amount used	
Annual amount per site Remarks	950 kg Expressed as, Boron
Environment factors not influe Dilution Factor (River)	enced by risk management 10
Number of emission days per	tions affecting environmental exposure 200
year Emission or Release Factor: Air	400 g/t
Emission or Release Factor: Water	8000 g/t
Technical conditions and meas Air	sures / Organizational measures exhaust air scrubber Fabric filter Air cyclones for dust collection Electrostatic precipitation for dust collection.
Conditions and measures relat Type of Sewage Treatment Plant	ted to municipal sewage treatment plant not required
ΓΙατις	Page 14 of 25



Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Type of Sewage Treatment Plant	Municipal sewage treatment plant
Remarks	The concentration in the sewage treatment plant should be below the respective PNEC STP
Conditions and measures relat Disposal methods	ed to external treatment of waste for disposal Dispose of as hazardous waste in compliance with local and national regulations.
Additional good practice advic Additional good practice advice	e beyond the REACH Chemical Safety Assessment Sweep up or vacuum up spillage and collect in suitable container for disposal.
2.3 Contributing scenario cont	rolling environmental exposure for: ERC4
Amount used	
Annual amount per site	14 t
Remarks	Expressed as, Boron
Environment factors not influe	nced by risk management
Dilution Factor (River)	10
Number of emission days per	ions affecting environmental exposure 365
year Emission or Release Factor: Air	36562 g/t
Emission or Release Factor: Water	1
Conditions and measures relat Type of Sewage Treatment	ed to municipal sewage treatment plant not required
Plant	not required
Type of Sewage Treatment Plant	Municipal sewage treatment plant
Remarks	The concentration in the sewage treatment plant should be below the respective PNEC STP
Conditions and measures relat	ed to external treatment of waste for disposal
Disposal methods	Dispose of as hazardous waste in compliance with local and national regulations.
	e beyond the REACH Chemical Safety Assessment
Additional good practice advice	Sweep up or vacuum up spillage and collect in suitable container for disposal.
2.4 Contributing scenario cont	rolling environmental exposure for: ERC6a, ERC6b

Amount used

Annual amount per site Remarks 190 t Expressed as, Boron

Environment factors not influenced by risk management

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 15 of 25



Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Dilution Factor (River)	10
Other given operational condit	ions affecting environmental exposure
Number of emission days per year	300
Emission or Release Factor: Air	36562 g/t
Emission or Release Factor: Water	60000 g/t
Conditions and measures relat Type of Sewage Treatment Plant	ed to municipal sewage treatment plant not required
Type of Sewage Treatment Plant	Municipal sewage treatment plant
Remarks	The concentration in the sewage treatment plant should be below the respective PNEC STP
Conditions and measures relat Disposal methods	ed to external treatment of waste for disposal Dispose of as hazardous waste in compliance with local and national regulations.
Additional good practice advice Additional good practice advice	e beyond the REACH Chemical Safety Assessment Sweep up or vacuum up spillage and collect in suitable container for disposal.
2.5 Contributing scenario cont	rolling worker exposure for: PROC1, PROC3
Product characteristics	
Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder
Frequency and duration of use Frequency of use	8 hours/day
Other operational conditions a Outdoor / Indoor	ffecting workers exposure Indoor
Remarks	Industrial use, Direct handling, Non-dispersive use, Intermittent contact
Organisational measures to pro Covers daily exposures up to 8 h	event /limit releases, dispersion and exposure nours.

2.6 Contributing scenario controlling worker exposure for: PROC2

Product characteristics

Concentration of the	Covers the percentage of the substance in the product
Substance in Mixture/Article	up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder
	Page 16 of 25

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Frequency and duration of use

Frequency of use

60 minutes/day

Other operational conditions affecting workers exposure

Outdoor / Indoor	Indoor with local exhaust ventilation (LEV)
Remarks	Non-dispersive use, Direct handling, Intermittent
	contact, Integrated local exhaust ventilation

Technical conditions and measures

Use only in area provided with appropriate exhaust ventilation. Provide extraction ventilation at points where emissions occur. Provide extract ventilation to material transfer points and other openings.

Organisational measures to prevent /limit releases, dispersion and exposure

Avoid carrying out operation for more than 1 hour. Regular testing and maintenance of plant and equipment

Conditions and measures related to personal protection, hygiene and health evaluation

In case of insufficient local exhaust ventilation, respiratory protection must be worn

Wear suitable gloves (tested to EN374), coverall and eye protection.

2.7 Contributing scenario controlling worker exposure for: PROC4, PROC5

Product characteristics

Concentration of the	Covers the percentage of the substance in the product
Substance in Mixture/Article	up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Remarks Indoor with local exhaust ventilation (LEV) Industrial use, Direct handling, Non-dispersive use, Intermittent contact, Integrated local exhaust ventilation

Organisational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

covers daily exposures up to o nours.

Conditions and measures related to personal protection, hygiene and health evaluation Wear respiratory protection. Effectiveness (of a measure): 90 %

2.8 Contributing scenario controlling worker exposure for: PROC9

Product characteristics

Concentration of the

Covers the percentage of the substance in the product

Page 17 of 25

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No.	100165		
Product name	Boric acid for analysis EMSURE® ACS, ISO, Reag. Ph Eur		
Substance in Mixture/Article	up to 100 % (unless stated differently).		
Physical Form (at time of use)	Solid, high dustiness		
Physical Form (at time of use)	Liquid mixture, paste		
Frequency and duration of use			
Frequency of use	8 hours/day		
Other operational conditions at	ffecting workers exposure		
Outdoor / Indoor	Indoor with local exhaust ventilation (LEV)		
Remarks	Industrial use, Non-dispersive use, Direct handling,		
	Intermittent contact, Integrated local exhaust		
	ventilation		
Technical conditions and measures			
Use only in area provided with appropriate exhaust ventilation. Provide extraction ventilation at points where emissions occur. Provide extract ventilation to material transfer			
ventilation at points where emiss			

Organisational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours. Regular testing and maintenance of plant and equipment

Conditions and measures related to personal protection, hygiene and health evaluation Wear suitable gloves (tested to EN374), coverall and eye protection.

Safety shoes

Suitable mask with particle filter P3 (European Norm 143)

2.9 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

points and other openings.

Concentration of the	Covers the percentage of the substance in the product
Substance in Mixture/Article	up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder

Frequency and duration of use

Frequency of use

60 minutes/day

Other operational conditions affecting workers exposure Remarks Non-dispersive use, Non-d

Non-dispersive use, Non-direct handling, Incidental contact

Technical conditions and measures

Handle in a fume cupboard or under extract ventilation.

Organisational measures to prevent /limit releases, dispersion and exposure

Avoid carrying out operation for more than 1 hour. Regular testing and maintenance of plant and equipment

Page 18 of 25



Catalogue No. Product name

Conditions and measures related to personal protection, hygiene and health evaluation Safety glasses

Lab coat

Safety shoes

Additional good practice advice beyond the REACH Chemical Safety Assessment Additional good practice Wear suitable gloves tested to EN374. advice

2.10 Contributing scenario controlling worker exposure for: PROC26

Product characteristics

Concentration of the	Covers the percentage of the substance in the product
Substance in Mixture/Article	up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder

Frequency and duration of use

Frequency of use < 4 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Remarks Indoor with local exhaust ventilation (LEV) Industrial use, Direct handling, Non-dispersive use, Intermittent contact, Integrated local exhaust ventilation

Organisational measures to prevent /limit releases, dispersion and exposure

Avoid carrying out operation for more than 4 hours.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC1		Fresh water	0,954	EUSES
			Soil	0,002	EUSES
2.2	ERC2		Fresh water	0,969	EUSES
			Soil	0,01	EUSES
2.3	ERC4		Fresh water	0,977	EUSES
			Soil	0,013	EUSES
2.4	ERC6a, ERC6b		Fresh water	0,969	EUSES
			Soil	0,158	EUSES



Page 19 of 25

Catalogue No. Product name 100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.5	PROC1	longterm, inhalative, systemic	0,007	MEASE
		longterm, combined, systemic	< 0,001	MEASE
		longterm, dermal, systemic	0,007	
2.5	PROC3	longterm, inhalative, systemic	0,690	MEASE
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,690	
2.6	PROC2	longterm, inhalative, systemic	0,33	MEASE
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,33	
2.7	PROC4	longterm, inhalative, systemic	0,276	MEASE
		longterm, combined, systemic	< 0,001	MEASE
		longterm, dermal, systemic	0,276	
2.7	PROC5	longterm, inhalative, systemic	0,276	MEASE
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,276	
2.8	PROC9	longterm, inhalative, systemic	0,276	Measured data
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,276	
2.9	PROC15	longterm, inhalative, systemic	0,110	Measured data
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,110	
2.10	PROC26	longterm, inhalative, systemic	0,662	MEASE
		longterm, combined, systemic	< 0,001	MEASE
		longterm, dermal, systemic	0,662	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

Page 20 of 25



Catalogue No. Product name 100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of environmental exposure assessments, please refer to the ARCHE tool at www.arche-consulting.be/Metal-CSA-toolbox/du-scaling-tool.



Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Reagent for analysis, Chemical production)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2	Formulation of preparations
ERC6a	Industrial use resulting in manufacture of another substance (use of
	intermediates)
ERC6b	Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures 2.1 Contributing scenario controlling environmental exposure for: ERC2

Amount used

Air

Annual amount per site	950 kg
Remarks	Expressed as, Boron

Environment factors not influenced by risk management

Dilution Factor (River)	
-------------------------	--

Other given operational conditions affecting environmental exposure

10

Number of emission days per	200
year	
Emission or Release Factor:	400 g/t
Air	
Emission or Release Factor:	8000 g/t
Water	

Technical conditions and measures / Organizational measures

exhaust air scrubber Fabric filter Air cyclones for dust collection Electrostatic precipitation for dust collection.

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment	not required
Plant	
Type of Sewage Treatment	Municipal sewage treatment plant
Plant	
Remarks	The concentration in the sewage treatment plant
	should be below the respective PNEC STP

Page 22 of 25

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No. Product name	100165 Boric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur
Conditions and measures relat Disposal methods	ted to external treatment of waste for disposal Dispose of as hazardous waste in compliance with local and national regulations.
Additional good practice advice Additional good practice advice	e beyond the REACH Chemical Safety Assessment Sweep up or vacuum up spillage and collect in suitable container for disposal.
2.2 Contributing scenario cont	rolling environmental exposure for: ERC6a, ERC6b
Amount used	
Annual amount per site Remarks	190 t Expressed as, Boron
Environment factors not influe Dilution Factor (River)	enced by risk management 10
Number of emission days per	tions affecting environmental exposure 300
year Emission or Release Factor: Air	36562 g/t
Emission or Release Factor: Water	60000 g/t
Conditions and measures relat Type of Sewage Treatment Plant	ted to municipal sewage treatment plant not required
Type of Sewage Treatment Plant	Municipal sewage treatment plant
Remarks	The concentration in the sewage treatment plant should be below the respective PNEC STP
Conditions and measures relat Disposal methods	ted to external treatment of waste for disposal Dispose of as hazardous waste in compliance with local and national regulations.
Additional good practice advice Additional good practice advice	beyond the REACH Chemical Safety Assessment Sweep up or vacuum up spillage and collect in suitable container for disposal.

Product characteristics

Concentration of the	Covers the percentage of the substance in the product
Substance in Mixture/Article	up to 100 % (unless stated differently).
Physical Form (at time of use)	Solid, high dustiness, powder

Frequency and duration of use

Frequency of use	60 minutes/day
------------------	----------------

Other operational conditions affecting workers exposure

Page 23 of 25

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No.	100165
Product name	Boric acid for analysis EMSURE® ACS, ISO, Reag. Ph Eur

Remarks

Non-dispersive use, Non-direct handling, Incidental contact

Technical conditions and measures

Handle in a fume cupboard or under extract ventilation.

Organisational measures to prevent /limit releases, dispersion and exposure

Avoid carrying out operation for more than 1 hour. Regular testing and maintenance of plant and equipment

Conditions and measures related to personal protection, hygiene and health evaluation Safety glasses

Lab coat

Safety shoes

Additional good practice advice beyond the REACH Chemical Safety Assessment Additional good practice

advice

Wear suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2		Fresh water	0,969	EUSES
			Soil	0,01	EUSES
2.2	ERC6a, ERC6b		Fresh water	0,969	EUSES
			Soil	0,158	EUSES

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.3	PROC15	longterm, inhalative, systemic	0,110	Measured data
		longterm, dermal, systemic	< 0,001	MEASE
		longterm, combined, systemic	0,110	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Page 24 of 25





Catalogue No.100165Product nameBoric acid for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of environmental exposure assessments, please refer to the ARCHE tool at www.arche-consulting.be/Metal-CSA-toolbox/du-scaling-tool.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

