

according to Regulation (EC) No. 1907/2006

Revision Date 03.07.2017

Version 7.9

| 1 Product identifier   |   |
|--|---|
|  |   |
| Catalogue No.  | 100686  |
| Product name   | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur  |
| REACH Registration Number  | A registration number is not available for this substance as the                                    |
|  | substance or its use are exempted from registration according to                                    |
|  | Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage                                    |
|  | does not require a registration or the registration is envisaged for a                              |
|  | later registration deadline.  |
| CAS-No.  | 121-57-3  |
| .2 Relevant identified uses of th                                | ne substance or mixture and uses advised against  |
|  | Descent for analysis  |
| Identified uses  | Reagent for analysis  |
| Identified uses  | For additional information on uses please refer to the Merck Chemicals                              |
| Identified uses  |   |
|  | For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). |
| Identified uses<br>I.3 Details of the supplier of the<br>Company | For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). |
| .3 Details of the supplier of the                                | For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). |

## SECTION 2. Hazards identification

## 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

## according to Regulation (EC) No. 1907/2006

Catalogue No.100686Product nameSulfanilic acid GR for analysis ACS,Reag. Ph Eur

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

Skin sensitisation, Category 1, H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



*Signal word* Warning

*Hazard statements*H315 Causes skin irritation.H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

Precautionary statements Prevention P280 Wear protective gloves. Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

## according to Regulation (EC) No. 1907/2006

|  | 100686   |                 |
|--|--|-----------------|
| Product name   | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |                 |
|  |  |                 |
| Warning  |  |                 |
| Hazard statements                                      |  |                 |
| H317 May cause an                                      | allergic skin reaction.                          |                 |
| Precautionary statem                                   | nents  |                 |
| P280 Wear protective                                   |  |                 |
|  | SKIN: Wash with plenty of soap and               | d water.        |
|  |  |                 |
| Index-No. 612-   | 014-00-X   |                 |
|  |  |                 |
| 2.3 Other hazards                                      |  |                 |
| None known.  |  |                 |
|  |  |                 |
|  |  |                 |
| SECTION 3. Composition/ir                              | formation on ingredients                         |                 |
|  | nformation on ingredients                        |                 |
| SECTION 3. Composition/ir<br>3.1 Substance             | nformation on ingredients                        |                 |
|  | nformation on ingredients<br>NH₂C₀H₄SO₃H         | C₅H7NO₃S (Hill) |
| 3.1 Substance  |  | C₅H7NO₃S (Hill) |
| <b>3.1 Substance</b><br>Formula                        | NH₂C6H₄SO3H                                      | C₅H7NO₃S (Hill) |
| <b>3.1 Substance</b><br>Formula<br>Index-No.           | NH₂C₅H₄SO₃H<br>612-014-00-X                      | C₅H7NO₃S (Hill) |
| <b>3.1 Substance</b><br>Formula<br>Index-No.<br>EC-No. | NH₂C₅H₄SO₃H<br>612-014-00-X<br>204-482-5         | C₅H7NO₃S (Hill) |
| Formula<br>Index-No.<br>EC-No.<br>Molar mass           | NH₂C₅H₄SO₃H<br>612-014-00-X<br>204-482-5         |                 |

CAS-No. Registration number Classification Sulfanilic acid (<= 100 % ) 121-57-3 \*) Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 Skin sensitisation, Category 1, H317

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## according to Regulation (EC) No. 1907/2006

Catalogue No.100686Product nameSulfanilic acid GR for analysis ACS,Reag. Ph Eur

## 3.2 Mixture

Not applicable

### **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions Dizziness, Nausea, Vomiting The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

#### SECTION 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

*Unsuitable extinguishing media* For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

The life science business of Merck operates as MilliporeSigma in the US and Canada

## according to Regulation (EC) No. 1907/2006

| Catalogue No. | 100686   |
|---------------|--|
| Product name  | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Sulphur oxides, nitrogen oxides

## 5.3 Advice for firefighters

### Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

#### SECTION 7. Handling and storage

## 7.1 Precautions for safe handling

The life science business of Merck operates as MilliporeSigma in the US and Canada

## according to Regulation (EC) No. 1907/2006

Catalogue No.100686Product nameSulfanilic acid GR for analysis ACS,Reag. Ph Eur

*Advice on safe handling* Observe label precautions.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

*Eye/face protection* Safety glasses

## according to Regulation (EC) No. 1907/2006

| Catalogue No.   | 100686   |                |
|-----------------|--|----------------|
| Product name    | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |                |
|                 |  |                |
|                 |  |                |
| Hand protection |  |                |
| full contact:   |  |                |
|                 | Glove material:                                  | Nitrile rubber |
|                 | Glove thickness:                                 | 0,11 mm        |
|                 | Break through time:                              | > 480 min      |
| splash contact: |  |                |
|                 | Glove material:                                  | Nitrile rubber |
|                 | Glove thickness:                                 | 0,11 mm        |
|                 | Break through time:                              | > 480 min      |

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

## Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains.

## SECTION 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

# according to Regulation (EC) No. 1907/2006

| Catalogue No.               | 100686   |
|-----------------------------|--|
| Product name                | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |
| Form                        | solid  |
| Colour                      | colourless                                       |
| Odour                       | odourless  |
| Odour Threshold             | Not applicable                                   |
| рН                          | 2,5<br>at 10 g/l<br>20 °C                        |
| Melting point               | 288 °C<br>decomposes                             |
| Boiling point/boiling range | Not applicable                                   |
| Flash point                 | No information available.                        |
| Evaporation rate            | No information available.                        |
| Flammability (solid, gas)   | No information available.                        |
| Lower explosion limit       | No information available.                        |
| Upper explosion limit       | No information available.                        |
| Vapour pressure             | low  |
| Relative vapour density     | No information available.                        |
| Density                     | 1,485 g/cm3<br>at 25 °C                          |
| Relative density            | No information available.                        |

## according to Regulation (EC) No. 1907/2006

| Catalogue No.             | 100686   |  |
|---------------------------|--|--|
| Product name              | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |  |
|                           |  |  |
| Water solubility          | 10 g/l   |  |
|                           | at 20 °C   |  |
|                           |  |  |
| Partition coefficient: n- | log Pow: -2,16                                   |  |
| octanol/water             | (experimental)                                   |  |
|                           | Bioaccumulation is not expected. (Lit.)          |  |
|                           |  |  |
| Auto-ignition temperature | No information available.                        |  |
|                           |  |  |
| Decomposition temperature | 288 °C   |  |
| Viscosity, dynamic        | No information available.                        |  |
| viscosity, dynamic        |  |  |
| Explosive properties      | Not classified as explosive.                     |  |
| рр-р                      |  |  |
| Oxidizing properties      | none   |  |
|                           |  |  |
| 9.2 Other data            |  |  |
| Ignition temperature      | > 400 °C   |  |
| <b>5</b> • • • • • • •    | Method: DIN 51794                                |  |
|                           |  |  |
| Bulk density              | ca.620 kg/m3                                     |  |
| ž                         | -  |  |
|                           |  |  |

## SECTION 10. Stability and reactivity

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

## according to Regulation (EC) No. 1907/2006

| Catalogue No. | 100686   |
|---------------|--|
| Product name  | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |

Acids and bases, strong oxidising agents

## 10.4 Conditions to avoid

Strong heating (decomposition).

## 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

in the event of fire: See section 5.

## SECTION 11. Toxicological information

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 12.300 mg/kg

(IUCLID)

Acute inhalation toxicity

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

Acute dermal toxicity This information is not available. Skin irritation Causes skin irritation. Eye irritation Rabbit Result: Severe irritations OECD Test Guideline 405 Causes serious eye irritation. Sensitisation May cause an allergic skin reaction. Germ cell mutagenicity

## according to Regulation (EC) No. 1907/2006

| Catalogue No.                        | 100686   |
|--------------------------------------|--|
| Product name                         | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur             |
|                                      |  |
| Genotoxicity in vitro                |  |
| In vitro mammalian cell gene mut     | ation test   |
| Result: negative                     |  |
| Method: OECD Test Guideline 47       | 76   |
| Ames test                            |  |
| Salmonella typhimurium               |  |
| Result: negative                     |  |
|                                      |  |
| (National Toxicology Program)        |  |
| Carcinogenicity                      |  |
| This information is not available.   |  |
| Reproductive toxicity                |  |
| This information is not available.   |  |
| Teratogenicity                       |  |
| This information is not available.   |  |
| Specific target organ toxicity - sin | gle exposure   |
| This information is not available.   |  |
| Specific target organ toxicity - rep | peated exposure  |
| This information is not available.   |  |
| Aspiration hazard                    |  |
| This information is not available.   |  |
|                                      |  |
| 11.2 Further information             |  |
| After uptake:                        |  |
| Dizziness, Nausea, Vomiting          |  |
|                                      | amines in general: systemic effect: methaemoglobinaemia with |
|                                      | drop in blood pressure, dyspnoea, and spasms, principal      |
| symptom: cyanosis (blue discolor     |  |
| Other dangerous properties can r     |  |
| Handle in accordance with good       | ndustrial hygiene and safety practice.                       |

## SECTION 12. Ecological information

## 12.1 Toxicity

## according to Regulation (EC) No. 1907/2006

| Catalogue No.                | 100686   |
|------------------------------|--|
| Product name                 | Sulfanilic acid GR for analysis ACS,Reag. Ph Eur |
|                              |  |
| Toxicity to fish             |  |
| LC50 Pimephales promelas     | s (fathead minnow): 100,4 mg/l; 96 h             |
| (IUCLID)                     |  |
| Toxicity to daphnia and oth  | ner aquatic invertebrates                        |
| EC50 Daphnia magna (Wa       | ter flea): 85,7 mg/l; 48 h                       |
| (IUCLID)                     |  |
| Toxicity to algae            |  |
| IC50 Desmodesmus subsp       | vicatus (green algae): 91 mg/l; 72 h             |
| (IUCLID)                     |  |
| Toxicity to bacteria         |  |
| EC0 Pseudomonas fluores      | cens: >= 10.000 mg/l; 24 h                       |
| (IUCLID)                     |  |
| 12.2 Persistence and degrada | ability  |
| Biodegradability             |  |
| 31 %; 28 d                   |  |
| OECD Test Guideline 301E     | 3  |
| Not readily biodegradable.   |  |
|                              |  |

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -2,16 (experimental)

Bioaccumulation is not expected. (Lit.)

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

## according to Regulation (EC) No. 1907/2006

Catalogue No.100686Product nameSulfanilic acid GR for analysis ACS,Reag. Ph Eur

## **SECTION 13. Disposal considerations**

# Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. SECTION 14. Transport information Land transport (ADR/RID) 14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

| <b>Inland waterway transport (ADN)</b><br>Not relevant |  |
|--|--|
| Air transport (IATA)<br>14.1 - 14.6                    | Not classified as dangerous in the meaning of transport regulations. |
| Sea transport (IMDG)<br>14.1 - 14.6                    | Not classified as dangerous in the meaning of transport regulations. |

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

## **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| EU regulations            |  |
|---------------------------|--|
| Major Accident Hazard     | SEVESO III   |
| Legislation               | Not applicable   |
| Occupational restrictions | Take note of Dir 94/33/EC on the protection of young people at work. |

## according to Regulation (EC) No. 1907/2006

| Catalogue No.   | 100686          |   |
|---|-----------------|---|
| Product name Sulfanilic acid GF   |                 | for analysis ACS,Reag. Ph Eur   |
| Regulation (EC) No 1005/2009 on deplete the ozone layer   | substances that | not regulated   |
| Regulation (EC) No 850/2004 of th<br>Parliament and of the Council of 29<br>persistent organic pollutants and a<br>Directive 79/117/EEC | 9 April 2004 on | not regulated   |
| Substances of very high concern (SVHC)  |                 | This product does not contain substances<br>of very high concern according to<br>Regulation (EC) No 1907/2006 (REACH),<br>Article 57 above the respective regulatory<br>concentration limit of $\ge$ 0.1 % (w/w). |
| National legislation<br>Storage class 10 -  | - 13            |   |

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16. Other information**

## Full text of H-Statements referred to under sections 2 and 3.

| H315 | Causes skin irritation.              |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation.       |

## Training advice

Provide adequate information, instruction and training for operators.

## according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

Labelling

100686 Sulfanilic acid GR for analysis ACS,Reag. Ph Eur

Signal word Warning

Hazard pictograms

*Hazard statements* H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary statements Prevention P280 Wear protective gloves. Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

## according to Regulation (EC) No. 1907/2006

Catalogue No. Product name

Sulfanilic acid GR for analysis ACS,Reag. Ph Eur

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

100686