

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 01.04.2019

Version 18.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	101948
Product name	Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	7726-95-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity, Category 2, Inhalation, H330

Skin corrosion, Category 1A, H314

Short-term (acute) aquatic hazard, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

101948
Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.

Precautionary statements

Prevention

P210 Keep away from heat.
P273 Avoid release to the environment.

Response

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Index-No. 035-001-00-5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	101948
Product name	Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Br ₂ (Hill)
Index-No.	035-001-00-5
EC-No.	231-778-1
Molar mass	159,81 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

Bromine (<= 100 %)

7726-95-6	*)	Acute toxicity, Category 2, H330 Skin corrosion, Category 1A, H314 Short-term (acute) aquatic hazard, Category 1, H400
-----------	----	--

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Wash off with plenty of water or - better still - sodium bicarbonate solution. Immediately remove contaminated clothing. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

respiratory arrest, Cyanosis, Circulatory collapse
Irritation and corrosion, Cough, Shortness of breath

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

101948
Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Vapours are heavier than air and may spread along floors.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

Render harmless: cause to react with excess of sodium thiosulphate solution.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101948
Product name Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 480 min

splash contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

101948
Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Break through time: > 10 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter type B

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	red brown
Odour	pungent
Odour Threshold	No information available.
pH	No information available.
Melting point	-7,3 °C
Boiling point/boiling range	58,8 °C at 1.013 hPa
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	101948
Product name	Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Upper explosion limit	No information available.
Vapour pressure	233 hPa at 20 °C
Relative vapour density	5,5 at 20 °C
Density	3,12 g/cm ³ at 20 °C liquid
Relative density	No information available.
Water solubility	35 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: 1,03 (calculated) (Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	1 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidizing potential

9.2 Other data

Ignition temperature	not combustible
Viscosity, kinematic	0,314 mm ² /s at 20 °C 0,264 mm ² /s at 40 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

strong oxidising agent
highly reactive

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

101948

Product name

Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

10.3 Possibility of hazardous reactions

Exothermic reaction with:

hydrides, amides, phenols, Ether, halogen-halogen compounds, halogen oxides, nonmetals, Alcohols, Organic Substances, alkali oxides, Alkali metals, semimetals, Acetylene, Amines, Ketones, Aldehydes, nitrides, Germanium, rubber, phosphides, Metals, Sodium hydroxide, iron/iron-containing compounds, Mercury, Titanium, Boranes

Risk of explosion with:

Ammonia, azides, silanes, zinc diethyl, Hydrogen, Organic Substances, Ozone, Nitriles, halogen oxides, phosphines, Potassium, sodium, carbides, Nickel carbonyl, phosphine, phosphorus, Reducing agents, oxidisable substances

Hydrogen, with, Pressure, heat

Metals, with, Moisture.

Lithium, sensitive to shock

antimony, in powder form

Risk of ignition or formation of inflammable gases or vapours with:

acetylidene, Aluminium, halides, hydrides, Hydrocarbons, Fluorine, fluorides, lithium silicide, Oxides of phosphorus, Tin

arsenic, in powder form

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Acute toxicity estimate: 0,6 mg/l; vapour

Expert judgement

Symptoms: severe mucosal irritations, Cough, Shortness of breath, damage of respiratory tract, Lung oedema, Pneumonia, The substance has delayed effects.

Acute dermal toxicity

This information is not available.

Skin irritation

Causes severe burns.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

101948

Product name

Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Necrosis Causes poorly healing wounds.

Eye irritation

Causes serious eye damage.

Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

Did not show carcinogenic effects in animal experiments. (Lit.)

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After uptake:

Systemic effects:

After a latency period:

Cyanosis, Circulatory collapse, respiratory arrest

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 1,5 mg/l; 24 h
(Lit.)

Toxicity to algae

IC100 chlorella pyrenoidosa: > 0,0028 mg/l; 96 h
(Lit.)

12.2 Persistence and degradability

Biodegradability

Not readily biodegradable.

12.3 Bioaccumulative potential

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

101948

Product name

Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Partition coefficient: n-octanol/water

log Pow: 1,03

(calculated)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Henry constant

2482 Pa·m³/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1744

14.2 Proper shipping name BROMINE

14.3 Class 8 (6.1)

14.4 Packing group I

14.5 Environmentally hazardous yes

14.6 Special precautions for user yes

Tunnel restriction code C/D

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	101948
Product name	Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

14.1 UN number	UN 1744
14.2 Proper shipping name	BROMINE
14.3 Class	8 (6.1)
14.4 Packing group	
14.5 Environmentally hazardous	yes
14.6 Special precautions for user	yes Not permitted for transport

Sea transport (IMDG)

14.1 UN number	UN 1744
14.2 Proper shipping name	BROMINE
14.3 Class	8 (6.1)
14.4 Packing group	I
14.5 Environmentally hazardous	yes
14.6 Special precautions for user	yes

EmS	F-A S-B
-----	---------

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	SEVESO III
Legislation	Bromine 9 Quantity 1: 20 t Quantity 2: 100 t

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
---------------------------	---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 101948
Product name Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 6.1B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.

Precautionary statements

Prevention

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

101948

Product name

Bromine for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.