SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 11.09.2019

Version 1.5

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier

Catalogue No.	102439	
Product name	Eosin Y-solution 0.5% alcoholic for microscopy	
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3. This product is a mixture. REACH Registration Number see section 3.	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Reagent for analysis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).	
1.3 Details of the supplier of the safety data sheet		
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 2, H225 Eye irritation, Category 2, H319 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Page 1 of 13



Catalogue No. Product name 102439 Eosin Y-solution 0.5% alcoholic for microscopy

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements
Prevention
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P240 Ground/bond container and receiving equipment.
Response
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Storage
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Danger

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature 3.1 Substance Not applicable Mixture of organic compounds

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration Classification number ethanol (>= 50 % - <= 100 %) Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

64-17-5 01-2119457610-43-XXXX Flammable liquid, Category 2, H225 Eye irritation, Category 2, H319

Page 2 of 13



Catalogue No. Product name

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Nausea, Vomiting, Dizziness, inebriation, euphoria, respiratory paralysis, narcosis

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Mixture with combustible ingredients. Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Catalogue No.102439Product nameEosin Y-solution 0.5% alcoholic for microscopy

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb[®]). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

<i>ethanol (64-17-</i> Worker DNEL, acute		inhalation	1900 mg/m³
Worker DNEL, longterm	Systemic effects	dermal	343 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	950 mg/m ³



Page 4 of 13

Catalogue No. Product name	102439 Eosin Y-sc	olution 0.5% alc	oholic for microscopy
Consumer DNEL, Local acute	l effects	inhalation	950 mg/m³
Consumer DNEL, Syste	emic effects	dermal	206 mg/kg Body weight
5	emic effects	inhalation	114 mg/m ³
5	emic effects	oral	87 mg/kg Body weight
Predicted No Effect Concentration (PNEC)			
<i>ethanol (64-17-5)</i> PNEC Fresh water		0,96 mg/l	
PNEC Marine water		0,79 mg/l	
PNEC Fresh water sediment	t	3,6 mg/kg	
PNEC Soil		0,63 mg/kg	
PNEC Aquatic intermittent r	release	2,75 mg/l	
PNEC Sewage treatment pla	ant	580 mg/l	
PNEC oral		720 mg/kg	

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	butyl-rubber 0,7 mm > 480 min
splash contact:		
·	Glove material:	Nitrile rubber
	Glove thickness:	0,40 mm
	Break through time:	> 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

Catalogue No.102439Product nameEosin Y-solution 0.5% alcoholic for microscopy

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains. Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	dark red
Odour	alcohol-like
Odour Threshold	No information available.
рН	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	19,1 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.

Page 6 of 13



Catalogue No. Product name	102439 Eosin Y-solution 0.5% alcoholic for microscopy
Density	0,8889 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: chromium(VI) oxide, hydrogen peroxide, uranium hexafluoride, nitrogen dioxide, Nitric acid, Oxides of phosphorus, permanganic acid, perchloric acid, sulphuric acid, potassium permanganate, perchlorates, Fluorine, Ethylene oxide, chromyl chloride, halogen-halogen compounds, Strong oxidizing agents, alkali oxides, Alkaline earth

metals, Alkali metals

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

rubber, various plastics

10.6 Hazardous decomposition products

no information available

Page 7 of 13



Catalogue No. Product name

SECTION 11. Toxicological information 11.1 Information on toxicological effects Mixture

Acute oral toxicity This information is not available.

Acute inhalation toxicity

Symptoms: Possible symptoms:, mucosal irritations

Acute dermal toxicity This information is not available.

Skin irritation This information is not available.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation This information is not available.

Germ cell mutagenicity This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

Systemic effects: euphoria After absorption: Nausea, Vomiting, Dizziness, inebriation, respiratory paralysis, narcosis Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Components

ethanol Acute oral toxicity LD50 Rat: 10.470 mg/kg OECD Test Guideline 401



Catalogue No. Product name 102439 Eosin Y-solution 0.5% alcoholic for microscopy

Acute inhalation toxicity LC50 Rat: 124,7 mg/l; 4 h ; vapour OECD Test Guideline 403

Skin irritation Rabbit Result: No skin irritation OECD Test Guideline 404

Eye irritation Rabbit Result: Eye irritation OECD Test Guideline 405

Sensitisation Local lymph node assay (LLNA) Mouse Result: negative Method: OECD Test Guideline 429

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test Mouse lymphoma test Result: negative Method: OECD Test Guideline 476

Reproductive toxicity Application Route: Oral Mouse Method: OECD Test Guideline 416

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

- **12.3 Bioaccumulative potential** No information available.
- **12.4 Mobility in soil** No information available.
- 12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information Discharge into the environment must be avoided.

Page 9 of 13



Catalogue No.102439Product nameEosin Y-solution 0.5% alcoholic for microscopy

Components

ethanol

Toxicity to fish flow-through test EC50 Pimephales promelas (fathead minnow): 15.300 mg/l; 96 h Analytical monitoring: yes US-EPA

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 9.268 - 14.221 mg/l; 48 h (IUCLID)

Toxicity to algae IC5 Scenedesmus quadricauda (Green algae): 5.000 mg/l; 7 d (Lit.)

Toxicity to bacteria EC5 Pseudomonas putida: 6.500 mg/l; 16 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 9,6 mg/l; 9 d

(ECHA)

Biodegradability 94 % OECD Test Guideline 301E Readily biodegradable

Biochemical Oxygen Demand (BOD) 930 - 1.670 mg/g (5 d) (Lit.)

Theoretical oxygen demand (ThOD) 2.100 mg/g (Lit.)

Ratio COD/ThBOD 90 % (Lit.)

Partition coefficient: n-octanol/water log Pow: -0,31 (experimental) (Lit.) Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Page 10 of 13

Catalogue No. Product name 102439 Eosin Y-solution 0.5% alcoholic for microscopy

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)) UN 1170
14.2 Proper shipping name	ETHANOL SOLUTION
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for user	yes
Tunnel restriction code	D/E
Inland waterway transpor Not relevant	t (ADN)
Air transport (IATA)	
14.1 UN number	UN 1170
14.2 Proper shipping name	ETHANOL SOLUTION
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for user	no
Sea transport (IMDG)	
14.1 UN number	UN 1170
14.2 Proper shipping name	ETHANOL SOLUTION
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for user	yes
EmS	F-E S-D

Page 11 of 13



Catalogue No. Product name

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>EU regulations</i> Major Accident Hazard Legislation	SEVESO III FLAMMABLE LIQUIE P5c Quantity 1: 5.000 t Quantity 2: 50.000	
Occupational restrictions	Take note of Dir 94, people at work.	/33/EC on the protection of young
Regulation (EC) No 1005/2009 on substances not regulated that deplete the ozone layer		
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		not regulated
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).
<i>National legislation</i> Storage class	3	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Training advice

Provide adequate information, instruction and training for operators.

Page 12 of 13



Catalogue No. Product name 102439 Eosin Y-solution 0.5% alcoholic for microscopy

Labelling



Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P240 Ground/bond container and receiving equipment. Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

