

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 10.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis

(surface: CuO, core: Cu2O) ACS

REACH Registration Number 01-2119502447-44-XXXX

CAS-No. 1317-38-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone F

Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word
Warning

CAS-No. 1317-38-0

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of oxides.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

Surface: CuO; core: Cu2O.

3.1 Substance

 Formula
 CuO (Hill)

 EC-No.
 215-269-1

 Molar mass
 79,55 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

copper oxide wire (<= 100 %)

1317-38-0 01-2119502447-44-

XXXX Acute toxicity, Category 4, H302

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

pain, Diarrhoea, Vomiting, CNS disorders

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form wire pieces

Colour dark grey

Odour odourless

Odour Threshold No information available.

pH No information available.

Melting point ca. 1.300 °C

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

Density ca.6,2 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

insoluble

Partition coefficient: n-

No information available.

octanol/water

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

9.2 Other data

Bulk density ca.2.200 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of explosion with:

Potassium, performic acid, powdered aluminium, Hydrogen, Acid anhydrides

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

Violent reactions possible with:

Boron, hydrazine and derivatives, hydroxylamine, sodium, magnesium, oxidisable substances,

Titanium, in powder form

Risk of ignition or formation of inflammable gases or vapours with:

hydrogen sulphide, Fluorine, hydrides, silanes

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

absorption

Acute toxicity estimate: 500,1 mg/kg

Expert judgement

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Systemic effects:

After absorption:

Possible symptoms:

pain, Vomiting, Diarrhoea, CNS disorders

Other information

Further data:

On the basis of the morphology of the product, no hazardous properties are to be expected when it is handled and used with appropriate care.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II) OXIDE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

Tunnel restriction code -

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Inland waterway transport (ADN)

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

Not relevant

Air transport (IATA)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II) OXIDE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for no

user

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sea transport (IMDG)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (COPPER(II) OXIDE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu2O) ACS

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

according to Regulation (EC) No. 1907/2006

Catalogue No. 102765

Product name Copper oxide wire fine about 0.65 x 3 mm for elementary analysis (surface:

CuO, core: Cu₂O) ACS

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.