

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 7.4

---

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Catalogue No.	102766
Product name	Copper(II) oxide powder for analysis EMSURE® ACS
REACH Registration Number	01-2119502447-44-xxxx
CAS-No.	1317-38-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
	For additional information on uses please refer to the Merck Chemicals portal ( <a href="http://www.merckgroup.com">www.merckgroup.com</a> ).

### 1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: <a href="mailto:prodsafe@merckgroup.com">prodsafe@merckgroup.com</a>

1.4 Emergency telephone number	Please contact the regional company representation in your country.
--------------------------------	---

---

## SECTION 2. Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### *Hazard pictograms*



#### *Signal word*

Warning

#### *Hazard statements*

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

#### *Precautionary statements*

Prevention

P260 Do not breathe dust.

P273 Avoid release to the environment.

#### Reduced labelling (≤125 ml)

##### *Hazard pictograms*



##### *Signal word*

Warning

CAS-No. 1317-38-0

## 2.3 Other hazards

None known.

---

## SECTION 3. Composition/information on ingredients

### 3.1 Substance

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

Formula	CuO (Hill)
EC-No.	215-269-1
Molar mass	79,55 g/mol

## Hazardous components (REGULATION (EC) No 1272/2008)

*Chemical name (Concentration)*

CAS-No.	Registration number	Classification
copper(II) oxide (<= 100 % )		

1317-38-0	01-2119502447-44-xxxx	Acute toxicity, Category 4, H302 Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410
-----------	-----------------------	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

---

## SECTION 4. First aid measures

### 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, conjunctivitis, Pain, Diarrhoea, Vomiting, CNS disorders

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

---

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

#### *Suitable extinguishing media*

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

#### *Special protective equipment for firefighters*

In the event of fire, wear self-contained breathing apparatus.

#### *Further information*

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

---

## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling

#### *Advice on safe handling*

Observe label precautions.

#### *Hygiene measures*

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

#### *Storage conditions*

Tightly closed. Dry.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

---

## SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### **Individual protection measures**

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## *Eye/face protection*

Safety glasses

## *Hand protection*

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

## *Other protective equipment*

protective clothing

## *Respiratory protection*

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## Environmental exposure controls

Do not let product enter drains.

---

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	solid
Colour	black
Odour	odourless
Odour Threshold	No information available.
pH	ca. 7 at 50 g/l 20 °C (slurry)
Melting point	1.326 °C (decomposition)
Boiling point/boiling range	Not applicable
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102766
Product name	Copper(II) oxide powder for analysis EMSURE® ACS

---

Vapour pressure	No information available.
Relative vapour density	No information available.
Density	6,48 g/cm <sup>3</sup> at 25 °C
Relative density	No information available.
Water solubility	at 20 °C insoluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	> 1.026 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

## 9.2 Other data

Ignition temperature	Not applicable
Bulk density	ca.500 kg/m <sup>3</sup>

---

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

Aluminium

Violent reactions possible with:

Boron, hydrazine and derivatives, hydroxylamine, sodium, magnesium

Risk of ignition or formation of inflammable gases or vapours with:

hydrogen sulphide, Fluorine, silane, hydrides

Potassium

Acid anhydrides

Hydrogen

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

no information available

## 10.6 Hazardous decomposition products

no information available

---

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

*Acute oral toxicity*

LD50 Rat: 470 mg/kg

(RTECS)

Symptoms: Possible damages:, Vomiting, Pain, Diarrhoea

*Acute inhalation toxicity*

Symptoms: Irritation symptoms in the respiratory tract.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## *Acute dermal toxicity*

This information is not available.

## *Skin irritation*

Possible damages: slight irritation

## *Eye irritation*

Possible damages: slight irritation conjunctivitis

## *Sensitisation*

This information is not available.

## *Germ cell mutagenicity*

This information is not available.

## *Carcinogenicity*

This information is not available.

## *Reproductive toxicity*

This information is not available.

## *Teratogenicity*

This information is not available.

## *Specific target organ toxicity - single exposure*

This information is not available.

## *Specific target organ toxicity - repeated exposure*

This information is not available.

## *Aspiration hazard*

This information is not available.

## **11.2 Further information**

After uptake:

Systemic effects:

CNS disorders

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

---

## SECTION 12. Ecological information

### 12.1 Toxicity

#### *Toxicity to fish*

LC50 *Oncorhynchus mykiss* (rainbow trout): 25 mg/l; 96 h  
(above the solubility limit in the test medium) (ECOTOX Database)

#### *Toxicity to daphnia and other aquatic invertebrates*

EC50 *Daphnia magna* (Water flea): 0,04 mg/l; 48 h  
(above the solubility limit in the test medium) (ECOTOX Database)

### 12.2 Persistence and degradability

#### *Biodegradability*

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

---

## SECTION 13. Disposal considerations

### *Waste treatment methods*

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14. Transport information

### Land transport (ADR/RID)

14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER(II) OXIDE)
14.3 Class	9
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for user	yes
Tunnel restriction code	-
Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9	

### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER(II) OXIDE)
14.3 Class	9
14.4 Packing group	III
14.5 Environmentally hazardous	yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102766
Product name	Copper(II) oxide powder for analysis EMSURE® ACS

---

**14.6 Special precautions for user** no

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## Sea transport (IMDG)

**14.1 UN number** UN 3077

**14.2 Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER(II) OXIDE)

**14.3 Class** 9

**14.4 Packing group** III

**14.5 Environmentally hazardous** yes

**14.6 Special precautions for user** yes

EmS F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not relevant

---

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *EU regulations*

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t

Quantity 2: 200 t

**Occupational restrictions** Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq 0.1\%$  (w/w).

*National legislation*

Storage class 10 - 13

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

---

## SECTION 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Training advice

Provide adequate information, instruction and training for operators.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102766

Product name Copper(II) oxide powder for analysis EMSURE® ACS

---

## Labelling

*Hazard pictograms*



*Signal word*

Warning

*Hazard statements*

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

*Precautionary statements*

Prevention

P273 Avoid release to the environment.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

---

*The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.*