

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Revision Date 07.11.2017

Version 9.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Catalogue No. 103170 Product name Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph Eur REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. CAS-No. 1787-61-7 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Reagent for analysis, Chemical production For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). 1.3 Details of the supplier of the safety data sheet

CompanyMerck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0Responsible DepartmentLS-QHC * e-mail: prodsafe@merckgroup.com1.4 Emergency telephonePlease contact the regional company representation in your country.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

number

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2, H319 Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statementsH319 Causes serious eye irritation.H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention


P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur





Signal word Warning

1787-61-7

2.3 Other hazards

CAS-No.

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

 Formula
 C₂₀H₁₂N₃NaO₂S (Hill)

 EC-No.
 217-250-3

 Molar mass
 461,38 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)CAS-No.Registration numberClassificationEriochrome black T (<= 100 %)</td>1787-61-7*)

Eye irritation, Category 2, H319 Chronic aquatic toxicity, Category 2, H411

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to aromatic nitro compounds in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmias, drop in blood pressure, dyspnoea, and spasms; principal sign: cyanosis (blue discolouration of the blood).

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Sulphur oxides, nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Protected from light.

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection required when dusts are generated. Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	black
Odour	weak
Odour Threshold	No information available.
рН	ca. 3,7 at 10 g/l 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. Product name	103170 Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph Eur
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	No information available.
Relative density	No information available.
Water solubility	50 g/l at 20 °C
Partition coefficient: n- octanol/water	log Pow: 1,78 (calculated) (Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Bulk density	ca.400 - 600 kg/m3

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

SECTION 10. Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

Sensitivity to light hygroscopic

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 17.590 mg/kg

(RTECS)

Symptoms: Irritation of mucous membranes

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation Rabbit Result: No irritation

(RTECS)

Eye irritation Rabbit Result: Eye irritation

(External MSDS) Causes serious eye irritation.

Sensitisation This information is not available.

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: positive

(Lit.)

Carcinogenicity This information is not available. *Reproductive toxicity* This information is not available. *Teratogenicity* This information is not available.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to aromatic nitro compounds in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmias, drop in blood pressure, dyspnoea, and spasms; principal sign: cyanosis (blue discolouration of the blood).

The following applies to azo dyes in general: azo dyes containing a carcinogenic aryl amine

component are suspected of possessing a carcinogenic potential. It is therefore recommended

that the substance be handled as if it possessed the properties of the basic amine.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Pimephales promelas (fathead minnow): 6 mg/l; 96 h (Lit.)

Toxicity to bacteria EC50 Bacteria: 10 - 100 mg/l OECD Test Guideline 209

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

Partition coefficient: n-octanol/water log Pow: 1,78 (calculated)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM 3-HYDROXY-4-((1-HYDROXY-2- NAPHTHYL)AZO)-7-NITRONAPHTHALENE-1- SULPHONATE)
14.3 Class	9
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
Tunnel restriction code	-
Packages smaller than or equal to	o 5 kg / L , not dangerous goods of Class 9
Inland waterway transport (ADN)	
Not relevant	

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM 3-HYDROXY-4-((1-HYDROXY-2- NAPHTHYL)AZO)-7-NITRONAPHTHALENE-1-
14.3 Class	SULPHONATE) 9
14.4 Packing group	
14.5 Environmentally hazardous	yes
14.6 Special precautions for	no
user	
Deckerse exceller then executed to	- E ka / L

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9 $\,$

Sea transport (IMDG)	
14.1 UN number	UN 3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (SODIUM 3-HYDROXY-4-((1-HYDROXY-2- NAPHTHYL)AZO)-7-NITRONAPHTHALENE-1- SULPHONATE)
14.3 Class	9
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
EmS	F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9 $\,$

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS, Reag. Ph
	Eur

EU regulations		
Major Accident Hazard	SEVESO III	
Legislation	ENVIRONMENTAL H	AZARDS
	E2	
	Quantity 1: 200 t	
	Quantity 2: 500 t	
Occupational restrictions	Take note of Dir 94/3	3/EC on the protection of young people at
	work.	
Regulation (EC) No 1005/2009 on substances that not		not regulated
deplete the ozone layer		
Regulation (EC) No 850/2004		not regulated
Parliament and of the Counci	-	
persistent organic pollutants	and amending	
Directive 79/117/EEC		
Substances of very high concern (SVHC)		This product does not contain substances
		of very high concern according to
		Regulation (EC) No 1907/2006 (REACH),
		Article 57 above the respective regulatory
		concentration limit of ≥ 0.1 % (w/w).
		concentration minit of ≥ 0.1 /0 (w/w).
National legislation		

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006

Catalogue No.	103170
Product name	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph
	Eur

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.