# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Creation Date 12-Apr-2010 Revision Date 18-Feb-2019 Revision Number 10

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identification

Product Description: 2-Chloro-2-methylpropane

Cat No.: 109500000; 109500025; 109500250; 109505000

Synonyms tert-Butyl chloride CAS-No 507-20-0

 CAS-No
 507-20-0

 EC-No.
 208-066-4

 Molecular Formula
 C4 H9 Cl

Reach Registration Number 01-2119969463-27

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

**Process categories** PROC15 - Use as a laboratory reagent

**Environmental release category** ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

**E-mail address** begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

**Physical hazards** 

Flammable liquids Category 2 (H225)

#### 2-Chloro-2-methylpropane

**Health hazards** 

Based on available data, the classification criteria are not met

**Environmental hazards** 

Based on available data, the classification criteria are not met

# 2.2. Label elements



**Signal Word** 

**Danger** 

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

# **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

# 2.3. Other hazards

No information available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
tert-Butyl chloride	507-20-0	EEC No. 208-066-4	>95	Flam. Liq. 2 (H225)

Reach Registration Number	01-2119969463-27

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

\_\_\_\_\_

Revision Date 18-Feb-2019

2-Chloro-2-methylpropane Revision Date 18-Feb-2019

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Cool closed containers exposed to fire with water spray.

#### Extinguishing media which must not be used for safety reasons

No information available.

# 5.2. Special hazards arising from the substance or mixture

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Hydrogen chloride gas, Carbon monoxide (CO), Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Should not be released into the environment.

# 6.3. Methods and material for containment and cleaning up

#### 2-Chloro-2-methylpropane

Revision Date 18-Feb-2019

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

#### 7.3. Specific end use(s)

Use in laboratories

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

#### Derived No Effect Level (DNEL) No information available

Route of exposure	_ Acute effects (local)	Acute effects	Chronic effects	Chronic effects
		(systemic)	(local)	(systemic)
Oral				
Dermal				

#### 2-Chloro-2-methylpropane

Revision Date 18-Feb-2019

Inhalation

**Predicted No Effect Concentration** No information available.

(PNEC)

#### 8.2. Exposure controls

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

ſ	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
1	Viton (R)	See manufacturers	-	EN 374	(minimum requirement)
		recommendations			

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to

EN371

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

AppearanceColorlessPhysical StateLiquid

**Odor** Slight

Odor Threshold No data available

# 2-Chloro-2-methylpropane

pH No information available

Melting Point/Range -25 °C / -13 °F

Softening Point No data available

**Boiling Point/Range** 51 - 52 °C / 123.8 - 125.6 °F @ 760 mmHg

Flash Point -27 °C / -16.6 °F Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas) Not applicable Liquid Explosion Limits Lower 1.8

Upper 10.1

Vapor Pressure 304 hPa @ 25 °C Vapor Density No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 0.850

Bulk Density Not applicable Liquid

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow tert-Butyl chloride 2.45

Autoignition Temperature 540 - °C / 1004 - °F Decomposition Temperature No data available Viscosity 0.5 mPas @ 20°C

Explosive Properties No information available Vapors may form explosive mixtures with air

Oxidizing Properties No information available

9.2. Other information

Molecular Formula C4 H9 Cl Molecular Weight 92.57

Surface tension 54.3 mN/m @15°C

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hydrogen chloride gas. Carbon monoxide (CO). Carbon dioxide (CO2).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

ACR10950

Revision Date 18-Feb-2019

# 2-Chloro-2-methylpropane

**Product Information** 

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral **Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
tert-Butyl chloride	2900 mg/kg rat		

Based on available data, the classification criteria are not met (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (h) STOT-single exposure;

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available

delayed

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
tert-Butyl chloride	LC50: 350 mg/L/48 h		EC50: 625 mg/L/24 h	
	(Leuciscus idus		_	
	melanotus)			

12.2. Persistence and degradability Not readily biodegradable

Persistence is unlikely, based on information available. **Persistence** 

12.3. Bioaccumulative potential Bioaccumulation is unlikely

ACR10950

Revision Date 18-Feb-2019

#### 2-Chloro-2-methylpropane

Component	log Pow	Bioconcentration factor (BCF)
tert-Butyl chloride	2,45	No data available

12.4. Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

Revision Date 18-Feb-2019

54.3 mN/m @15°C Surface tension

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not dispose of waste into sewer. Can be incinerated, when in compliance

with local regulations.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number UN1127

**CHLOROBUTANES** 14.2. UN proper shipping name

14.3. Transport hazard class(es) 3 14.4. Packing group

II

ADR

14.1. UN number UN1127

14.2. UN proper shipping name **CHLOROBUTANES** 

14.3. Transport hazard class(es) 3 II 14.4. Packing group

IATA

14.1. UN number UN1127

**CHLOROBUTANES** 14.2. UN proper shipping name

14.3. Transport hazard class(es) 3 14.4. Packing group II

Revision Date 18-Feb-2019 2-Chloro-2-methylpropane

No hazards identified 14.5. Environmental hazards

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

**IBC Code** 

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listed.International Inventories

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
tert-Butyl chloride	208-066-4	-		X	Х	-	Χ	Χ	Х	Х	-

#### **National Regulations**

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
tert-Butyl chloride	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists **DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds

#### 2-Chloro-2-methylpropane

Revision Date 18-Feb-2019

#### Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 12-Apr-2010 18-Feb-2019 **Revision Date Revision Summary** Not applicable.

# This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**