

according to Regulation (EC) No. 1907/2006

Revision Date 21.03.2018

Version 5.7

aSECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 -

0.08 - 0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements

Labelling.(REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of organic compounds

3.1 Substance

Not applicable

3.2 Mixture

Remarks No disclosure requirement according to Regulation (EC) No.

1907/2006.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

Cough, pain, Dizziness, Unconsciousness, Diarrhoea, Nausea, Vomiting, collapse, Tiredness

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: > 60 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour dark green

Odour characteristic

Odour Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point 190 °C

Method: c.c.

Information refers to the main component.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Density ca.1,13 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

Sensitive to air.

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Exothermic reaction with:

anhydrides, halogenating agents, Nitriles, Oxidizing agents, acids

A risk of explosion and/or of toxic gas formation exists with the following substances:

Acid chlorides

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

nonferrous metals, Light metals

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

Symptoms: Cough

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

After uptake:

Nausea, Vomiting, Diarrhoea, Dizziness, Tiredness, collapse, Unconsciousness, pain

After long-term exposure to the chemical:

Damage to:

Liver, Kidney

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments. However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

SEVESO III Not applicable

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

not regulated

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 10 - 13 The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 111142

Product name Residual Hardness Test Method: colorimetric with color card 0.04 - 0.08 -

0.15 °d

0.05 - 0.1 - 0.19°e

0.7 - 1.4 - 2.7 mg/l CaCO₃ MColortest™

RH-1

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.