

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 4.8

---

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Catalogue No. 112230

Product name Lithium nitrate 98+

REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. 7790-69-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis  
For additional information on uses please refer to the Merck Chemicals portal ([www.merckgroup.com](http://www.merckgroup.com)).

### 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0

Responsible Department LS-QHC \* e-mail: [prodsafe@merckgroup.com](mailto:prodsafe@merckgroup.com)

1.4 Emergency telephone number Please contact the regional company representation in your country.

---

## SECTION 2. Hazards identification

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

Oxidizing solid, Category 2, H272

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

*Hazard pictograms*



*Signal word*

Warning

*Hazard statements*

H272 May intensify fire; oxidizer.

*Precautionary statements*

Prevention

P262 Do not get in eyes, on skin, or on clothing.

**Reduced labelling (≤125 ml)**

*Hazard pictograms*



*Signal word*

Warning

CAS-No. 7790-69-4

## 2.3 Other hazards

None known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

---

## SECTION 3. Composition/information on ingredients

### 3.1 Substance

Formula	LiNO <sub>3</sub> (Hill)
EC-No.	232-218-9
Molar mass	68,94 g/mol

Remarks	No disclosure requirement according to Regulation (EC) No. 1907/2006
---------	--

### 3.2 Mixture

Not applicable

---

## SECTION 4. First aid measures

### 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Unconsciousness, Diarrhoea, Nausea, Vomiting, Stomach/intestinal disorders, collapse

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

#### *Suitable extinguishing media*

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases

### 5.3 Advice for firefighters

#### *Special protective equipment for firefighters*

In the event of fire, wear self-contained breathing apparatus.

#### *Further information*

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

---

## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling

#### *Advice on safe handling*

Observe label precautions.

#### *Hygiene measures*

Change contaminated clothing. Wash hands after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

#### *Storage conditions*

Tightly closed. Do not store near combustible materials.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

---

## SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112230  
Product name Lithium nitrate 98+

---

## Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

### *Eye/face protection*

Safety glasses

### *Hand protection*

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

### *Other protective equipment*

protective clothing

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

## *Respiratory protection*

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not let product enter drains.

---

## **SECTION 9. Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

Form	solid
Colour	white
Odour	odourless
Odour Threshold	Not applicable
pH	ca. 7 - 9 at 50 g/l 20 °C
Melting point	255 °C
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	2,36 g/cm <sup>3</sup> at 20 °C
Relative density	No information available.
Water solubility	522 g/l at 20 °C
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	> 600 °C
Viscosity, dynamic	No information available.
Explosive properties	No information available.
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 2.

## 9.2 Other data

Bulk density	ca.910 kg/m <sup>3</sup>
--------------	--------------------------



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

---

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

organic combustible substances

ethanol

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

in the event of fire: See section 5.

---

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

*Acute oral toxicity*

Symptoms: Stomach/intestinal disorders

*Acute inhalation toxicity*

Symptoms: Irritation symptoms in the respiratory tract.

*Acute dermal toxicity*

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

## *Skin irritation*

slight irritation

## *Eye irritation*

slight irritation

## *Sensitisation*

This information is not available.

## *Germ cell mutagenicity*

This information is not available.

## *Carcinogenicity*

This information is not available.

## *Reproductive toxicity*

This information is not available.

## *Teratogenicity*

This information is not available.

## *Specific target organ toxicity - single exposure*

This information is not available.

## *Specific target organ toxicity - repeated exposure*

This information is not available.

## *Aspiration hazard*

This information is not available.

## **11.2 Further information**

After uptake of large quantities:

Vomiting, Nausea, Diarrhoea

Possible damages:

Unconsciousness, collapse

Damage to:

Kidney

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.  
Other dangerous properties can not be excluded.  
Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12. Ecological information

### 12.1 Toxicity

No information available.

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

---

## SECTION 13. Disposal considerations

### *Waste treatment methods*

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14. Transport information

### Land transport (ADR/RID)

14.1 UN number	UN 2722
14.2 Proper shipping name	LITHIUM NITRATE
14.3 Class	5.1
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

14.1 UN number	UN 2722
14.2 Proper shipping name	LITHIUM NITRATE
14.3 Class	5.1
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

### Sea transport (IMDG)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

14.1 UN number	UN 2722
14.2 Proper shipping name	LITHIUM NITRATE
14.3 Class	5.1
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-A S-Q

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

---

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *EU regulations*

Major Accident Hazard	SEVESO III
-----------------------	------------

Legislation	OXIDIZING LIQUIDS AND SOLIDS
-------------	------------------------------

P8

Quantity 1: 50 t

Quantity 2: 200 t

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.
---------------------------	--

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112230  
Product name Lithium nitrate 98+

---

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq 0.1\%$  (w/w).

## *National legislation*

Storage class 5.1B

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

---

## SECTION 16. Other information

**Full text of H-Statements referred to under sections 2 and 3.**

H272 May intensify fire; oxidizer.

## **Training advice**

Provide adequate information, instruction and training for operators.

## **Labelling**

*Hazard pictograms*



*Signal word*

Danger

*Hazard statements*

H272 May intensify fire; oxidizer.

*Precautionary statements*

Prevention

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112230
Product name	Lithium nitrate 98+

---

P221 Take any precaution to avoid mixing with combustibles, heavy-metal compounds, acids and alkalis.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

---

*The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.*