

according to Regulation (EC) No. 1907/2006

Revision Date 15.05.2018

Version 17.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

REACH Registration Number 01-2119489461-32-XXXX

CAS-No. 151-21-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Biochemical research/analysis

In compliance with the conditions described in the annex to this safety

data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Flammable solid, Category 2, H228

Acute toxicity, Category 4, Oral, H302

Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word

Danger

Hazard statements

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat.

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

CAS-No. 151-21-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $C_{12}H_{25}OSO_2ONa$ $C_{12}H_{25}NaO_4S$ (Hill)

EC-No. 205-788-1

Molar mass 288,37 g/mol

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

dodecyl sulphate sodium salt (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

151-21-3 01-2119489461-32-

XXXX Flammable solid, Category 2, H228

Acute toxicity, Category 4, H302 Skin irritation, Category 2, H315

Serious eye damage, Category 1, H318

Specific target organ toxicity - single exposure, Category 3, H335

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Tiredness Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Derived No Effect Level (DNEL)

Worker DNEL, longterm Systemic effects dermal 4060 mg/kg Body weight

Worker DNEL, longterm Systemic effects inhalation 285 mg/m³

Consumer DNEL, longterm Systemic effects dermal 2440 mg/kg Body weight

Consumer DNEL, longterm Systemic effects inhalation 85 mg/m³

Consumer DNEL, longterm Systemic effects oral 24 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

PNEC Fresh water 0,137 mg/l

PNEC Marine water 0,0137 mg/l

PNEC Aquatic intermittent release 0,055 mg/l

PNEC Sewage treatment plant 1084 mg/l

PNEC Fresh water sediment 4,82 mg/kg

PNEC Marine sediment 0,482 mg/kg

PNEC Soil 0,882 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form powder

Colour white

Odour odourless

Odour Threshold Not applicable

pH 6-9

at 10 g/l 20 °C

Melting point 204 - 207 °C

Boiling point/boiling range Not applicable

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas)

The substance or mixture is a flammable solid with the

category 2.

Flammability (solids)

Lower explosion limit No information available.

Upper explosion limit No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Vapour pressure No information available.

Relative vapour density No information available.

Density 1,1 g/cm3

at 20 °C

Relative density No information available.

Water solubility > 130 g/l

at 20 °C

Method: OECD Test Guideline 105

Partition coefficient: n- log Pow: <= -2,03 (20 °C) octanol/water OECD Test Guideline 107

Auto-ignition temperature No information available.

Decomposition temperature 380 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density >= 400 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

strong oxidising agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 977 mg/kg
OECD Test Guideline 401

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

LD50 Rabbit: > 2.000 mg/kg OECD Test Guideline 402

Skin irritation

Rabbit

Result: Irritations

OECD Test Guideline 404

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Causes skin irritation.

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

Causes serious eye damage.

Sensitisation

Maximisation Test

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test):

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Target Organs: Respiratory system

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption of toxic quantities:

Tiredness, vasodilation

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 Pimephales promelas (fathead minnow): 29 mg/l; 96 h

OECD Test Guideline 203

flow-through test NOEC Pimephales promelas (fathead minnow): > 1,357 mg/l; 42 d

(ECHA)

Toxicity to daphnia and other aquatic invertebrates

EC0 E.sulcatum: 40 mg/l; 72 h

(Lit.)

EC50 Daphnia magna (Water flea): 6 mg/l; 48 h

(IUCLID)

Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): 53 mg/l; 72 h

DIN 38412

Toxicity to bacteria

microtox test EC50 Photobacterium phosphoreum: 0,46 mg/l; 30 min

(IUCLID)

EC50 activated sludge: 130 mg/l; 3 h

OECD Test Guideline 209

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

flow-through test NOEC Ceriodaphnia dubia (water flea): 0,88 mg/l; 7 d

US-EPA

12.2 Persistence and degradability

Biodegradability

95 %; 28 d; aerobic

OECD Test Guideline 301B

Readily biodegradable

Ratio BOD/ThBOD

BOD5 99 %

(Lit.)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: <= -2,03 (20 °C)
OECD Test Guideline 107

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1325

14.2 Proper shipping name FLAMMABLE SOLID, ORGANIC, N.O.S. (SODIUM

DODECYL SULFATE)

14.3 Class 4.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 1325

14.2 Proper shipping name FLAMMABLE SOLID, ORGANIC, N.O.S. (SODIUM

DODECYL SULFATE)

14.3 Class 4.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for

user

Sea transport (IMDG)

nο

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

14.1 UN number UN 1325

14.2 Proper shipping name FLAMMABLE SOLID, ORGANIC, N.O.S. (SODIUM

DODECYL SULFATE)

14.3 Class 4.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-G

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 4.1B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H228 Flammable solid.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms







Signal word

Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Hazard statements

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat.

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Biochemical research/analysis)

Sectors of end-use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC19 Intermediate

PC21 Laboratory chemicals

Process categories

Use in closed process, no likelihood of exposure
Use in closed, continuous process with occasional controlled exposure
Use in closed batch process (synthesis or formulation)
Use in batch and other process (synthesis) where opportunity for exposure arises
Mixing or blending in batch processes for formulation of preparations and articles

(multistage and/ or significant contact)

PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large

containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large

containers at dedicated facilities

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including

weighing)

PROC10 Roller application or brushing

PROC14 Production of preparations or articles by tabletting, compression, extrusion, pelletisation

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2	Formulation of preparations
------	-----------------------------

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

ERC6b Industrial use of reactive processing aids

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2, SpERC AISE 1

Amount used

Annual amount 29950 t

Remarks European Union

Daily amount per site (Msafe) 290.240 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

2.2 Contributing scenario controlling environmental exposure for: ERC4, SpERC AISE 13

Amount used

Annual amount 6000 t

Remarks European Union

Daily amount per site (Msafe) 134,63 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Flow rate of sewage treatment

plant effluent

2.000 m3/d

2.3 Contributing scenario controlling environmental exposure for: ERC6a

Amount used

Annual amount 130 t

Remarks European Union

Daily amount per site (Msafe) 7.296 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

2.4 Contributing scenario controlling environmental exposure for: ERC6b

Amount used

Annual amount 550 t

Remarks European Union

Daily amount per site (Msafe) 2.926 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant

Municipal sewage treatment plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

2.5 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable gloves (tested to EN374) and eye protection.

2.6 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Aqueous solution

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	290240 kg/day	Marine water	0,06	ECETOC TRA 2
2.2	ERC4	134,63 kg/day	Marine water	0,37	ECETOC TRA 2
2.3	ERC6a	7296 kg/day	Marine water	0,89	ECETOC TRA 2
2.4	ERC6b	2926 kg/day	Marine water	0,94	ECETOC TRA 2

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.5	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	< 0,01	
2.5	PROC2	longterm, inhalative, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	< 0,01	
2.5	PROC3	longterm, inhalative, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	< 0,01	
2.5	PROC4	longterm, inhalative, systemic	0,06	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,06	
2.5	PROC5	longterm, inhalative, systemic	0,06	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,06	
2.5	PROC8a	longterm, inhalative, systemic	0,12	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,12	
2.5	PROC8b	longterm, inhalative, systemic	0,06	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,06	
2.5	PROC9	longterm, inhalative, systemic	0,05	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,05	
2.5	PROC10	longterm, inhalative, systemic	0,02	ECETOC TRA 2, Solid
		longterm, dermal, systemic	0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,03	
2.5	PROC14	longterm, inhalative, systemic	0,02	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,02	
2.5	PROC15	longterm, inhalative, systemic	0,01	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,01	

according to Regulation (EC) No. 1907/2006

Catalogue No. Product name		112533					
		Dodecyl sulfate sodium salt for biochemistry and surfactant tests					
_							
2.6	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	< 0,01				
2.6	PROC2	longterm, inhalative, systemic	0,04	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,04				
2.6	PROC3	longterm, inhalative, systemic	0,13	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,13				
2.6	PROC4	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21				
2.6	PROC5	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21				
2.6	PROC8a	longterm, inhalative, systemic	0,42	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,42				
2.6	PROC8b	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21				
2.6	PROC9	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21				
2.6	PROC10	longterm, inhalative, systemic	0,42	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,42				
2.6	PROC14	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21				
2.6	PROC15	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution			
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution			
		longterm, combined, systemic	0,21	·			

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Biochemical research/analysis)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

ERC6b Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2, SpERC AISE 1

Amount used

Annual amount 29950 t

Remarks European Union

Daily amount per site (Msafe) 290.240 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

2.2 Contributing scenario controlling environmental exposure for: ERC6a

Amount used

Annual amount 130 t

Remarks European Union

Daily amount per site (Msafe) 7.296 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

2.3 Contributing scenario controlling environmental exposure for: ERC6b

Amount used

Annual amount 550 t

Remarks European Union

Daily amount per site (Msafe) 2.926 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Dilution Factor (Coastal Areas) 100

Conditions and measures related to municipal sewage treatment plant

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Type of Sewage Treatment Plant

Municipal sewage treatment plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

2.4 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable gloves (tested to EN374) and eye protection.

2.5 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Aqueous solution

Frequency and duration of use

Frequency of use 8 hours/day

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice

Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	290240 kg/day	Marine water	0,06	ECETOC TRA 2
2.2	ERC6a	7296 kg/day	Marine water	0,89	ECETOC TRA 2
2.3	ERC6b	2926 kg/day	Marine water	0,94	ECETOC TRA 2

Workers

CS	Use descriptor	Exposure duration, route, effect RCR		Exposure Assessment Method
2.4	PROC15	longterm, inhalative, systemic	0,01	ECETOC TRA 2, Solid
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Solid
		longterm, combined, systemic	0,01	
2.5	PROC15	longterm, inhalative, systemic	0,21	ECETOC TRA 2, Aqueous solution
		longterm, dermal, systemic	< 0,01	ECETOC TRA 2, Aqueous solution
		longterm, combined, systemic	0,21	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

according to Regulation (EC) No. 1907/2006

Catalogue No. 112533

Product name Dodecyl sulfate sodium salt for biochemistry and surfactant tests

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.