

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 04.04.2019

Version 4.7

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	112630
Product name	Spectromelt® A 100 di-lithiumtetraborate
REACH Registration Number	01-2120770724-49-XXXX
CAS-No.	12007-60-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis, Chemical production For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	--

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture**
Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302
Serious eye damage, Category 1, H318
Reproductive toxicity, Category 2, H361d

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

112630
Spectromelt® A 100 di-lithiumtetraborate

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CAS-No. 12007-60-2

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula

$\text{Li}_2\text{B}_4\text{O}_7$

$\text{B}_4\text{Li}_2\text{O}_7$ (Hill)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112630
Product name	Spectromelt® A 100 di-lithiumtetraborate

EC-No.	234-514-3
Molar mass	169,12 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

dilithium tetraborate ($\geq 80\%$ - $\leq 100\%$)

12007-60-2	01-2120770724-49-XXXX
------------	-----------------------

Acute toxicity, Category 4, H302
Serious eye damage, Category 1, H318
Reproductive toxicity, Category 2, H361d

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders.

Irritation and corrosion

Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112630
Product name Spectromelt® A 100 di-lithiumtetraborate

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:
boron compounds

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112630
Product name Spectromelt® A 100 di-lithiumtetraborate

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112630
Product name Spectromelt® A 100 di-lithiumtetraborate

particles of toxic and very toxic substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	odourless
Odour Threshold	No information available.
pH	ca. 9,1 at 100 g/l 20 °C (slurry)
Melting point	> 500 °C Method: OECD Test Guideline 102
Boiling point	No information available.
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable. Test N.1: Test method for readily combustible solids
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapour pressure	low
Relative vapour density	No information available.
Density	2,35 g/cm ³ at 20 °C Method: OECD Test Guideline 109
Relative density	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112630
Product name	Spectromelt® A 100 di-lithiumtetraborate

Water solubility	141,2 g/l at 20 °C Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	Not applicable for inorganic substances
Auto-ignition temperature	does not ignite
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Ignition temperature	not combustible
Bulk density	ca.330 kg/m ³

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Strong acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112630
Product name	Spectromelt® A 100 di-lithiumtetraborate

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 500 mg/kg
OECD Test Guideline 423

Acute inhalation toxicity

Symptoms: Possible damages: , mucosal irritations

Acute dermal toxicity

LD50 Rat: > 2.000 mg/kg
OECD Test Guideline 402

Skin irritation

In vitro study
Result: non-corrosive
OECD Test Guideline 431
In vitro study
Result: No skin irritation
OECD Test Guideline 439

Eye irritation

Rabbit
Result: Causes serious eye damage.
OECD Test Guideline 405
Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

In vitro mammalian cell gene mutation test
Human lymphocytes
Result: negative
Method: OECD Test Guideline 473

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

CMR effects

Reproductive toxicity:
Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	112630
Product name	Spectromelt® A 100 di-lithiumtetraborate

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption:

We have no description of any symptoms of toxicity.

The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

The following applies to boron compounds in general: resorption is followed by nausea and vomiting, agitation, spasms, CNS disorders, cardiovascular disorders. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 *Cyprinus carpio* (Carp): > 100 mg/l; 96 h

Analytical monitoring: yes

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

Toxicity to algae

static test ErC50 *Pseudokirchneriella subcapitata* (green algae): > 100 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

static test NOEC *Pseudokirchneriella subcapitata* (green algae): 32 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112630
Product name Spectromelt® A 100 di-lithiumtetraborate

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard Legislation	SEVESO III Not applicable
-----------------------------------	------------------------------

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
---------------------------	---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 112630
Product name Spectromelt® A 100 di-lithiumtetraborate

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

112630

Product name

Spectromelt® A 100 di-lithiumtetraborate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.