SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 12.03.2019

Version 9.12

SECTION 1. Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier

Catalogue No.	116743			
Product name	Dimethyl sulfoxide EMPLURA®			
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.			
CAS-No.	67-68-5			
1.2 Relevant identified uses of the substance or mixture and uses advised against				
Identified uses	Reagent for analysis, Chemical production For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).			
1.3 Details of the supplier of the safety data sheet				
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0			
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com			
1.4 Emergency telephone number	Please contact the regional company representation in your country.			

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.



Catalogue No. 116743 Product name Dimethyl sulfoxide EMPLURA®

SECTION 3. Composit 3.1 Substance	tion/information on in	gredients	
Formula	(CH3)2SO	C₂H₅OS (Hill)	
EC-No.	200-664-3		
Molar mass	78,13 g/mol		
Remarks	No disclosure re 1907/2006.	No disclosure requirement according to Regulation (EC) No. 1907/2006.	

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Headache, Nausea, Tiredness, CNS disorders

4.3 Indication of any immediate medical attention and special treatment needed Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, Carbon dioxide (CO2), Dry powder, Water

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

Page 2 of 11



The life science business of Merck operates as MilliporeSigma in the US and Canada

Catalogue No.116743Product nameDimethyl sulfoxide EMPLURA®

Fire may cause evolution of: Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb[®]). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Recommended storage temperature see product label.



Catalogue No.116743Product nameDimethyl sulfoxide EMPLURA®

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	polychloroprene 0,65 mm > 480 min
splash contact:		
	Glove material:	natural latex
	Glove thickness:	0,6 mm
	Break through time:	> 240 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 720 Camapren® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment Flame retardant antistatic protective clothing.

Respiratory protection required when vapours/aerosols are generated. Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory

Page 4 of 11



Merck

Catalogue No. Product name

protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	characteristic
Odour Threshold	No information available.
рН	No information available.
Melting point	18,5 °C
Boiling point/boiling range	189 °C at 1.013 hPa
Flash point	87 °C Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	1,8 %(V)
Upper explosion limit	63,0 %(V)
Vapour pressure	0,6 hPa at 20 °C
Relative vapour density	2,7
Density	1,10 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	1.000 g/l at 20 °C

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 11

Catalogue No. Product name	116743 Dimethyl sulfoxide EMPLURA®
Partition coefficient: n- octanol/water	log Pow: -1,35 (experimental) (Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	> 190 °C
Viscosity, dynamic	2,14 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	300 - 302 °C
Saturated vapour concentration	8,0 g/m3 at 20 °C
Viscosity, kinematic	2,14 mm2/s

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

hygroscopic

10.3 Possibility of hazardous reactions

Risk of explosion with:

acetylidene, organic halides, perchlorates, Acid chlorides, nonmetallic halides, iron(III) compounds, nitrates, fluorides, chlorates, hydrides, perchloric acid, Oxides of phosphorus, Nitric acid, silver compounds, silicon compounds, silanes, acid halides

Exothermic reaction with:

boron compounds, oxyhalogenic compounds, Potassium, sodium, Strong oxidizing agents, phosphorus halides, strong reducing agents, Acid chlorides, Strong acids, silver salt, nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapours with:

potassium permanganate

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

various plastics, Metals

Page 6 of 11



Catalogue No. Product name

116743 Dimethyl sulfoxide EMPLURA®

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 28.300 mg/kg OECD Test Guideline 401

Acute inhalation toxicity LC0 Rat: > 5,33 mg/l; 4 h ; dust/mist OECD Test Guideline 403

Acute dermal toxicity LD50 Rat: 40.000 mg/kg (RTECS)

Skin irritation Rabbit Result: slight irritation OECD Test Guideline 404

Possible damages: slight irritation

Eye irritation Rabbit Result: slight irritation OECD Test Guideline 405

Possible damages: slight irritation

Sensitisation Maximisation Test Guinea pig Result: negative Method: OECD Test Guideline 406

In animal experiments: Mouse Result: negative Method: OECD Test Guideline 429

Germ cell mutagenicity Genotoxicity in vivo Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Rat male and female i.p. Result: negative Method: OECD Test Guideline 474

The life science business of Merck operates as MilliporeSigma in the US and Canada

Merck

Page 7 of 11

Catalogue No. Product name

Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471 Mutagenicity (mammal cell test): Chinese hamster ovary cells Result: negative Method: OECD Test Guideline 479 Mutagenicity (mammal cell test): chromosome aberration. Result: negative Method: OECD Test Guideline 473

Carcinogenicity

No indication of carcinogenic activity. (IUCLID)

Reproductive toxicity This information is not available.

Teratogenicity Did not show teratogenic effects in animal experiments.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

Possible symptoms: After uptake: CNS disorders, Nausea, Tiredness, Headache Damage to: Liver, Kidney However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 Danio rerio (zebra fish): > 25.000 mg/l; 96 h OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 24.600 mg/l; 48 h Analytical monitoring: yes OECD Test Guideline 202

Page 8 of 11



Catalogue No. Product name 116743 Dimethyl sulfoxide EMPLURA®

Toxicity to algae

static test EC50 Pseudokirchneriella subcapitata (green algae): 17.000 mg/l; 72 h Analytical monitoring: yes OECD Test Guideline 201

Toxicity to bacteria

EC10 Pseudomonas putida: 7.100 mg/l; 16 h (IUCLID)

EC50 activated sludge: 10 - 100 mg/l; 30 min (IUCLID)

12.2 Persistence and degradability

Biodegradability 31 %; 28 d; aerobic OECD Test Guideline 301D Not readily biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -1,35 (experimental)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6Not classified as dangerous in the meaning of
transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA) 14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Page 9 of 11



Catalogue No. Product name	116743 Dimethyl sulfox	ide EMPLURA®
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.	
14.7 Transport in bulk ac Code Not relevant	cording to Annex	c II of MARPOL 73/78 and the IBC
substance or mixture EU regulations Major Accident Hazard S		lations/legislation specific for the
Regulation (EC) No 1005/20 that deplete the ozone layer		not regulated
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		not regulated
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).
National legislation Storage class 1	0 - 13	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Training advice Provide adequate information, instruction and training for operators.

Labelling

Signal word Warning

Hazard statements H227 Combustible liquid.

Page 10 of 11



Catalogue No.116743Product nameDimethyl sulfoxide EMPLURA®

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

