

<b>Revision Date:</b>	16.01.2020	<b>Version:</b>	1.4
<b>Company</b>	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0		
<b>Responsible Department</b>	LS-QHC * e-mail: prodsafe@merckgroup.com		
<b>Emergency telephone number</b>	Please contact the regional company representation in your country.		
<b>Catalogue No.:</b>	116971		
<b>Product name:</b>	Nitrate Test Method: reflectometric with test strips 5 - 225 mg/l NO <sub>3</sub> <sup>-</sup> Reflectoquant®		
<b>REACH Registration Number:</b>	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.		

This item is not a hazardous substance and does not contain hazardous ingredients, substances with European Community workplace exposure limits or substances of very high concern (SVHC) above their respective disclosure limits. Hence a safety data sheet is not required according to Regulation (EC) No. 1907/2006 (REACH) and also not available in this case.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information has been generated by EDP and bears no signature.