

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 12.10.2018

Version 18.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 119777

Product name Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

Carcinogenicity, Category 1B, H350

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H350 May cause cancer.

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users.

Reduced labelling (≤ 125 ml)

Hazard pictograms



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Signal word

Danger

Hazard statements

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature	Aqueous solution
-----------------	------------------

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

nitric acid ($\geq 1\%$ - $< 5\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7697-37-2	01-2119487297-23-
-----------	-------------------

XXXX

Oxidizing liquid, Category 2, H272

Corrosive to metals, Category 1, H290

Acute toxicity, Category 1, H330

Skin corrosion, Category 1A, H314

Cadmium nitrate ($\geq 0,025\%$ - $< 0,1\%$)

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

10325-94-7	*)
------------	----

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Acute toxicity, Category 3, H301

Acute toxicity, Category 2, H330

Acute toxicity, Category 4, H312

Germ cell mutagenicity, Category 1B, H340

Carcinogenicity, Category 1B, H350

Specific target organ toxicity - repeated exposure, Category 1,
H372

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

M-Factor: 10

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/
shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a
physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to cadmium compounds in general: mucosal irritations, coughing, and
dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory
tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic
effect on kidneys, lungs, bones.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemisorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Derived No Effect Level (DNEL)

nitric acid (7697-37-2)

Worker DNEL, longterm	Local effects	inhalation	1,3 mg/m ³
--------------------------	---------------	------------	-----------------------

Predicted No Effect Concentration (PNEC)

nitric acid (7697-37-2)

PNEC no data available

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatrill® L (full contact), KCL 741 Dermatrill® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

pH	ca. 0,5 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	ca. 1,013 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Decomposition temperature	No information available.
---------------------------	---------------------------

Viscosity, dynamic	No information available.
--------------------	---------------------------

Explosive properties	Not classified as explosive.
----------------------	------------------------------

Oxidizing properties	none
----------------------	------

9.2 Other data

Corrosion	May be corrosive to metals.
-----------	-----------------------------

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of: , nitrous gases, Hydrogen

increased reactivity with:

oxidisable substances, organic solvent, Alkali metals, Alkaline earth metals, alkalines, acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

(generation of hydrogen)

Cellulose

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

CMR effects

Carcinogenicity:

May cause cancer.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to cadmium compounds in general: mucosal irritations, coughing, and dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic effect on kidneys, lungs, bones.

The following applies to nitrites in general: risk of methaemoglobin formation. Possibility of formation of nitrosamines with secondary and in given circumstances even tertiary amines. Nitrosamines have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

nitric acid

Acute inhalation toxicity

LC50 Rat: > 2,65 mg/l; 4 h ; vapour

OECD Test Guideline 403

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Cadmium nitrate

Acute oral toxicity

Acute toxicity estimate: 100,1 mg/kg

Expert judgement

Acute inhalation toxicity

Acute toxicity estimate: 0,051 mg/l; dust/mist

Expert judgement

Acute dermal toxicity

Acute toxicity estimate : 1.100,1 mg/kg

Expert judgement

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

Components

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -2,3

OECD Test Guideline 107

Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant

2482 Pa·m³/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

Cadmium nitrate

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 0,0132 mg/l; 96 h
(ECOTOX Database) (referred to the cation)

Toxicity to daphnia and other aquatic invertebrates

LC50 Daphnia magna (Water flea): 0,023 mg/l; 48 h
(referred to the cation) (ECOTOX Database)

Toxicity to fish (Chronic toxicity)

NOEC Oncorhynchus mykiss (rainbow trout): 0,0013 mg/l; 28 d

(referred to the cation) (ECOTOX Database)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

M-Factor

10

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3264
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

14.1 UN number	UN 3264
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

14.1 UN number	UN 3264
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID NOT MORE THAN 5%)
14.3 Class	8
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	SEVESO III
Legislation	Not applicable

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.
---------------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 59 above the respective regulatory concentration limit of > 0.1 % (w/w).

Contains: Cadmium nitrate

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	119777
Product name	Cadmium standard solution traceable to SRM from NIST $\text{Cd}(\text{NO}_3)_2$ in HNO_3 0.5 mol/l 1000 mg/l Cd Certipur®

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.