

according to Regulation (EC) No. 1907/2006

Revision Date 06.08.2018

Version 1.1

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical production

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

### 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

number

#### **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

This mixture is not classified as dangerous according to European Union legislation.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

#### 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

Chemical nature

Mixture of inorganic and organic compounds

3.1 Substance

Not applicable

#### 3.2 Mixture

Remarks No disclosure requirement according to Regulation (EC) No.

1907/2006.

#### **SECTION 4. First aid measures**

### 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

We have no description of any symptoms of toxicity.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5. Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6. Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of vapours/aerosols or dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with suitable equipment. Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

# **SECTION 7. Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Protected from light.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8. Exposure controls/personal protection**

# 8.1 Control parameters

#### 8.2 Exposure controls

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

Not required; except in case of aerosol formation.

### Environmental exposure controls

Do not let product enter drains.

### **SECTION 9. Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form Culture media Petri dish ready for use

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Colour clear

red

Odour characteristic

Odour Threshold No information available.

pH 7,8

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Partition coefficient: n-

No information available.

octanol/water

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

### 9.2 Other data

none

### **SECTION 10. Stability and reactivity**

## 10.1 Reactivity

See section 10.3

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Dangerous reactions are not expected handling the product according to its intented use.

## 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

no information available

## 10.6 Hazardous decomposition products

no information available

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

### **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Aspiration hazard

This information is not available.

#### 11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12. Ecological information**

#### **Mixture**

#### 12.1 Toxicity

No information available.

### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

## 12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

Regulation (EC) No 850/2004 of the European

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

not regulated

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of  $\geq 0.1 \%$  (w/w).

National legislation

Storage class 10 - 13

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16. Other information**

# Training advice

Provide adequate information, instruction and training for operators.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

# Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146006

Product name FREY Agar acc. EP Application: Mycoplasma testing, Detection of M.

Synoviae Packaging: 60 mm plate (20 plates per box) Synonym:

Mycoplasma Agar

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.