

SAFETY DATA SHEET

Creation Date 10-Nov-2010

Revision Date 18-Jan-2018

Revision Number 4

 1. Identification

 Product Name
 Allyl mercaptan, 70%, remainder mainly sulfide

 Cat No. :
 AC153710000; AC153710250; AC153711000

 CAS-No
 870-23-5

 Synonyms
 2-Propene-1-thiol

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

 Details of the supplier of the safety data sheet
 Company

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

FI	ammable liquids	Category 2
A	cute oral toxicity	Category 4
A	cute dermal toxicity	Category 4
A	cute Inhalation Toxicity - Vapors	Category 4
S	kin Corrosion/Irritation	Category 2
S	erious Eye Damage/Eye Irritation	Category 2
S	pecific target organ toxicity (single exposure)	Category 3
Ta	arget Organs - Respiratory system.	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor

Causes skin irritation Causes serious eve irritation May cause respiratory irritation Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Other hazards

Stench.

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
2-Propene-1-thiol	870-23-5	70

4. First-aid measures				
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.			
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.			
Ingestion	Clean mouth with water. Get medical attention.			
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically			

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO $_2$). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	18 °C / 64.4 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Sulfur oxides. Sulfides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	elease measures	
Personal Precautions Environmental Precautions		ition. Take precautionary measu nal Ecological Information.	res against static discharges.
Methods for Containment and Clea Up	sawdust). Keep in suitable	ent material (e.g. sand, silica gel, e, closed containers for disposal. explosion-proof equipment. Do r	Remove all sources of ignition.

	7 Hered Barris de la company			
Handling	7. Handling and storage Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Avoid contact with skin and clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. Keep container tightly closed. Keep away from heat, sparks and flame.			
	Refrigerator/flammables.			
	xposure controls / personal protection			
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.			
Engineering Measures	Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.			
Personal Protective Equipment				
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.			
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.			

	9. Physical and chemical properties			
Physical State	Liquid			
Appearance	Light yellow			
Odor	Stench			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	No data available			
Boiling Point/Range	67 - 68 °C / 152.6 - 154.4 °F @ 760 mmHg			
Flash Point	18 °C / 64.4 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	No data available			
Lower	No data available			
Vapor Pressure	No information available			
Vapor Density	2.56			
Specific Gravity	0.930			
Solubility	No information available			
Partition coefficient; n-octanol/water No data available				
Autoignition Temperature	No information available			

Decomposition Temperature Viscosity Molecular Formula Molecular Weight	No information available No information available C3 H6 S 74.13		
	10. Stability and reactivity		
Reactive Hazard	None known, based on information available		
Stability Stable under normal conditions.			
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.		
Incompatible Materials	Strong oxidizing agents, Strong bases, Metals		
Hazardous Decomposition Produ	cts Carbon monoxide (CO), Carbon dioxide (CO ₂), Sulfur oxides, Sulfides		
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		
	11. Toxicological information		
Acute Toxicity			

Product Information	
Oral LD50	Category 4. ATE = 300 - 2000 mg/kg.
Dermal LD50	Category 4. ATE = 1000 - 2000 mg/kg.
Vapor LC50	Category 4. ATE = 10 - 20 mg/l.
Component Information	
Toxicologically Synergistic	No information available
Products	
Delayed and immediate effects a	is well as chronic effects from short and long-term exposure
Irritation	No information available
Sensitization	No information available

Sensitization	No information

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Propene-1-thiol	870-23-5	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	s	No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single expos STOT - repeated ex		Respiratory system None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	,both acute and	Inhalation of high v tiredness, nausea	•	ns may cause sym	ptoms like headac	he, dizziness,
Endocrine Disruptor Information		No information available				
Other Adverse Effects		The toxicological properties have not been fully investigated.				

12. Ecological information					
<u>Ecotoxicity</u> Do not empty into drains					
Persistence and Degradability	Persistence is unlikely based on information available.				
Bioaccumulation/ Accumulation	No information available.				
Mobility	Will likely be mobile in the environment due to its volatility.				
	13. Disposal considerations				
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				

	14. Transport information	
DOT		
UN-No	UN1228	
Proper Shipping Name	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.	
Hazard Class	3	
Subsidiary Hazard Class	6.1	
Packing Group	ll	
TDG		
UN-No	UN1228	
Proper Shipping Name	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.	
Hazard Class	3	
Subsidiary Hazard Class	6.1	
Packing Group	ll	
IATA		
UN-No	UN1228	
Proper Shipping Name	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.*	
Hazard Class	3	
Subsidiary Hazard Class	6.1	
Packing Group	II	
IMDG/IMO		
UN-No	UN1228	
Proper Shipping Name	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.	
Hazard Class	3	
Subsidiary Hazard Class	6.1	
Packing Group		
15. Regulatory information		

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
2-Propene-1-thiol	870-23-5	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
2-Propene-1-thiol	870-23-5	Х	-	212-792-7	Х	-	Х	Х	KE-29439
U.S. Federal Regulations									
SARA 313	Not app	Not applicable							
SARA 311/312 Hazard Categor	ies See see	ction 2 for r	more infor	mation					
CWA (Clean Water Act)	Not app	licable							
Clean Air Act	Not app	licable							
OSHA - Occupational Safety and Health Administration	Not app	licable							
CERCLA	Not app	licable							
California Proposition 65	This pro	duct does	not conta	in any Propo	osition 65	chemicals.			
U.S. State Right-to-Know Regulations	Not app	licable							
U.S. Department of Transporta Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	tion N N N								
U.S. Department of Homeland Security	This pro	duct does	not conta	in any DHS	chemicals	3.			
Other International Regulation	<u>s</u>								
Mexico - Grade	No info	mation ava	ailable						

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	10-Nov-2010 18-Jan-2018 18-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS