

SAFETY DATA SHEET

Revision Date 18-Jan-2018

Revision Number 3

1. Identification			
Product Name	2-Chlorobenzaldehyde		
Cat No. :	AC154610000; AC154610010; AC154610050; AC154611000; AC154612500; AC154615000		
CAS-No Synonyms	89-98-5 OCAD		
Recommended Use Uses advised against Details of the supplier of the safety	Laboratory chemicals. Food, drug, pesticide or biocidal product use. data sheet		
<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Acros Organics One Reagent Lane Fair Lawn, NJ 07410		
Emergency Telephone Number For information US call: 001-800-ACR Emergency Number US:001-201-796- CHEMTREC Tel. No.US:001-800-424	7100 / Europe: +32 14 57 52 99		
	2. Hazard(s) identification		

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 4 Category 1 B Category 1

Label Elements

Signal Word Danger

Hazard Statements Combustible liquid Causes severe skin burns and eye damage



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS-No	Weight %	
Benzaldehyde, 2-chloro)-	89-98-5	99	
	4.	First-aid measures		
Eye Contact		edical attention is required. Rinse imme or at least 15 minutes.	diately with plenty of water, also under	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.			
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.			
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drir plenty of water. Call a physician immediately. If possible drink milk afterwards.			
Most important symptoms and effects	Difficulty in breathing. Causes burns by all exposure routes. Product is a corrosive Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach esophagus should be investigated: Ingestion causes severe swelling, severe dama			

delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomaticallyotes to PhysicianTreat symptomatically						
	5. Fire-fightin	g measures				
Suitable Extinguishing Media	Water spray. Carbon dioxid to cool closed containers.	e (CO 2). Dry chemical. Chen	nical foam. Water mist may be use			
Jnsuitable Extinguishing Media	No information available					
Flash Point	87 °C / 188.6 °F					
Method -	No information available					
Autoignition Temperature	385 °C / 725 °F					
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available					
Specific Hazards Arising from the C Combustible material. Flammable. Co		neated.				
Carbon monoxide (CO). Carbon dioxid Protective Equipment and Precaution	ons for Firefighters					
Carbon monoxide (CO). Carbon dioxid Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear.	ons for Firefighters		oved or equivalent) and full Physical hazards N/A			
Carbon monoxide (CO). Carbon dioxid Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health	ons for Firefighters athing apparatus pressure-de Flammability	emand, MSHA/NIOSH (appro Instability 0	Physical hazards			
Carbon monoxide (CO). Carbon dioxic Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health 3 Personal Precautions	Flammability 6. Accidental rel Remove all sources of ignit	emand, MSHA/NIOSH (appro Instability 0 ease measures	Physical hazards N/A sures against static discharges.			
Carbon monoxide (CO). Carbon dioxic Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clea	Flammability 1 6. Accidental rel Remove all sources of ignit Do not flush into surface wa	emand, MSHA/NIOSH (appro Instability 0 ease measures ion. Take precautionary meas ater or sanitary sewer system nt material (e.g. sand, silica g	Physical hazards N/A sures against static discharges.			
	Flammability 1 6. Accidental rel Remove all sources of ignit Do not flush into surface wa Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a	emand, MSHA/NIOSH (appro Instability 0 ease measures ion. Take precautionary meas ater or sanitary sewer system nt material (e.g. sand, silica g closed containers for disposa	Physical hazards N/A sures against static discharges.			
Carbon monoxide (CO). Carbon dioxic Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clea	Flammability 1 6. Accidental rel Remove all sources of ignit Do not flush into surface wa Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe mist/vapors, precautionary measures ag	Instability 0 ease measures ion. Take precautionary meas ater or sanitary sewer system int material (e.g. sand, silica g closed containers for disposa and storage /spray. Do not get in eyes, or ainst static discharges. Hand t ventilation. Use only in well-	Physical hazards N/A sures against static discharges.			
Carbon monoxide (CO). Carbon dioxic Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clea Jp	Flammability 1 6. Accidental rel Remove all sources of ignit Do not flush into surface wa Soak up with inert absorber sawdust). Keep in suitable, 7. Handling a Do not breathe mist/vapors, precautionary measures ag provide appropriate exhaus open flames, hot surfaces a Keep in a dry, cool and wel label for specific storage ter	Instability 0 ease measures ion. Take precautionary meas ater or sanitary sewer system in material (e.g. sand, silica g closed containers for dispose and storage /spray. Do not get in eyes, or ainst static discharges. Hand t ventilation. Use only in well- and sources of ignition. I-ventilated place. Refer prod mperature requirement. Keep I flame. Corrosives area. Keep	Physical hazards N/A sures against static discharges. I. lel, acid binder, universal binder, al. Remove all sources of ignition.			
Carbon monoxide (CO). Carbon dioxic Protective Equipment and Precauti As in any fire, wear self-contained bre protective gear. NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clea Jp Handling Storage	Flammability The second secon	Instability 0 ease measures ion. Take precautionary meas ater or sanitary sewer system in material (e.g. sand, silica g closed containers for dispose and storage /spray. Do not get in eyes, or ainst static discharges. Hand t ventilation. Use only in well- and sources of ignition. I-ventilated place. Refer prod mperature requirement. Keep I flame. Corrosives area. Keep	Physical hazards N/A sures against static discharges. el, acid binder, universal binder, al. Remove all sources of ignition. h skin, or on clothing. Take lle product only in closed system o -ventilated areas. Keep away from uct specification and/or product o container tightly closed. Keep ap under nitrogen. Keep containers			

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties

Physical State	Liquid
Appearance	Light yellow
Odor	Odorless
Odor Threshold	No information available
pH	2.9
Melting Point/Range	10 - 11.5 °C / 50 - 52.7 °F
Boiling Point/Range	209 - 215 °C / 408.2 - 419 °F @ 760 mmHg
Flash Point	87 °C / 188.6 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	3 mbar @ 50 °C
Vapor Density	4.8
Specific Gravity	1.250
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	385 °C / 725 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C7 H5 CI O
Molecular Weight	140.57

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable. Air sensitive. Light sensitive.		
Conditions to Avoid	Exposure to air. Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents, Strong bases, Strong reducing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas			
Hazardous Polymerization	Hazardous polymerization does not occur.		

Hazardous Reactions

		11 Tax!a						
			ological info	ormation				
Acute Toxicity								
Product Information	า	No acute toxicity ir	nformation is availa	able for this produc	:t			
Component Informa	ation	······································		F	-			
Componer		LD50 Oral LD50 Dermal LC50 Inhalation						
Benzaldehyde, 2-	-chloro-	LD50 = 2160 mg/kg (Rat) Not listed Not listed						
Toxicologically Syn Products	ergistic	No information ava	ailable		I			
Delayed and immed	liate effects as	s well as chronic effe	cts from short ar	d long-term expo	sure			
Irritation		No information ava	ailable					
Sensitization		No information ava	ailable					
Carcinogenicity		The table below in	dicates whether ea	ach agency has lis	ted any ingredient	as a carcinogen.		
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico		
Benzaldehyde, 2-chloro-	89-98-5	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	No information available					
Reproductive Effect	ts	No information ava	ailable.					
Developmental Effe	ects	No information ava	ailable.					
Teratogenicity		No information ava	ailable.					
STOT - single exposision STOT - repeated ex		None known None known						
Aspiration hazard		No information available						
Symptoms / effects delayed	s,both acute a	nd Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				estion causes pration: Inhalation		
Endocrine Disrupto	r Information	No information ava	ailable					
Other Adverse Effe	cts	The toxicological p	properties have no	t been fully investig	The toxicological properties have not been fully investigated.			

None under normal processing.

12. Ecological information

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Benzaldehyde, 2-chloro-	Not listed	LC50: 2.3 - 2.7 mg/L, 96h	Not listed	Not listed
-		flow-through (Oncorhynchus		
		mykiss)		
		LC50: = 4.25 mg/L, 96h		
		static (Lepomis macrochirus)		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

log Pow
2.33

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3265
Hazard Class	8
Packing Group	ll
TDG	
UN-No	UN3265
Hazard Class	8
Packing Group	II
IATA_	
UN-No	UN3265
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.*
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Benzaldehyde, 2-chloro-	89-98-5	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Benzaldehyde, 2-chloro-	89-98-5	Х	-	201-956-3	Х	Х	Х	Х	KE-05522

U.S. Federal Regulations

SARA 313

Not applicable

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)	Not applicable				
Clean Air Act	Not applicable				
OSHA - Occupational Safety and Health Administration	Not applicable				
CERCLA	Not applicable				
California Proposition 65	This product does not contain any Proposition 65 chemicals.				
U.S. State Right-to-Know Regulations	Not applicable				
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N				
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.				
Other International Regulations					
Mexico - Grade	No information available				

16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com		
Revision Date Print Date Revision Summary	18-Jan-2018 18-Jan-2018 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS