

according to Regulation (EC) No. 1907/2006

Revision Date 20.07.2018

Version 7.1

| 1.1 Product identifier | substance/mixture and of the company/undertaking |
|------------------------------------|--|
| Catalogue No. | 170212 |
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 mol/l 1000 mg/l Cs Certipur® |
| REACH Registration Number | This product is a mixture. REACH Registration Number see section 3. |
| 1.2 Relevant identified uses of | the substance or mixture and uses advised against |
| Identified uses | Reagent for analysis |
| | For additional information on uses please refer to the Merck Chemicals |
| | portal (www.merckgroup.com). |
| 1.3 Details of the supplier of the | e safety data sheet |
| Company | Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0 |
| Responsible Department | LS-QHC * e-mail: prodsafe@merckgroup.com |
| 1.4 Emergency telephone | Please contact the regional company representation in your country. |

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H290 May be corrosive to metals.H315 Causes skin irritation.H319 Causes serious eye irritation.

Precautionary statements

Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Signal word Warning

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/l 1000 mg/l Cs Certipur® |

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution 3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

 Chemical name (Concentration)

 CAS-No.
 Registration number
 Classification

 nitric acid (>= 1 % - < 5 %)</td>

 Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

| 7697-37-2 | 01-2119487297-23- | |
|-----------|-------------------|---------------------------------------|
| | XXXX | Oxidizing liquid, Category 2, H272 |
| | | Corrosive to metals, Category 1, H290 |
| | | Acute toxicity, Category 1, H330 |
| | | Skin corrosion, Category 1A, H314 |
| | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed irritant effects

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No.

101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers No metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/l 1000 mg/l Cs Certipur® |

inhalation

Derived No Effect Level (DNEL)

nitric acid (7697-37-2) Worker DNEL, Local effects longterm

1,3 mg/m³

Predicted No Effect Concentration (PNEC)

nitric acid (7697-37-2) PNEC no data available

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

splash co

| | Glove material: | Nitrile rubber |
|---------|---------------------|----------------|
| | Glove thickness: | 0,11 mm |
| | Break through time: | 480 min |
| ontact: | | |
| | Glove material: | Nitrile rubber |
| | Glove thickness: | 0,11 mm |
| | Break through time: | 480 min |

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

| Form | liquid |
|-----------------|----------------|
| Colour | colourless |
| Odour | odourless |
| Odour Threshold | Not applicable |

according to Regulation (EC) No. 1907/2006

| Catalogue No. Product name | 170212 Cesium standard solution traceable to SRM from NIST CsNO₃ in HNO₃ 0.5 mol/l 1000 mg/l Cs Certipur® |
|--|---|
| рН | ca. 0,5 at 20 °C |
| Melting point | No information available. |
| Boiling point | No information available. |
| Flash point | Not applicable |
| Evaporation rate | No information available. |
| Flammability (solid, gas) | No information available. |
| Lower explosion limit | No information available. |
| Upper explosion limit | No information available. |
| Vapour pressure | No information available. |
| Relative vapour density | No information available. |
| Density | ca.1,013 g/cm3 at 20 °C |
| Relative density | No information available. |
| Water solubility | at 20 °C soluble |
| Partition coefficient: n- octanol/water | No information available. |
| Auto-ignition temperature | No information available. |

according to Regulation (EC) No. 1907/2006

| Catalogue No. Product name | 170212 Cesium standard solution traceable to SRM from NIST CsNO₃ in HNO₃ 0.5 mol/l 1000 mg/l Cs Certipur® |
|-------------------------------|---|
| Decomposition temperature | No information available. |
| Viscosity, dynamic | No information available. |
| Explosive properties | Not classified as explosive. |
| Oxidizing properties | none |
| 9.2 Other data | |
| Corrosion | May be corrosive to metals. |

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:

nitrous gases, Hydrogen

Violent reactions possible with:

The generally known reaction partners of water.

increased reactivity with:

oxidisable substances, organic solvent, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

10.4 Conditions to avoid

no information available

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

10.5 Incompatible materials

Metals, metal alloys (generation of hydrogen)

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity This information is not available.

Skin irritation Mixture causes skin irritation.

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO ₃ in HNO ₃ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

nitric acid Acute inhalation toxicity LC50 Rat: > 2,65 mg/l; 4 h ; vapour OECD Test Guideline 403

> Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO ₃ in HNO ₃ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation

(EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water log Pow: -2,3 OECD Test Guideline 107 Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant 2482 Pa*m³/mol Method: (calculated) (Lit.) Distribution preferentially in air.

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

| ECTION 14. Transport information | |
|----------------------------------|--|
| Land transport (ADR/RID) | |
| 14.1 UN number | UN 3264 |
| 14.2 Proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION) |
| 14.3 Class | 8 |
| 14.4 Packing group | III |
| 14.5 Environmentally hazardous | |
| 14.6 Special precautions for | yes |
| user | |
| Tunnel restriction code | E |
| Inland waterway transport (ADN) | |
| Not relevant | |
| Air transport (IATA) | |
| 14.1 UN number | UN 3264 |
| 14.2 Proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC |
| | ACID SOLUTION) |
| 14.3 Class | 8 |
| 14.4 Packing group | III |
| 14.5 Environmentally hazardous | |
| 14.6 Special precautions for | no |
| user | |
| | |

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO $_3$ in HNO $_3$ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

| 14.1 UN number | UN 3264 |
|--------------------------------|---|
| 14.2 Proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC |
| | ACID NOT MORE THAN 5%) |
| 14.3 Class | 8 |
| 14.4 Packing group | III |
| 14.5 Environmentally hazardous | |
| 14.6 Special precautions for | yes |
| user | |
| EmS | F-A S-B |
| | |

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| EU regulations | | |
|--|--|--|
| Major Accident Hazard | SEVESO III | |
| Legislation | Not applicable | |
| Occupational restrictions | Take note of Dir 94/33/EC on the protection of young people at work. | |
| Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer | | |
| Regulation (EC) No 850/200 Parliament and of the Counc persistent organic pollutants Directive 79/117/EEC | cil of 29 April 2004 on | |

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 | |
|--|-------------------|---|
| Product name | Cesium star | ndard solution traceable to SRM from NIST CsNO₃ in HNO₃ 0.5 |
| | mol/l 1000 n | ng/I Cs Certipur® |
| | | |
| Substances of yory big | h concorn (S)/UC) | This product doos not contain substances |
| Substances of very high concern (SVHC) | | This product does not contain substances |
| | | of very high concern according to |
| | | Regulation (EC) No 1907/2006 (REACH), |
| | | Article 57 above the respective regulatory |
| | | concentration limit of ≥ 0.1 % (w/w). |
| National legislation | | |
| Storage class | 8B | |
| | | |
| 15.2 Chemical safety as | sessment | |

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

| H272 | May intensify fire; oxidizer. |
|------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Warning

according to Regulation (EC) No. 1907/2006

| Catalogue No. | 170212 |
|---------------|---|
| Product name | Cesium standard solution traceable to SRM from NIST CsNO ₃ in HNO ₃ 0.5 |
| | mol/I 1000 mg/I Cs Certipur® |

Hazard statements H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.