

according to Regulation (EC) No. 1907/2006

Revision Date 18.07.2018

Version 6.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier			
Catalogue No.	170378		
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3% 10000 mg/l Cu Certipur®		
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3.		
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Reagent for analysis		
	For additional information on uses please refer to the Merck Chemicals		
	portal (www.merckgroup.com).		
1.3 Details of the supplier of the safety data sheet			
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0		
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com		
1.4 Emergency telephone number	Please contact the regional company representation in your country.		
SECTION 2. Hazards identification 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)			

Eye irritation, Category 2, H319 Chronic aquatic toxicity, Category 2, H411

Corrosive to metals, Category 1, H290

Skin irritation, Category 2, H315

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%
	10000 mg/l Cu Certipur®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention P273 Avoid release to the environment. Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml) Hazard pictograms



Signal word Warning

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%
	10000 mg/l Cu Certipur®

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Nitric acid solution. 3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
Copper(II) nitra	te (>= 2,5 % - < 3 %)	

3251-23-8 *)

Oxidizing solid, Category 2, H272
Acute toxicity, Category 4, H302
Skin irritation, Category 2, H315
Eye irritation, Category 2, H319
Acute aquatic toxicity, Category 1, H400
Chronic aquatic toxicity, Category 1, H410

nitric acid (>= 1 % - < 5 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7697-37-2	01-2119487297-23-	
	XXXX	Oxidizing liquid, Category 2, H272
		Corrosive to metals, Category 1, H290
		Acute toxicity, Category 1, H330
		Skin corrosion, Category 1A, H314

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%
	10000 mg/l Cu Certipur®

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** irritant effects
- **4.3 Indication of any immediate medical attention and special treatment needed** No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides

5.3 Advice for firefighters

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%
	10000 mg/l Cu Certipur®

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%
	10000 mg/l Cu Certipur®

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

nitric acid (7697-37-2)			
Worker DNEL,	Local effects	inhalation	1,3 mg/m ³
longterm			
Predicted No Effect Concentration (PNEC)			
nitric acid (7697-37-2)			
PNEC no data available			

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%
	10000 mg/l Cu Certipur®

<i>Eye/face protection</i> Safety glasses	,	
Hand protection		
full contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,11 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,11 mm
	Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive

89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact),

KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%	
	10000 mg/l Cu Certipur®	

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	light blue
Odour	odourless
Odour Threshold	Not applicable
рН	ca. 0 at 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%	
	10000 mg/l Cu Certipur®	
Relative vapour density	No information available.	
Density	1,035 g/cm3 at 20 °C	
Relative density	No information available.	
Water solubility	No information available.	
Partition coefficient: n- octanol/water	No information available.	
Auto-ignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
9.2 Other data		
Corrosion	May be corrosive to metals.	

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%	
	10000 mg/l Cu Certipur®	

The generally known reaction partners of water.

Generates dangerous gases or fumes in contact with:

Metals, metal alloys

Release of:, nitrous gases, Hydrogen

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys (generation of hydrogen) Cellulose

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate: > 2.000 mg/kg Calculation method

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes skin irritation.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%	
	10000 mg/l Cu Certipur®	

Eye irritation

Mixture causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Copper(II) nitrate Acute oral toxicity LD50 Rat: 940 mg/kg

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%	
	10000 mg/l Cu Certipur®	

Skin irritation Rabbit Result: Irritations OECD Test Guideline 404

Eye irritation Rabbit Result: irritating OECD Test Guideline 405

Sensitisation Maximisation Test Guinea pig Result: negative Method: OECD Test Guideline 406

nitric acid

Acute inhalation toxicity LC50 Rat: > 2,65 mg/l; 4 h ; vapour OECD Test Guideline 403

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%	
	10000 mg/l Cu Certipur®	

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies. Hazard for drinking water supplies. Discharge into the environment must be avoided.

Components

Copper(II) nitrate Toxicity to fish LC50 fish: 0,29 mg/l; 96 h (HSDB)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water log Pow: -2,3 OECD Test Guideline 107 Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378	
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO ₃ 2-3%	
	10000 mg/l Cu Certipur®	

Henry constant 2482 Pa*m³/mol Method: (calculated) (Lit.) Distribution preferentially in air.

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)			
14.1 UN number	UN 3264		
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)		
14.3 Class	8		
14.4 Packing group	III		
14.5 Environmentally hazardous	yes		
14.6 Special precautions for	yes		
user			
Tunnel restriction code	E		
Inland waterway transport (ADN)			
Not relevant			
Air transport (IATA)			
14.1 UN number	UN 3264		
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC		
	ACID)		
14.3 Class	8		
14.4 Packing group	III		
14.5 Environmentally hazardous	yes		

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No. Product name	170378 Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3% 10000 mg/l Cu Certipur®		
14.6 Special precautions for user	no		
Sea transport (IMDG)			
14.1 UN number	UN 3264		
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID NOT MORE THAN 5%)		
14.3 Class	8		
14.4 Packing group	III		
14.5 Environmentally hazardous	yes		
14.6 Special precautions for	yes		
user			
EmS	F-A S-B		

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	ENVIRONMENTAL HAZARDS
	E2
	Quantity 1: 200 t
	Quantity 2: 500 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.
Regulation (EC) No 1005/20	009 on substances that not regulated

deplete the ozone layer

according to Regulation (EC) No. 1907/2006

Catalogue No. Product name	170378 Copper ICP star 10000 mg/l Cu C	ndard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3% Certipur®
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		not regulated
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).
National legislation Storage class 8B		

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.


H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST Cu(NO₃)₂ in HNO₃ 2-3%
	10000 mg/l Cu Certipur®





Signal word Warning

Hazard statements

H290 May be corrosive to metals.H315 Causes skin irritation.H319 Causes serious eye irritation.H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention P273 Avoid release to the environment. Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No.	170378
Product name	Copper ICP standard traceable to SRM from NIST $Cu(NO_3)_2$ in HNO_3 2-3%
	10000 mg/l Cu Certipur®

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.