

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 15.07.2018

Version 5.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 170388

Product name Vanadium ICP standard traceable to SRM from NIST

NH₄VO₃ in HNO₃ 15% 10000 mg/l V Certipur®

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST
	NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

EUH071 Corrosive to the respiratory tract.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170388
Product name Vanadium ICP standard traceable to SRM from NIST
NH₄VO₃ in HNO₃ 15% 10000 mg/l V Certipur®

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: nitric acid

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

nitric acid ($\geq 10\%$ - $< 20\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7697-37-2	01-2119487297-23-XXXX	Oxidizing liquid, Category 2, H272 Corrosive to metals, Category 1, H290 Acute toxicity, Category 1, H330 Skin corrosion, Category 1A, H314
-----------	-----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Ammonium monovanadate ($\geq 1\%$ - $< 3\%$)

7803-55-6 *)

Acute toxicity, Category 3, H301

Acute toxicity, Category 4, H332

Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category 3, H335

Specific target organ toxicity - repeated exposure, Category 1,
H372

Chronic aquatic toxicity, Category 2, H411

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Bloody vomiting, death

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 170388
Product name Vanadium ICP standard traceable to SRM from NIST
NH₄VO₃ in HNO₃ 15% 10000 mg/l V Certipur®

Derived No Effect Level (DNEL)

nitric acid (7697-37-2)

Worker DNEL, Local effects inhalation 1,3 mg/m³
longterm

Predicted No Effect Concentration (PNEC)

nitric acid (7697-37-2)

PNEC no data available

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	yellow
Odour	odourless
Odour Threshold	No information available.
pH	< 1 at 20 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Melting point	No information available.
---------------	---------------------------

Boiling point	No information available.
---------------	---------------------------

Flash point	No information available.
-------------	---------------------------

Evaporation rate	No information available.
------------------	---------------------------

Flammability (solid, gas)	No information available.
---------------------------	---------------------------

Lower explosion limit	No information available.
-----------------------	---------------------------

Upper explosion limit	No information available.
-----------------------	---------------------------

Vapour pressure	No information available.
-----------------	---------------------------

Relative vapour density	No information available.
-------------------------	---------------------------

Density	ca. 1,093 g/cm ³ at 20 °C
---------	---

Relative density	No information available.
------------------	---------------------------

Water solubility	No information available.
------------------	---------------------------

Partition coefficient: n-octanol/water	No information available.
--	---------------------------

Auto-ignition temperature	No information available.
---------------------------	---------------------------

Decomposition temperature	No information available.
---------------------------	---------------------------

Viscosity, dynamic	No information available.
--------------------	---------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Explosive properties	No information available.
----------------------	---------------------------

Oxidizing properties	No information available.
----------------------	---------------------------

9.2 Other data

Corrosion	May be corrosive to metals.
-----------	-----------------------------

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Risk of ignition or formation of inflammable gases or vapours with:

Alkali metals, Alkaline earth metals, Ammonia, alkalines, hydrides, halogens, halogen compounds, nonmetallic oxides, nonmetallic halides, nonmetallic hydrogen compounds, nonmetals, phosphides, nitrides, lithium silicide, hydrogen peroxide, organic combustible substances, oxidisable substances, organic solvent, Alcohols, Ketones, Aldehydes, anhydrides, Amines, anilines, Nitriles, organic nitro compounds, hydrazine and derivatives, acetylidene, Metals, metal alloys, metallic oxides, acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals, metal alloys

(generation of hydrogen)

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Symptoms: tissue damage, strong pain (risk of perforation!), Bloody vomiting

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute inhalation toxicity

Acute toxicity estimate: > 20 mg/l; vapour

Calculation method

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: damage of respiratory tract

Acute toxicity estimate: > 5 mg/l; 4 h ; dust/mist

Calculation method

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Possible damages:

If swallowed

death

Other information

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints.

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Components

nitric acid

Acute inhalation toxicity

LC50 Rat: > 2,65 mg/l; 4 h ; vapour

OECD Test Guideline 403

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Ammonium monovanadate

Acute oral toxicity

LD50 Rat: 169 mg/kg

OECD Test Guideline 401

Acute inhalation toxicity

LC50 Rat: 2,5 mg/l; 4 h ; dust/mist

OECD Test Guideline 403

Acute dermal toxicity

LD50 Rat: > 2.500 mg/kg

OECD Test Guideline 402

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Eye irritation

OECD Test Guideline 405

Germ cell mutagenicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: positive

(Lit.)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies. Hazard for drinking water supplies.

Discharge into the environment must be avoided.

Components

nitric acid

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Partition coefficient: n-octanol/water

log Pow: -2,3

OECD Test Guideline 107

Bioaccumulation is not expected.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant

2482 Pa·m³/mol

Method: (calculated)

(Lit.) Distribution preferentially in air.

Ammonium monovanadate

Toxicity to fish

LC₅₀ Ictalurus catus (catfish): 2,6 mg/l; 96 h

(ECOTOX Database)

Toxicity to fish (Chronic toxicity)

semi-static test NOEC Clarias batrachus (Walking catfish): 0,870 mg/l; 30 d

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 2031
14.2 Proper shipping name	NITRIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 2031
14.2 Proper shipping name	NITRIC ACID
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes Not permitted for transport

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

14.1 UN number	UN 2031
14.2 Proper shipping name	NITRIC ACID NOT MORE THAN 20%
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-A S-B
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Substances of very high concern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).
--	--

National legislation

Storage class	8B
---------------	----

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: nitric acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	170388
Product name	Vanadium ICP standard traceable to SRM from NIST NH ₄ VO ₃ in HNO ₃ 15% 10000 mg/l V Certipur®

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.