Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Creation Date 24-Nov-2010 Revision Date 31-Dec-2020 Revision Number 8

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Chromium (VI) oxide
Cat No.: C/5840/53, C/5840/62

Synonyms Chromium trioxide; Chromic acid; Chromic anhydride

 CAS-No
 1333-82-0

 EC-No.
 215-607-8

 Molecular Formula
 Cr O3

Reach Registration Number 01-2119458868-17

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Sector of use SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category PC21 - Laboratory chemicals

Process categories PROC15 - Use as a laboratory reagent

Environmental release category ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

Uses advised against All other uses

1.3. Details of the supplier of the safety data sheet

Company UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

EU entity/business name Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Chromium (VI) oxide Revision Date 31-Dec-2020

Oxidizing solids (H271) Category 1 **Health hazards** Acute oral toxicity Category 3 (H301) Acute dermal toxicity Category 2 (H310) Acute Inhalation Toxicity - Dusts and Mists Category 2 (H330) Category 1 A (H314) Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 (H318) Respiratory Sensitization Category 1 (H334) Skin Sensitization Category 1 (H317) Germ Cell Mutagenicity Category 1B (H340) Carcinogenicity Category 1A (H350) Reproductive Toxicity Category 2 (H361f) Specific target organ toxicity - (single exposure) Category 3 (H335) Specific target organ toxicity - (repeated exposure) Category 1 (H372) **Environmental hazards**

Category 1 (H400)

Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements

Acute aquatic toxicity

Chronic aquatic toxicity



Signal Word

Danger

Hazard Statements

- H271 May cause fire or explosion; strong oxidizer
- H301 Toxic if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H340 May cause genetic defects
- H350 May cause cancer
- H361f Suspected of damaging fertility
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H310 + H330 Fatal in contact with skin or if inhaled

Precautionary Statements

- P221 Take any precaution to avoid mixing with combustibles
- P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P310 Immediately call a POISON CENTER or doctor/physician
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Chromium (VI) oxide Revision Date 31-Dec-2020

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Additional EU labelling

Restricted to professional users

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxicity to Soil Dwelling Organisms
Toxic to terrestrial vertebrates

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Chromium trioxide (CrO3)	1333-82-0	EEC No. 215-607-8	>95	Ox. Sol. 1 (H271)
				Acute Tox. 3 (H301)
				Acute Tox. 2 (H310)
				Acute Tox. 2 (H330)
				Skin Corr. 1A (H314)
				Eye Dam. 1 (H318)
				Resp. Sens. 1 (H334)
				Skin Sens. 1 (H317)
				STOT SE 3 (H335)
				Muta. 1B (H340)
				Carc. 1A (H350)
				Repr. 2 (H361f)
				STOT RE 1 (H372)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Chromium trioxide (CrO3)	STOT SE 3 :: C>=1%	1	-

Reach Registration Number	01-2119458868-17
---------------------------	------------------

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Chromium (VI) oxide Revision Date 31-Dec-2020

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

InhalationRemove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Toxic fumes.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

6.2. Environmental precautions

Chromium (VI) oxide Revision Date 31-Dec-2020

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation. Keep away from clothing and other combustible materials.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store near combustible materials. Corrosives area. Store under an inert atmosphere. Protect from moisture.

Class 5.1A

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018.

Component	The United Kingdom	European Union	Ireland
Chromium trioxide (CrO3)	STEL: 0.03 mg/m ³ 15 min		
	STEL: 0.065 mg/m ³ 15 min		
	TWA: 0.01 mg/m ³ 8 hr		
	TWA: 0.025 mg/m ³ 8 hr		
	Carc. as Cr		
	Resp. Sens.		

Biological limit values

List source(s):

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Chromium (VI) oxide Revision Date 31-Dec-2020

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL)No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral Dermal				
Inhalation		0.01 mg/m ³ (Carcinogen)		0.01 mg/m³ (Carcinogen)

Predicted No Effect Concentration No information available. (PNEC)

Fresh water 0.003 mg/l
Fresh water sediment 0.15 mg/kg dw
Marine water 0.003 mg/l
Marine water sediment 0.15 mg/kg dw
Microorganisms in sewage 0.21 mg/l
treatment

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Natural rubber See manufacturers - EN 374 (minimum requirement) Nitrile rubber recommendations Neoprene PVC

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Chromium (VI) oxide Revision Date 31-Dec-2020

> Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Solid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Solid

Reddish violet **Appearance** Odor Odorless **Odor Threshold** No data available Melting Point/Range 196 °C / 384.8 °F

Softening Point No data available **Boiling Point/Range** No information available

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available

198 °C **Decomposition Temperature**

Hq 50g/l aq.sol **Viscosity** Not applicable Solid

Water Solubility 1660 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No information available **Vapor Pressure**

Density / Specific Gravity No data available **Bulk Density** No data available **Vapor Density** Not applicable

Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula Cr O3 99.99 **Molecular Weight Oxidizing Properties** Oxidizer

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Yes

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire, Hygroscopic.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

10.4. Conditions to avoid

Chromium (VI) oxide Revision Date 31-Dec-2020

Excess heat. Incompatible products. Exposure to moist air or water. Combustible material.

10.5. Incompatible materials

Bases. Alcohols. Amines. Ammonia. Hydrocarbons. Ketones. Acetone. Acid anhydrides. Metals. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material.

10.6. Hazardous decomposition products

Toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralCategory 3DermalCategory 2InhalationCategory 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Chromium trioxide (CrO3)	LD50 = 80 mg/kg (Rat)	LD50 = 57 mg/kg (Rabbit)	LC50 = 217 mg/m ³ (Rat) 4 h	

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1 **Skin** Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 1B

Mutagenic; Ames test:; positive

(f) carcinogenicity; Category 1A

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Chromium trioxide (CrO3)	Carc Cat. 1A			Group 1

(g) reproductive toxicity; Category 2

Reproductive Effects Possible risk of impaired fertility.

Teratogenicity Teratogenic effects have occurred in experimental animals.

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 1

Target Organs Eyes, Skin, Respiratory system, Gastrointestinal tract (GI), Reproductive System.

Chromium (VI) oxide Revision Date 31-Dec-2020

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Chromium trioxide (CrO3)	LC50: = 40 mg/L, 96h static (Colisa fasciatus)		

	Component	Microtox	M-Factor
Γ	Chromium trioxide (CrO3)		1

12.2. Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Not relevant for inorganic substances. Degradability

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

treatment plant water treatment plants.

Bioaccumulation is unlikely 12.3. Bioaccumulative potential

The product is water soluble, and may spread in water systems Will likely be mobile in the 12.4. Mobility in soil

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

Chromium (VI) oxide Revision Date 31-Dec-2020

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized

before discharge. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1463

14.2. UN proper shipping name CHROMIUM TRIOXIDE, ANHYDROUS

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class6.1, 814.4. Packing groupII

ADR

14.1. UN number UN1463

14.2. UN proper shipping name CHROMIUM TRIOXIDE, ANHYDROUS

14.3. Transport hazard class(es) 5.1 Subsidiary Hazard Class 6.1, 8 14.4. Packing group II

<u>IATA</u>

14.1. UN number UN1463

14.2. UN proper shipping name CHROMIUM TRIOXIDE, ANHYDROUS

14.3. Transport hazard class(es)5.1Subsidiary Hazard Class6.1, 814.4. Packing groupII

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

Chromium (VI) oxide

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Chromium trioxide (CrO3)	215-607-8	-		Х	Х	-	Х	Х	Х	Х	KE-0602
								1			0

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Chromium trioxide (CrO3)	Exemption - None	Use restricted. See item 72. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 28. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 29. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details)	SVHC Candidate list - 215-607-8 - Carcinogenic, Article 57a;Mutagenic, Article 57b

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification See table for values

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Chromium trioxide (CrO3)	WGK3	

I	Component	France - INRS (Tables of occupational diseases)
- 1	Chromium trioxide (CrO3)	Tableaux des maladies professionnelles (TMP) - RG 10,RG 10bis,RG 10ter

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H340 - May cause genetic defects

H350 - May cause cancer

FSUC5840

Revision Date 31-Dec-2020

Chromium (VI) oxide Revision Date 31-Dec-2020

H361f - Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H271 - May cause fire or explosion; strong oxidizer

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

ENCS - Japanese Existing and New Chemical Substances

Inventory

Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

AICS - Australian Inventory of Chemical Substances

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships ATE - Acute Toxicity Estimate VOC (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date 24-Nov-2010 **Revision Date** 31-Dec-2020

Update to CLP Format. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet