

according to Regulation (EC) No. 1907/2006

Date of issue: 09.01.2017 Version 1.0

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

REACH Registration Number 01-2119486970-26-XXXX

CAS-No. 1066-33-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

In compliance with the conditions described in the annex to this safety

data sheet.

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

number

## SECTION 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

For the full text of the H-Statements mentioned in this Section, see Section 16.

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

# Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Warning

CAS-No. 1066-33-7

### 2.3 Other hazards

None known.

# SECTION 3. Composition/information on ingredients

## 3.1 Substance

Formula (NH₄)HCO₃ CH₅NO₃ (Hill)

EC-No. 213-911-5

Molar mass 79,06 g/mol

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

# Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

ammonium hydrogen carbonate (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

1066-33-7 01-2119486970-26-

XXXX Acute toxicity, Category 4, H302

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

## **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Nausea, Vomiting

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. Firefighting measures**

# 5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

# 7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

# SECTION 8. Exposure controls/personal protection

## 8.1 Control parameters

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

# **Derived No Effect Level (DNEL)**

Worker DNEL, acute	Systemic effects	inhalation	160,7 mg/m³
Worker DNEL, acute	Local effects	inhalation	160,7 mg/m³
Worker DNEL, longterm	Systemic effects	inhalation	62,5 mg/m³
Worker DNEL, longterm	Local effects	inhalation	62,5 mg/m³
Worker DNEL, longterm	Systemic effects	dermal	57 mg/kg Body weight
Consumer DNEL, acute	Systemic effects	inhalation	143,91 mg/m³
Consumer DNEL, acute	Systemic effects	oral	34,05 mg/kg Body weight
Consumer DNEL, acute	Local effects	inhalation	143,91 mg/m³
Consumer DNEL, longterm	Systemic effects	dermal	34,2 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	13,33 mg/m³
Consumer DNEL, longterm	Systemic effects	oral	17,1 mg/kg Body weight
Consumer DNEL, longterm	Local effects	inhalation	13,33 mg/m³

# Predicted No Effect Concentration (PNEC)

PNEC Fresh water	0,37 mg/l
PNEC Fresh water sediment	0,1332 mg/kg
PNEC Marine water	0,037 mg/l
PNEC Marine sediment	0,01332 mg/kg
PNEC Aquatic intermittent release	0,63 mg/l
PNEC Soil	74,9 mg/kg

1347 mg/l

# 8.2 Exposure controls

# **Engineering measures**

PNEC Sewage treatment plant

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not let product enter drains.

# SECTION 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form solid

Colour colourless

Odour ammoniacal

Odour Threshold No information available.

pH ca. 8

at 50 g/l 20 °C

Melting point 106 °C

Boiling point/boiling range Not applicable

Flash point does not flash

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Vapour pressure 67 hPa

at 20 °C

Relative vapour density No information available.

Density No information available.

Relative density No information available.

Water solubility 220 g/l

at 20 °C

Partition coefficient: n- log Pow: -2,4 (25 °C)

octanol/water OECD Test Guideline 107

Bioaccumulation is not expected. (IUCLID)

Auto-ignition temperature No information available.

Decomposition temperature ca.60 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

## SECTION 10. Stability and reactivity

# 10.1 Reactivity

See section 10.3

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Violent reactions possible with:

nitrates, nitrites, Acids, alkalines

#### 10.4 Conditions to avoid

Heating (decomposition).

# 10.5 Incompatible materials

no information available

# 10.6 Hazardous decomposition products

in the event of fire: See section 5.

# **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 1.576 mg/kg
OECD Test Guideline 401

Symptoms: Nausea, Vomiting

absorption

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

Possible damages: slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test):

Result: negative

(External MSDS)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

### 11.2 Further information

The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting, diarrhoea. Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 173 mg/l; 96 h

(ECOTOX Database)

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Toxicity to bacteria

EC50 Pseudomonas putida: 1.895 mg/l; 16 h

OECD Test Guideline 209

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -2,4 (25 °C) OECD Test Guideline 107

Bioaccumulation is not expected. (IUCLID)

## 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

## 12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

## **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14. Transport information**

#### Land transport (ADR/RID)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

# Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

# **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 10 - 13

according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16. Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

## Training advice

Provide adequate information, instruction and training for operators.

# Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

# **EXPOSURE SCENARIO 1 (Industrial use)**

## 1. Industrial use Reagent for analysis)

#### Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

## Chemical product category

PC19 Intermediate

# **Process categories**

PROC1	Use in closed process, no likelihood of exposure
PROC2	Use in closed, continuous process with occasional controlled exposure
PROC3	Use in closed batch process (synthesis or formulation)
PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises
PROC5	Mixing or blending in batch processes for formulation of preparations and articles
	(multistage and/ or significant contact)
PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at non-dedicated facilities
PROC8b	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including
	weighing)
PROC15	Use as laboratory reagent

# **Environmental Release Categories**

ERC1	Manufacture of substances
ERC2	Formulation of preparations
ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
ERC6a	Industrial use resulting in manufacture of another substance (use of intermediates)
ERC6b	Industrial use of reactive processing aids

## 2. Contributing scenarios: Operational conditions and risk management measures

# 2.1 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3

# **Product characteristics**

Concentration of the Substance in Covers the percentage of the substance in the product up to 100 %.

# SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Mixture/Article

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

## 2.2 Contributing scenario controlling worker exposure for: PROC4, PROC5, PROC8b, PROC9, PROC15

#### **Product characteristics**

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Effectiveness (of a measure): 90 %

## 2.3 Contributing scenario controlling worker exposure for: PROC8a

## **Product characteristics**

# SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, high dustiness

# Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

# Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

## Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374.

# 3. Exposure estimation and reference to its source

#### **Environment**

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

### Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, local	< 0,02	ECETOC TRA
		longterm, inhalative, systemic	< 0,02	ECETOC TRA
		longterm, dermal, systemic	< 0,02	ECETOC TRA
		longterm, combined, systemic	< 0,04	ECETOC TRA
2.1	PROC2	longterm, inhalative, local	0,02	ECETOC TRA
		longterm, inhalative, systemic	0,02	ECETOC TRA
		longterm, dermal, systemic	0,02	ECETOC TRA
		longterm, combined, systemic	0,04	ECETOC TRA
2.1	PROC3	longterm, inhalative, local	0,02	ECETOC TRA
		longterm, inhalative, systemic	0,02	ECETOC TRA
		longterm, dermal, systemic	0,01	ECETOC TRA
		longterm, combined, systemic	0,03	ECETOC TRA

Catalogue No.	543835
---------------	--------

drogen carbonate for HPLC LiChropur®
1

2.2 PF	PROC4	longterm, inhalative, local	0,4	ECETOC TRA, modified
		longterm, inhalative, systemic	0,4	ECETOC TRA, modified
		longterm, dermal, systemic	0,12	ECETOC TRA, modified
		longterm, combined, systemic	0,52	ECETOC TRA, modified
2.2	PROC5	longterm, inhalative, local	0,4	ECETOC TRA, modified
		longterm, inhalative, systemic	0,4	ECETOC TRA, modified
		longterm, dermal, systemic	0,24	ECETOC TRA, modified
		longterm, combined, systemic	0,64	ECETOC TRA, modified
2.2	PROC8b	longterm, inhalative, local	0,4	ECETOC TRA, modified
		longterm, inhalative, systemic	0,4	ECETOC TRA, modified
		longterm, dermal, systemic	0,12	ECETOC TRA, modified
		longterm, combined, systemic	0,52	ECETOC TRA, modified
2.2	PROC9	longterm, inhalative, local	0,32	ECETOC TRA, modified
		longterm, inhalative, systemic	0,32	ECETOC TRA, modified
		longterm, dermal, systemic	0,12	ECETOC TRA, modified
		longterm, combined, systemic	0,44	ECETOC TRA, modified
2.2	PROC15	longterm, inhalative, local	0,08	ECETOC TRA, modified
		longterm, inhalative, systemic	0,08	ECETOC TRA, modified
		longterm, dermal, systemic	0,01	ECETOC TRA, modified
		longterm, combined, systemic	0,09	ECETOC TRA, modified
2.3	PROC8a	longterm, inhalative, local	< 0,4	ECETOC TRA, modified
		longterm, inhalative, systemic	< 0,4	ECETOC TRA, modified
		longterm, dermal, systemic	<= 0,24	ECETOC TRA, modified
		longterm, combined, systemic	<= 0,64	ECETOC TRA, modified

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

# SAFETY DATA SHEET – Annex according to Regulation (EC) No. 1907/2006

Catalogue No. 543835

Product name Ammonium hydrogen carbonate for HPLC LiChropur®

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.