

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Revision Date 11.10.2017

Version 7.6

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

800423

- 1.1 Product identifier Catalogue No.
  - Product name 3-Amino-1-propanol for synthesis
  - REACH Registration Number
     A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
  - CAS-No. 156-87-6

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

## 1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
1.4 Emergency telephone	Please contact the regional company representation in your country.
number	

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

800423 3-Amino-1-propanol for synthesis

## SECTION 2. Hazards identification

# 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302 Skin corrosion, Category 1B, H314 Corrosive to metals, Category 1, H290

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



*Signal word* Danger

Hazard statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

## Precautionary statements

Prevention

P260 Do not breathe spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

# according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

800423 3-Amino-1-propanol for synthesis

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)Hazard pictogramsImageSignal wordDangerHazard statementsH314 Causes severe skin burns and eye damage.Precutionary statementsP300 Wear protective gloves/ protective clothing/ eye protection/ face protection.P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## 2.3 Other hazards

CAS-No.

None known.

## SECTION 3. Composition/information on ingredients

156-87-6

## 3.1 Substance

Formula	H2NCH2CH2CH2OH	C₃H∍NO (Hill)
EC-No.	205-864-4	
Molar mass	75,11 g/mol	

# according to Regulation (EC) No. 1907/2006

Catalogue No. 800423 Product name 3-Amino-1-propanol for synthesis

## Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. **Registration number** 

3-Amino-1-propanol (<= 100 %) \*)

156-87-6

Corrosive to metals, Category 1, H290 Acute toxicity, Category 4, H302 Skin corrosion, Category 1B, H314

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Classification

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

## **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

**Risk of blindness!** 

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

Irritation and corrosion, Cough, Shortness of breath

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5. Firefighting measures**

### 5.1 Extinguishing media

*Suitable extinguishing media* Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Combustible. Forms explosive mixtures with air on intense heating. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: nitrogen oxides

## 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH <sup>-</sup>, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

## SECTION 7. Handling and storage

## 7.1 Precautions for safe handling

*Advice on safe handling* Observe label precautions.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

*Requirements for storage areas and containers* No metal containers.

Storage conditions Tightly closed.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 800423 Product name 3-Amino-1-propanol for synthesis

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

#### 8.2 Exposure controls

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

# Eye/face protection

Tightly fitting safety goggles

#### Hand protection

full contact:

	Glove material:	natural latex
	Glove thickness:	0,6 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,11 mm
	Break through time:	> 30 min

# according to Regulation (EC) No. 1907/2006

Catalogue No.	800423
Product name	3-Amino-1-propanol for synthesis

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

## Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains.

## SECTION 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	amine-like
Odour Threshold	No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No.	800423
Product name	3-Amino-1-propanol for synthesis
рН	11,6
	at 10 g/l
	20 °C
Melting point/range	11,5 - 12,4 °C
Boiling point/boiling range	188 °C
	at 1.013 hPa
Flash point	100 °C
•	at 1.013 hPa
	Method: DIN 51758
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	2,5 %(V)
Upper explosion limit	10,6 %(V)
Vapour pressure	0,149 hPa at 25 °C
	1,6 hPa
	at 40 °C
	16 hPa
	at 80 °C
Relative vapour density	No information available.
· ·	

# according to Regulation (EC) No. 1907/2006

Catalogue No.	800423
Product name	3-Amino-1-propanol for synthesis
Density	0,99 g/cm3
	at 20 °C
Relative density	No information available.
·····,	
Water solubility	at 20 °C
	soluble
Partition coefficient: n-	log Pow: -1,04 (25 °C)
octanol/water	OECD Test Guideline 107
	Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	385 °C
Viscosity, kinematic	29,9 mm2/s
	at 23 °C
Correction	May be corrective to metale
Corrosion	May be corrosive to metals.

## SECTION 10. Stability and reactivity

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Exothermic reaction with:

Strong oxidizing agents, acids

## 10.4 Conditions to avoid

Strong heating (decomposition).

### 10.5 Incompatible materials

Metals

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

## SECTION 11. Toxicological information

## 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 1.348 mg/kg OECD Test Guideline 401

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

#### Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

Acute dermal toxicity LD50 Rat: > 2.000 mg/kg (ECHA)

*Skin irritation* Rabbit Result: Causes burns.

(External MSDS) Causes burns.

### Causes skin burns.

Eye irritation

Causes serious eye damage. Risk of blindness! *Sensitisation* In animal experiments: Result: negative

(External MSDS)

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471 sister chromatid exchange assay Chinese hamster ovary cells

Result: negative

(ECHA)

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

Carcinogenicity This information is not available. Reproductive toxicity This information is not available. Teratogenicity This information is not available. Specific target organ toxicity - single exposure This information is not available. Specific target organ toxicity - repeated exposure This information is not available. Aspiration hazard This information is not available.

### 11.2 Further information

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12. Ecological information

#### 12.1 Toxicity

Toxicity to fish static test LC50 Leuciscus idus (Golden orfe): > 100 - < 215 mg/l; 96 h DIN 38412 Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): > 500 mg/l; 48 h OECD Test Guideline 202 Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): 145 mg/l; 72 h DIN 38412

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

*Toxicity to bacteria* static test EC20 activated sludge: > 1.995 mg/l; 0,5 h OECD Test Guideline 209

### 12.2 Persistence and degradability

*Biodegradability* 86 %; 28 d; aerobic OECD Test Guideline 301C Readily biodegradable

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -1,04 (25 °C) OECD Test Guideline 107

Bioaccumulation is not expected.

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

800423

3-Amino-1-propanol for synthesis

## SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 2735
14.2 Proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1- PROPANOL)
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	-
14.6 Special precautions for	yes
user	
Tunnel restriction code	E
Inland waterway transport (ADN)	
Not relevant	
Air transport (IATA)	
14.1 UN number	UN 2735
14.2 Proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1- PROPANOL)
14.3 Class	8
14.4 Packing group	II
14.5 Environmentally hazardous	-
14.6 Special precautions for	no
user	
Sea transport (IMDG)	

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

# according to Regulation (EC) No. 1907/2006

atalogue No.	800423	
oduct name	3-Amino-1-propanol for synthesis	
14.1 UN number	UN 2735	
14.2 Proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1-	
	PROPANOL)	
14.3 Class	8	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions for	yes	
user		
EmS	F-A S-B	

Not relevant

## **SECTION 15. Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

# according to Regulation (EC) No. 1907/2006

Catalogue No.	800423	
Product name	3-Amino-1-propar	nol for synthesis
Substances of very high concern (	SVHC)	This product does not contain substances
	0110)	of very high concern according to
		Regulation (EC) No 1907/2006 (REACH),
		Article 57 above the respective regulatory
		concentration limit of $\ge 0.1$ % (w/w).
National legislation		
Storage class 8A		
15.2 Chemical safety assessment		
For this product a chemical safety assessment was not carried out.		

# **SECTION 16. Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

## Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



*Signal word* Danger

*Hazard statements* H290 May be corrosive to metals.

# according to Regulation (EC) No. 1907/2006

Catalogue No.800423Product name3-Amino-1-propanol for synthesis

H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.

Precautionary statements
Prevention
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.