

according to Regulation (EC) No. 1907/2006

Revision Date 11.02.2020

Version 5.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

800898 Catalogue No.

Product name Diethyl malonate for synthesis

REACH Registration

Number

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. 105-53-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck

Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 Company

6151 72-0

LS-QHC * e-mail: prodsafe@merckgroup.com Responsible Department

number

1.4 Emergency telephone Please contact the regional company representation in

your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Warning

CAS-No. 105-53-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula CH₂(COOC₂H₅)₂ C₇H₁₂O₄ (Hill)

EC-No. 203-305-9 Molar mass 160,16 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

diethyl malonate (>= 80 % - <= 100 %)

105-53-3 *)

Eye irritation, Category 2, H319

MERCK

according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Stomach/intestinal disorders irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Merck

according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

MERCK

according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: butyl-rubber Glove thickness: 0,7 mm
Break through time: 480 min

splash contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Form liquid

Colour colourless

Odour aromatic

Odour Threshold No information available.

pH No information available.

Melting point -50 °C

Boiling point/boiling range 199 °C

at 1.013 hPa

Flash point 90 °C

DIN 51758

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 0,8 %(V)

Upper explosion limit 12,8 %(V)

Vapour pressure 1,3 hPa

at 40 °C

Relative vapour density No information available.

Density 1,053 - 1,057 g/cm3

at 20 °C

Relative density No information available.

Water solubility 20,8 g/l

at 20 °C

Partition coefficient: n-

octanol/water

log Pow: 0,96

(experimental)

(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 2,1 mPa.s

at 20 °C

Explosive properties Not classified as explosive.



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Oxidizing properties none

9.2 Other data

Ignition temperature 435 °C

DIN 51794

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Bases, Reducing agents, Strong oxidizing agents, acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 15.794 mg/kg

(ECHA)

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

LD50 Rabbit: > 16.000 mg/kg

(RTECS)

Skin irritation

Rabbit

Result: No irritation

(ECHA)



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Eye irritation

Rabbit

Result: Moderate eye irritation

US-EPA

Causes serious eye irritation.

Sensitisation

Human experience human

Result: negative

Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro

In vitro mammalian cell gene mutation test

Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 476

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes Result: negative

Method: OECD Test Guideline 473

Ames test

Salmonella typhimurium

Result: negative

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After uptake:

Stomach/intestinal disorders

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 11,8 mg/l; 96 h

(IUCLID)

Page 8 of 11



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 202,3 mg/l; 48 h

OECD Test Guideline 202

Toxicity to algae

static test EC10 Desmodesmus subspicatus (green algae): 115,1 mg/l; 72 h static test ErC50 Desmodesmus subspicatus (green algae): > 800 mg/l; 72 h

12.2 Persistence and degradability

Biodegradability 99 %; 28 d; aerobic OECD Test Guideline 301A Readily biodegradable

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 0,96 (experimental)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Sea transport (IMDG)



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young

people at work.

Regulation (EC) No 1005/2009 on substances not regulated

that deplete the ozone layer

Regulation (EC) No 850/2004 of the not regulated

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain

substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 %

(w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.

Training advice

Provide adequate information, instruction and training for operators.



according to Regulation (EC) No. 1907/2006

Catalogue No. 800898

Product name Diethyl malonate for synthesis

Labelling

Hazard pictograms



Signal word Warning

Hazard statements H227 Combustible liquid. H319 Causes serious eye irritation.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Relevant changes since previous version

- 2. Hazards identification
- 4. First aid measures
- 5. Firefighting measures
- 8. Exposure controls/personal protection
- 11. Toxicological information
- 15. Regulatory information

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

