Sigma-Aldrich<sub>®</sub>

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 10.11.2019

Version 11.10

# SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier

1.4 Emergency telephone number	Please contact the regional company representation in your country.		
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com		
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0		
1.3 Details of the supplier of the safety data sheet			
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).		
1.2 Relevant identified uses of the substance or mixture and uses advised against			
CAS-No.	13963-57-0		
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.		
Product name	Aluminium acetylacetonate for synthesis		
Catalogue No.	801059		

# **SECTION 2. Hazards identification**

# 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 2, Oral, H300 Specific target organ toxicity - single exposure, Category 3, H335 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 1 of 12



Catalogue No. Product name

# 2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



*Signal word* Danger

Hazard statements H300 Fatal if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

# Precautionary statements

Response
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### Reduced labelling (≤125 ml)



Signal word Danger

Hazard statements H300 Fatal if swallowed.

Precautionary statements P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 13963-57-0

# 2.3 Other hazards

None known.

# SECTION 3. Composition/information on ingredients 3.1 Substance

Formula

C15H21AlO6 (Hill)

Page 2 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No.	801059
Product name	Aluminium acetylacetonate for synthesis
EC-No.	237-741-6
Molar mass	324,31 g/mol
Hazardous components	s (REGULATION (EC) No 1272/2008)
Chemical name (Concentration)	
CAS-No. Registration	n Classification
number	
aluminum tris(2,4-pentar	nedionato) (<= 100 % )
13963-57-0 *)	

Acute toxicity, Category 2, H300 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 Specific target organ toxicity - single exposure, Category 3, H335

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 3.2 Mixture

Not applicable

# **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

*General advice* First aider needs to protect himself.

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

# 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath

The following applies to aluminium compounds in general: After swallowing: only slightly absorbable via the gastrointestinal tract. Serious disorders in man (from about 4000 mg aluminium up): phosphate metabolism, calcium metabolism.

# **4.3 Indication of any immediate medical attention and special treatment needed** No information available.

Page 3 of 12



Catalogue No. Product name

#### **SECTION 5. Firefighting measures**

# 5.1 Extinguishing media

*Suitable extinguishing media* Water, Foam, Carbon dioxide (CO2), Dry powder

*Unsuitable extinguishing media* For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

#### Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

# **5.3 Advice for firefighters**

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6.** Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage 7.1 Precautions for safe handling

*Advice on safe handling* Observe label precautions.



Catalogue No.	801059
Product name	Aluminium acetylacetonate for synthesis

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# **SECTION 8. Exposure controls/personal protection**

# 8.1 Control parameters

# 8.2 Exposure controls

# **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

# Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

*Eye/face protection* Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	Nitrile rubber 0,11 mm > 480 min
splash contact:		
	Glove material: Glove thickness: Break through time:	Nitrile rubber 0,11 mm > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Merck

Page 5 of 12

Catalogue No.801059Product nameAluminium acetylacetonate for synthesis

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

*Other protective equipment* protective clothing

*Respiratory protection* required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Environmental exposure controls**

Do not let product enter drains.

# SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	powder
Colour	white
Odour	No strong odour known.
Odour Threshold	No information available.
рН	8 at 3 g/l 20 °C
Melting point	190 - 193 °C
Boiling point/boiling range	315 °C at 1.013 hPa
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.

Page 6 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No. Product name	801059 Aluminium acetylacetonate for synthesis
Relative vapour density	No information available.
Density	No information available.
Relative density	No information available.
Water solubility	3 g/l at 20 °C
Partition coefficient: n- octanol/water	log Pow: -1,67 (calculated) (Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	500 °C
Bulk density	500 kg/m3

# **SECTION 10. Stability and reactivity**

# 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3 Possibility of hazardous reactions**

Violent reactions possible with: Oxidizing agents, Strong acids, halogens

# 10.4 Conditions to avoid

no information available

# **10.5 Incompatible materials**

no information available

# **10.6 Hazardous decomposition products**

Page 7 of 12



Catalogue No. Product name

no information available

# SECTION 11. Toxicological information

# 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 48,7 mg/kg

(External MSDS)

Symptoms: We have no description of any symptoms of toxicity. absorption *Acute inhalation toxicity* 

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

*Acute dermal toxicity* This information is not available.

Skin irritation Causes skin irritation.

*Eye irritation* Causes serious eye irritation.

*Sensitisation* This information is not available.

*Germ cell mutagenicity* This information is not available.

*Carcinogenicity* This information is not available.

*Reproductive toxicity* This information is not available.

*Teratogenicity* This information is not available.

*Specific target organ toxicity - single exposure* May cause respiratory irritation.

*Specific target organ toxicity - repeated exposure* This information is not available.

*Aspiration hazard* This information is not available.

# **11.2 Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice. The following applies to aluminium compounds in general: After swallowing: only slightly absorbable via the gastrointestinal tract. Serious disorders in man (from about 4000 mg aluminium up): phosphate metabolism, calcium metabolism.

Page 8 of 12



Catalogue No. Product name

# **SECTION 12. Ecological information**

# 12.1 Toxicity

No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** *Partition coefficient: n-octanol/water* log Pow: -1,67 (calculated)

(Lit.) Bioaccumulation is not expected.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

#### **SECTION 13. Disposal considerations**

*Waste treatment methods* See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14. Transport information**

Land transport (ADR/RID)		
14.1 UN number	UN 3467	
14.2 Proper shipping	ORGANOMETALLIC COMPOUND, SOLID, TOXIC,	
name	N.O.S. (ALUMINIUMACETYLACETONATE)	
14.3 Class	6.1	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions for user	yes	
Tunnel restriction code	D/E	
Inland waterway transport (ADN)		

Not relevant

# Air transport (IATA)

Page 9 of 12



italogue No. oduct name	801059 Aluminium acetulacetenate for cunthesis
	Aluminium acetylacetonate for synthesis
14.1 UN number	UN 3467
14.2 Proper shipping name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S. (ALUMINIUMACETYLACETONATE)
14.3 Class	6.1
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for user	no
Sea transport (IMDG)	
14.1 UN number	UN 3467
14.2 Proper shipping name	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S. (ALUMINIUMACETYLACETONATE)
14.3 Class	6.1
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for user	yes
EmS	F-A S-A

Not relevant

# **SECTION 15.** Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** 

EU regulations Major Accident Hazard Legislation	SEVESO III ACUTE TOXIC H2 Quantity 1: 50 t Quantity 2: 200 t	
Occupational restrictions	people at work. Ob maternity protectio	/33/EC on the protection of young serve work restrictions regarding n in accordance to Dir 92/85/EEC or gulations where applicable.
Regulation (EC) No 1005/2009 on substances not regulated that deplete the ozone layer		
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		not regulated

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

Catalogue No.801059Product nameAluminium acetylacetonate for synthesis

Substances of very high o	concern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq$ 0.1 % (w/w).
<i>National legislation</i> Storage class	6.1A	

# 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

# **SECTION 16.** Other information

# Full text of H-Statements referred to under sections 2 and 3.

H300	Fatal if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

# **Training advice**

Provide adequate information, instruction and training for operators.

# Labelling

Hazard pictograms



Signal word Danger

Hazard statements H300 Fatal if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

```
The life science business of Merck operates as MilliporeSigma in the US and Canada
```



Page 11 of 12

Catalogue No. Product name

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Page 12 of 12

