Sigma-Aldrich_®

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 25.06.2019

Version 4.6

SECTION 1. Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier

Catalogue No.	802193
Product name	1,3-Benzenedisulfonic acid disodium salt for synthesis
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	831-59-4
1.2 Relevant identified us	es of the substance or mixture and uses advised against
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
1.3 Details of the supplier	of the safety data sheet
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
1.4 Emergency telephone number	Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2, H319 For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 1 of 10



Catalogue No. Product name 802193 1,3-Benzenedisulfonic acid disodium salt for synthesis

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Warning

CAS-No. 831-59-4

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	C6H4-1,3-(SO3Na)2	C6H4Na2O6S2 (Hill)
EC-No.	212-606-4	
Molar mass	282,19 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)CAS-No.Registrationnumberdisodium benzene-1,3-disulphonate (<= 100 %)</td>

831-59-4 *)

Eye irritation, Category 2, H319

Page 2 of 10





Catalogue No. Product name 802193 1,3-Benzenedisulfonic acid disodium salt for synthesis

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed irritant effects

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 10



Catalogue No. Product name

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.



Catalogue No. Product name

802193 1,3-Benzenedisulfonic acid disodium salt for synthesis

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min
· ·	

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form solid

Colour

beige

Page 5 of 10



Catalogue No. Product name	802193 1,3-Benzenedisulfonic acid disodium salt for synthesis
Odour	odourless
Odour Threshold	Not applicable
рН	6,9 at 500 g/l 20 °C
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	No information available.
Relative density	No information available.
Water solubility	663 g/l at 20 °C
Partition coefficient: n- octanol/water	log Pow: -4,69 (calculated) Bioaccumulation is not expected. (Lit.)
Auto-ignition temperature	No information available.
Decomposition temperature	> 350 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Bulk density	860 kg/m3



Page 6 of 10

Catalogue No. Product name

SECTION 10. Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures; in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity This information is not available.

Skin irritation

slight irritation

Eye irritation Causes serious eye irritation.

Sensitisation This information is not available.

Germ cell mutagenicity This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No.802193Product name1,3-Benzenedisulfonic acid disodium salt for synthesis

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

Biodegradability 100 %; 10 d OECD Test Guideline 302B (calculated on the free acid)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -4,69 (calculated)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID) 14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Page 8 of 10



alogue No.	802193	
duct name	1,3-Benzenedis	ulfonic acid disodium salt for synthesis
Not relevant		
Air transport (IATA)		
14.1 - 14.6	Not classified as transport regula	a dangerous in the meaning of ations.
Sea transport (IMDG)		
14.1 - 14.6	Not classified as transport regula	dangerous in the meaning of ations.
14.7 Transport in bulk a Code Not relevant	according to Anne	x II of MARPOL 73/78 and the IBC
CTION 15. Regulatory in 5.1 Safety, health and e ubstance or mixture		lations/legislation specific for the
<i>EU regulations</i> Major Accident Hazard Legislation	SEVESO III Not applicable	
Major Accident Hazard	Not applicable	/33/EC on the protection of young
Major Accident Hazard Legislation	Not applicable Take note of Dir 94 people at work. 2009 on substances	
Major Accident Hazard Legislation Occupational restrictions Regulation (EC) No 1005/	Not applicable Take note of Dir 94 people at work. 2009 on substances /er 004 of the of the Council of 29 organic pollutants	
Major Accident Hazard Legislation Occupational restrictions Regulation (EC) No 1005/ that deplete the ozone lay Regulation (EC) No 850/2 European Parliament and April 2004 on persistent o	Not applicable Take note of Dir 94 people at work. 2009 on substances /er 004 of the of the Council of 29 organic pollutants 9/117/EEC	not regulated

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

Page 9 of 10



Catalogue No.802193Product name1,3-Benzenedisulfonic acid disodium salt for synthesis

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H319

Causes serious eye irritation.

Training advice Provide adequate information, instruction and training for operators.

Labelling *Hazard pictograms*



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

