

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 6.7

SECTION 1. Identification of the su	ubstance/mixture and of the company/undertaking
1.1 Product identifier	
Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
REACH Registration Number	A registration number is not available for this substance as the
	substance or its use are exempted from registration according to
	Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage
	does not require a registration or the registration is envisaged for a
	later registration deadline.
CAS-No.	4885-02-3
1.2 Relevant identified uses of th	e substance or mixture and uses advised against
Identified uses	Chemical for synthesis
	For additional information on uses please refer to the Merck Chemicals
	portal (www.merckgroup.com).
1.3 Details of the supplier of the	safety data sheet
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
1.4 Emergency telephone number	Please contact the regional company representation in your country.
SECTION 2. Hazards identification	

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No.803467Product nameDichloromethyl methyl ether for synthesis

Acute toxicity, Category 4, Inhalation, H332 Acute toxicity, Category 4, Oral, H302 Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335 Skin corrosion, Category 1B, H314 Flammable liquid, Category 3, H226 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements

H226 Flammable liquid and vapour.

H302 + H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467	
Product name	Dichloromethyl methyl ether for synthesis	
Reduced lab	elling (≤125 ml)	
Hazard picto	grams	
Signal word		
Danger		
Hazard state	ments	
H314 Cause	s severe skin burns and eye damage.	
Precautional	ry statements	
P280 Wear p	protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P330) + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P305 + P351	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre	
and easy to	and easy to do. Continue rinsing.	
P308 + P310) IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.	
Contains: dichlo CAS-No.	romethoxymethane 4885-02-3	

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Cl₂CHOCH₃	C₂H₄Cl₂O (Hill)
EC-No.	225-498-9	
Molar mass	114,95 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)CAS-No.Registration numberClassificationdichloromethoxymethane (<= 100 %)</td>4885-02-3*)

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467	
Product name	Dichloromethyl methyl ether for synthesis	
	Flammable liquid, Category 3, H226	
	Acute toxicity, Category 4, H302	
	Acute toxicity, Category 4, H332	

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

803467

Dichloromethyl methyl ether for synthesis

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media Water, Foam

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Hydrogen chloride gas

May not get in touch with:

Water

Caution! in contact with water product releases:

hydrochloric acid

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Keep workplace dry. Do not allow product to come into contact with water.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.803467Product nameDichloromethyl methyl ether for synthesis

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

	Glove material:	Viton (R)
	Glove thickness:	0,70 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,40 mm

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis

Break through time: > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains. Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	stinging

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
Odour Threshold	No information available.
рН	No information available.
Melting point	No information available.
Boiling point/boiling range	85 - 87 °C at 1.013 hPa
Flash point	42 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	84 hPa at 20 °C
Relative vapour density	No information available.
Density	1,29 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	at 20 °C (decomposition)
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
0.0 Other data	
9.2 Other data	
none	

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

10.2 Chemical stability

sensitive to moisture

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Water, Strong oxidizing agents, alkalines, acids

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

according to Regulation (EC) No. 1907/2006

Catalogue No.803467Product nameDichloromethyl methyl ether for synthesis

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

absorption

Acute toxicity estimate: 500,1 mg/kg Expert judgement

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

absorption Acute toxicity estimate: 11,1 mg/l; vapour Expert judgement *Acute dermal toxicity* This information is not available. *Skin irritation* Causes burns. *Eye irritation* Risk of blindness! Causes serious eye damage. *Sensitisation* This information is not available. *Germ cell mutagenicity*

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
Carcinogenicity	
This information is not available.	
Reproductive toxicity	
This information is not available.	
Teratogenicity	
C <i>i</i>	
This information is not available.	
Specific target organ toxicity cin	ale expective

Specific target organ toxicity - single exposure May cause respiratory irritation. Target Organs: Respiratory system

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

Decomposition of the substance with tissue moisture. After absorption: We have no description of any toxic symptoms. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 2924
14.2 Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
	((DICHLOROMETHYL)-METHYLETHER)
14.3 Class	3 (8)
14.4 Packing group	II
14.5 Environmentally hazardous	-
14.6 Special precautions for	yes
user	
Tunnel restriction code	D/E
Inland waterway transport (ADN)	
Not relevant	
Not relevant	UN 2924
Not relevant Air transport (IATA)	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Not relevant Air transport (IATA) 14.1 UN number	
Not relevant Air transport (IATA) 14.1 UN number	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Not relevant Air transport (IATA) 14.1 UN number 14.2 Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S. ((DICHLOROMETHYL)-METHYLETHER)
Not relevant Air transport (IATA) 14.1 UN number 14.2 Proper shipping name 14.3 Class	FLAMMABLE LIQUID, CORROSIVE, N.O.S. ((DICHLOROMETHYL)-METHYLETHER) 3 (8)

_

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
14.6 Special precautions for	no
user	
Sea transport (IMDG)	
14.1 UN number	UN 2924
14.2 Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
	((DICHLOROMETHYL)-METHYLETHER)
14.3 Class	3 (8)
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	yes
user	
EmS	F-E S-C
14.7 Transport in bulk according t	o Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	FLAMMABLE LIQUIDS
	P5c
	Quantity 1: 5.000 t
	Quantity 2: 50.000 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
Regulation (EC) No 1005/200	9 on substances that not regulated

deplete the ozone layer

according to Regulation (EC) No. 1907/2006

Catalogue No.	803467
Product name	Dichloromethyl methyl ether for synthesis
Regulation (EC) No 850/2004 of the terms of ter	he European not regulated
Parliament and of the Council of 2	29 April 2004 on
persistent organic pollutants and a	amending
Directive 79/117/EEC	
Substances of very high concern ((SVHC) This product does not contain substances
	of very high concern according to
	Regulation (EC) No 1907/2006 (REACH),
	Article 57 above the respective regulatory
	concentration limit of ≥ 0.1 % (w/w).
National legislation	
Storage class 3	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



according to Regulation (EC) No. 1907/2006

Catalogue No. 803467 Product name Dichloromethyl methyl ether for synthesis Signal word Danger Hazard statements H226 Flammable liquid and vapour. H302 + H332 Harmful if swallowed or if inhaled H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. Precautionary statements Prevention P210 Keep away from heat. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: dichloromethoxymethane

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.