

according to Regulation (EC) No. 1907/2006

Revision Date 21.09.2018

Version 6.10

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 80-05-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Serious eye damage, Category 1, H318

Skin sensitisation, Category 1, H317

Reproductive toxicity, Category 1B, H360F

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word

Danger

Hazard statements

H360F May damage fertility.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P280 Wear protective gloves.

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Restricted to professional users.

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word

Danger

Hazard statements

H360F May damage fertility.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves.

P280 Wear eye protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Index-No. 604-030-00-0

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $[4-(HO)C_6H_4]_2C(CH_3)_2$ $C_{15}H_{16}O_2$ (Hill)

Index-No. 604-030-00-0

EC-No. 201-245-8

Molar mass 228,29 g/mol

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

4,4'-isopropylidenediphenol (<= 100 %)

80-05-7 *)

Serious eye damage, Category 1, H318 Skin sensitisation, Category 1, H317

Reproductive toxicity, Category 1B, H360F

Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Headache, Cough, Dizziness, Drowsiness, Allergic reactions, agitation, respiratory arrest, CNS disorders, Shortness of breath, Unconsciousness Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Risk of dust explosion.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form scales

Colour white

Odour phenol-like

Odour Threshold No information available.

pH No information available.

Melting point 155 °C

Boiling point/boiling range 360 °C

at 1.013 hPa

Boiling point/boiling range 220 °C

at 5 hPa

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Flash point 227 °C

Method: DIN 51758

Evaporation rate No information available.

Flammability (solid, gas) does not ignite

Test N.1: Test method for readily combustible solids

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure < 1 Pa

at 25 °C

Method: OECD Test Guideline 104

Relative vapour density No information available.

Density 1,19 g/cm3

at 25 °C

Relative density No information available.

Water solubility 0,3 g/l

at 25 °C

Method: OECD Test Guideline 105

Partition coefficient: n- log Pow: 3,4 (22 °C)

octanol/water OECD Test Guideline 107

Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature > 260 °C

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 510 °C

Bulk density 600 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Bases, Acid anhydrides, acid halides

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 2.000 - 5.000 mg/kg

OECD Test Guideline 401

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Acute dermal toxicity

LD50 Rabbit: ca. 3.000 mg/kg

(ECHA)

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Causes serious eye damage.

OECD Test Guideline 405

Sensitisation

Human experience

Result: positive

(External MSDS)

May cause an allergic skin reaction.

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Genotoxicity in vivo

In vivo micronucleus test

Mouse

male and female

Oral

Bone marrow

Result: negative

(ECHA)

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

(ECHA)

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: negative

(ECHA)

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

(ECHA)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

CMR effects

Reproductive toxicity:

May damage fertility.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Target Organs: Respiratory system

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

Headache, Dizziness, Drowsiness, agitation, CNS disorders, Unconsciousness, respiratory

arrest

Damage to:

Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 Pimephales promelas (fathead minnow): 4,6 mg/l; 96 h

Analytical monitoring: yes OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 10,2 mg/l; 48 h

Analytical monitoring: yes

(ECHA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Toxicity to algae

static test ErC50 Pseudokirchneriella subcapitata (green algae): 2,73 - 3,1 mg/l; 96 h

Analytical monitoring: yes

US-EPA

Toxicity to bacteria

EC50 activated sludge: 58,4 mg/l; 3 h

(External MSDS)

Toxicity to fish (Chronic toxicity)

semi-static test NOEC Danio rerio (zebra fish): 3,2 mg/l; 14 d

Analytical monitoring: yes OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

semi-static test NOEC Daphnia magna (Water flea): > 3,16 mg/l; 21 d

Analytical monitoring: yes

OECD Test Guideline 211

12.2 Persistence and degradability

Biodegradability

89 %; 28 d; aerobic

OECD Test Guideline 301F

Readily biodegradable

Chemical Oxygen Demand (COD)

36 mg/g

(IUCLID)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 3,4 (22 °C)

OECD Test Guideline 107

Bioaccumulation is not expected.

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

Bioaccumulation

Bioconcentration factor (BCF): 5,1 - 13,3

Cyprinus carpio (Carp); 42 d

MITI test

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does contain substances of

very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 59

above the respective regulatory concentration limit of > 0.1 % (w/w).

Contains: 4,4'-isopropylidenediphenol

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H360F May damage fertility.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms







Signal word

Danger

Hazard statements

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

according to Regulation (EC) No. 1907/2006

Catalogue No. 803546

Product name 2,2-Bis(4-hydroxyphenyl) propane for synthesis

lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.