

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Revision Date 14.11.2017

Version 16.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier Catalogue No. 804012 Product name Furfural for synthesis REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. CAS-No. 98-01-1 1.2 Relevant identified uses of the substance or mixture and uses advised against Chemical for synthesis Identified uses For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). 1.3 Details of the supplier of the safety data sheet Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0 **Responsible Department** LS-QHC * e-mail: prodsafe@merckgroup.com
- 1.4 Emergency telephone Please contact the regional company representation in your country. number

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

804012 Furfural for synthesis

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 3, Oral, H301 Acute toxicity, Category 3, Inhalation, H331 Acute toxicity, Category 4, Dermal, H312 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319 Carcinogenicity, Category 2, H351 Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements

H301 + H331 Toxic if swallowed or if inhaled.

- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.

Precautionary statements

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Danger

Hazard statements H301 + H331 Toxic if swallowed or if inhaled. H351 Suspected of causing cancer.

Precautionary statements

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Index-No. 605-010-00-4

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	C₅H₄O₂ (Hill)
Index-No.	605-010-00-4
EC-No.	202-627-7

according to Regulation (EC) No. 1907/2006

Catalogue No.	804	012
Product name		fural for synthesis
	i un	
Molar mass	96,08	g/mol
Hazardous con	nponents (REGULATIO	N (EC) No 1272/2008)
Chemical name	e (Concentration)	
CAS-No.	Registration number	Classification
2-furaldehyde	(<= 100 %)	
98-01-1	*)	
		Acute toxicity, Category 3, H301
		Acute toxicity, Category 3, H331
		Acute toxicity, Category 4, H312
		Skin irritation, Category 2, H315
		Eye irritation, Category 2, H319
		Carcinogenicity, Category 2, H351
		Specific target organ toxicity - single exposure, Category 3, H335

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, Headache, Convulsions, CNS disorders, paralysis symptoms

The following applies to aldehydes in general: irritations after contact with eyes and skin. Mucosal irritations, coughing, and dyspnoea after inhalation.

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 I water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Protected from light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

splash contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm
Break through time:	> 480 min
Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	light brown
Odour	bitter almond-like
Odour Threshold	No information available.
рН	No information available.
Melting point	-37 °C
Boiling point/boiling range	162 °C at 1.013 hPa
Flash point	60 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	2,1 %(V)
Upper explosion limit	19,3 %(V)

according to Regulation (EC) No. 1907/2006

Catalogue No.	804012
Product name	Furfural for synthesis
Vapour pressure	1 hPa
	at 20 °C
Relative vapour density	No information available.
Density	1,16 g/cm3
	at 20 °C
Relative density	No information available.
Water solubility	83 g/l
	at 20 °C
Partition coefficient: n-	log Pow: 0,83
octanol/water	(calculated)
	Bioaccumulation is not expected. (Lit.)
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	315 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

alkali hydroxides, alkalines, Strong oxidizing agents, acids

Risk of explosion with:

mineral acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

rubber, various plastics

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 65 mg/kg

(RTECS)

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

Acute dermal toxicity Acute toxicity estimate : 1.100,1 mg/kg Expert judgement Skin irritation Rabbit **Result: Irritations** OECD Test Guideline 404 Causes skin irritation. Eye irritation Rabbit Result: irritating **OECD Test Guideline 405** Causes serious eye irritation. Sensitisation This information is not available. Germ cell mutagenicity This information is not available. Carcinogenicity This information is not available. Reproductive toxicity This information is not available. Teratogenicity This information is not available. CMR effects Carcinogenicity: Suspected of causing cancer.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804012 Product name Furfural for synthesis

Aspiration hazard This information is not available.

11.2 Further information

Systemic effects:

Headache, CNS disorders, Convulsions, paralysis symptoms, Lung oedema

After long-term exposure to the chemical:

Damage to:

Liver, Kidney

The following applies to aldehydes in general: irritations after contact with eyes and skin.

Mucosal irritations, coughing, and dyspnoea after inhalation.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Salmo: 24 mg/l; 96 h (Hommel)

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 29 mg/l; 24 h (External MSDS)

12.2 Persistence and degradability

Theoretical oxygen demand (ThOD) 1.660 mg/g

(Lit.)

Ratio BOD/ThBOD BOD5 46 % (External MSDS)

12.3 Bioaccumulative potential

according to Regulation (EC) No. 1907/2006

Catalogue No. 804012 Product name Furfural for synthesis

Partition coefficient: n-octanol/water log Pow: 0,83 (calculated)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information Biological effects: Forms toxic mixtures in water, dilution measures notwithstanding. Insecticide Fungicide Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No.804012Product nameFurfural for synthesis

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 1199
14.2 Proper shipping name	FURALDEHYDES
14.3 Class	6.1 (3)
14.4 Packing group	П
14.5 Environmentally hazardous	
14.6 Special precautions for	yes
user	
Tunnel restriction code	D/E
Inland waterway transport (ADN)	
Not relevant	
Air transport (IATA)	
14.1 UN number	UN 1199
14.2 Proper shipping name	FURALDEHYDES
14.3 Class	6.1 (3)
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	no
user	
Sea transport (IMDG)	

according to Regulation (EC) No. 1907/2006

Catalogue No.	804012
Product name	Furfural for synthesis

14.1 UN number	UN 1199
14.2 Proper shipping name	FURALDEHYDES
14.3 Class	6.1 (3)
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	yes
user	
EmS	F-E S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	ACUTE TOXIC
	H2
	Quantity 1: 50 t
	Quantity 2: 200 t
	SEVESO III
	FLAMMABLE LIQUIDS
	P5c
	Quantity 1: 5.000 t
	Quantity 2: 50.000 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer

according to Regulation (EC) No. 1907/2006

Catalogue No.	804012
Product name	Furfural for synthesis
Regulation (EC) No 850/2004 of tl Parliament and of the Council of 2 persistent organic pollutants and a Directive 79/117/EEC	29 April 2004 on
Substances of very high concern ((SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).
National legislation	
Storage class 3	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

804012 Furfural for synthesis



Signal word Danger

Hazard statements

H227 Combustible liquid.

H301 + H331 Toxic if swallowed or if inhaled.

H312 Harmful in contact with skin.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

804012 Furfural for synthesis

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.