

according to Regulation (EC) No. 1907/2006

Revision Date 31.08.2017

Version 8.9

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 920-66-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Corrosive to metals, Category 1, H290

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 4, Inhalation, H332

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling.(REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H302 + H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 920-66-1

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $CF_3CH(OH)CF_3$ $C_3H_2F_6O$ (Hill)

EC-No. 213-059-4

Molar mass 168,03 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

1,1,1,3,3,3-hexafluoro-2-propanol (<= 100 %)

920-66-1 *)

Corrosive to metals, Category 1, H290

Acute toxicity, Category 4, H302

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Acute toxicity, Category 4, H332 Skin corrosion, Category 1B, H314

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The following applies to aliphatic halogenated hydrocarbons in general: systemic effect: narcosis, cardiovascular disorders. Toxic effect on liver, kidneys.

Irritation and corrosion, Cough, Shortness of breath

Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Forms explosive mixtures with air on intense heating.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Hydrogen fluoride

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,40 mm
Break through time: 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter AX (EN 371)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour characteristic

Odour Threshold No information available.

pH No information available.

Melting point -3 °C

Boiling point/boiling range 58 °C

at 1.013 hPa

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Flash point > 100 °C

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure 269 hPa

at 30 °C

Relative vapour density No information available.

Density 1,62 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n- log Pow: 1,66 octanol/water (experimental)

Bioaccumulation is not expected. (Lit.)

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 1,65 mPa.s

at 20 °C

Explosive properties Not classified as explosive.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Oxidizing properties none

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents, Bases, Strong acids, Alkali metals, Aluminium, acid halides, Zinc

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Metals

10.6 Hazardous decomposition products

in the event of fire: See section 5.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 1.500 mg/kg

(RTECS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity LC50 Rat: 13,8 mg/l; 4 h

(RTECS)

Symptoms: Cough, Shortness of breath, mucosal irritations, Possible damages:, damage of respiratory tract

absorption

Acute dermal toxicity

This information is not available.

Skin irritation

Causes burns.

Eye irritation

Causes serious eye damage.

Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(National Toxicology Program)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to aliphatic halogenated hydrocarbons in general: systemic effect:

narcosis, cardiovascular disorders. Toxic effect on liver, kidneys.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 244,0 mg/l; 96 h

(ECOTOX Database)

12.2 Persistence and degradability

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1,66 (experimental)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1,1,1,3,3,3-HEXAFLUORO-2-PROPANOL)

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Air transport (IATA)

14.1 UN number UN 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1,1,1,3,3,3-HEXAFLUORO-2-PROPANOL)

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

14.1 UN number UN 3265

14.2 Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(1,1,1,3,3,3-HEXAFLUORO-2-PROPANOL)

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Regulation (EC) No 1005/2009 on substances that

not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European

not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of $\geq 0.1 \%$ (w/w).

National legislation

Storage class 8A

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H302 + H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 804515

Product name 1,1,1,3,3,3-Hexafluoro-2-propanol for synthesis

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.