

according to Regulation (EC) No. 1907/2006

Revision Date 26.09.2018

Version 8.0

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 7773-01-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

### **SECTION 2. Hazards identification**

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

### according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Acute toxicity, Category 3, Oral, H301

Serious eye damage, Category 1, H318

Specific target organ toxicity - repeated exposure, Category 2, Brain, H373

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms









Signal word

Danger

#### Hazard statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H373 May cause damage to organs (Brain) through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

### Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

#### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

#### Reduced labelling (≤125 ml)

Hazard pictograms









Signal word

Danger

Hazard statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 7773-01-5

### 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

#### 3.1 Substance

Formula MnCl<sub>2</sub> Cl<sub>2</sub>Mn (Hill)

EC-No. 231-869-6

Molar mass 125,84 g/mol

# Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

manganese(II) chloride (>= 80 % - <= 100 % )

7773-01-5 \*)

Acute toxicity, Category 3, H301

Serious eye damage, Category 1, H318

### according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Specific target organ toxicity - repeated exposure, Category 2,

H373

Chronic aquatic toxicity, Category 2, H411

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

### **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Risk of serious damage to eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5. Firefighting measures**

#### 5.1 Extinguishing media

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen chloride gas

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6. Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

### **SECTION 7. Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal or light-weight-metal containers.

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1 Control parameters

### 8.2 Exposure controls

### **Engineering measures**

according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

#### Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Environmental exposure controls

Do not let product enter drains.

### **SECTION 9. Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form scales

Colour pink

Odour odourless

Odour Threshold Not applicable

pH 5,5

at 25 g/l 20 °C

Melting point 650 °C

Boiling point/boiling range 1.190 °C

at 1.013 hPa

Flash point does not flash

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density 2,977 g/cm3

at 25 °C

Relative density No information available.

Water solubility 723 g/l

at 25 °C

Partition coefficient: n-

octanol/water Not applicable for inorganic substances

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

#### 9.2 Other data

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Ignition temperature not combustible

### **SECTION 10. Stability and reactivity**

#### 10.1 Reactivity

See section 10.3

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Alkali metals, Zinc

Violent reactions possible with:

acids

#### 10.4 Conditions to avoid

Moisture.

# 10.5 Incompatible materials

Light metals, Metals

### 10.6 Hazardous decomposition products

in the event of fire: See section 5.

### **SECTION 11. Toxicological information**

# 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 250 mg/kg

(RTECS)

LD50 Rat: 236 mg/kg

(ECHA)

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

Eye irritation

Rabbit

Result: Eye irritation

OECD Test Guideline 405

Causes serious eye damage.

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vivo

Chromosome aberration test

Mouse

female

Oral

Result: negative

Method: OECD Test Guideline 474

Genotoxicity in vitro

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Target Organs: Brain

Aspiration hazard

This information is not available.

### 11.2 Further information

Manganese compounds are generally only very slightly absorbable via the gastrointestinal tract.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

### **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to fish

LC50 Oryzias latipes (Orange-red killifish): > 1.000 mg/l; 48 h

(ECOTOX Database)

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 9,8 mg/l; 48 h

Toxicity to algae

Growth inhibition EC50 Pseudokirchneriella subcapitata (green algae): 3,83 mg/l; 72 h

OECD Test Guideline 201

### 12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 3288

**14.2 Proper shipping name** TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE(II)

CHLORIDE)

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous yes

**14.6 Special precautions for** yes

user

Tunnel restriction code E

### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

**14.1 UN number** UN 3288

**14.2 Proper shipping name** TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE(II)

CHLORIDE)

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for no

user

Sea transport (IMDG)

### according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

**14.1 UN number** UN 3288

14.2 Proper shipping name TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE(II)

CHLORIDE)

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-A

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

### **SECTION 15. Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation ACUTE TOXIC

H2

Quantity 1: 50 t Quantity 2: 200 t

SEVESO III

**ENVIRONMENTAL HAZARDS** 

E2

Quantity 1: 200 t Quantity 2: 500 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

Regulation (EC) No 850/2004 of the European

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

not regulated

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 6.1 D

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects.

#### Training advice

Provide adequate information, instruction and training for operators.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

#### Labelling

Hazard pictograms









Signal word

Danger

Hazard statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H373 May cause damage to organs (Brain) through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 805930

Product name Manganese(II) chloride for synthesis

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.