

according to Regulation (EC) No. 1907/2006

Revision Date 21.12.2015

Version 7.11

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 806845

Product name Nonylamine for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 112-20-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

#### SECTION 2. Hazards identification

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B, H314

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

C Corrosive R34
N Dangerous for the environment R51/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word
Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

#### Hazard statements

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P273 Avoid release to the environment.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### Reduced labelling (≤125 ml)

Hazard pictograms





Signal word
Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 112-20-9

## 2.3 Other hazards

None known.

## SECTION 3. Composition/information on ingredients

## 3.1 Substance

Formula  $C_9H_{21}N$  (Hill) EC-No. 203-945-9 Molar mass 143,27 g/mol

#### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

nonylamine (<= 100 % ) 112-20-9 \*)

> Skin corrosion, Category 1B, H314 Chronic aquatic toxicity, Category 2, H411

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Hazardous components (1999/45/EC)

Chemical Name (Concentration)
CAS-No. Classification
nonylamine (<= 100 %)

112-20-9 C, Corrosive; R34

N, Dangerous for the environment; R51/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

#### 4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5. Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

## SECTION 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8. Exposure controls/personal protection

## 8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

## 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

splash contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: > 60 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (splash contact). The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains.

## SECTION 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour amine-like

Odour Threshold No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

pH > 7

at 20 °C (undiluted)

Melting point -1 °C

Boiling point/boiling range 202 °C

at 1.013 hPa

Flash point 63 °C

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure 0,37 hPa

at 25 °C

Relative vapour density 4,95

Density 0,79 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

slightly soluble

Partition coefficient: n-

octanol/water

log Pow: 3,29 (calculated)

(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 385 °C

## SECTION 10. Stability and reactivity

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

## 10.2 Chemical stability

Sensitive to air.

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, acid halides, Acid anhydrides, acids

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

no information available

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

## **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Causes burns.

Eye irritation

Risk of blindness!

Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

#### 11.2 Further information

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

## 12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 2,1 mg/l; 96 h

(ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): 1,6 mg/l; 48 h

(ECOTOX Database)

## 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 3,29 (calculated)

(Lit.) Bioaccumulation is not expected.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

#### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14. Transport information**

#### Land transport (ADR/RID)

**14.1 UN number** UN 2735

**14.2 Proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (NONYLAMINE)

14.3 Class814.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions foryes

user

Tunnel restriction code E

## Inland waterway transport (ADN)

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

Air transport (IATA)

**14.1 UN number** UN 2735

**14.2 Proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (NONYLAMINE)

14.3 Class814.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions forno

user

Sea transport (IMDG)

**14.1 UN number** UN 2735

**14.2 Proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S. (NONYLAMINE)

14.3 Class814.4 Packing groupIII14.5 Environmentally hazardousyes14.6 Special precautions foryes

user

EmS F-A S-B

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## **SECTION 15. Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E2

Quantity 1: 200 t Quantity 2: 500 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

not regulated

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq$  0.1 % (w/w).

National legislation

Storage class 8A

## 15.2 Chemical Safety Assessment

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

For this product a chemical safety assessment was not carried out.

## **SECTION 16. Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

## Full text of R-phrases referred to under sections 2 and 3

R34 Causes burns.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

## Training advice

Provide adequate information, instruction and training for operators.

## Labelling

Hazard pictograms





# Signal word Danger

#### Hazard statements

H227 Combustible liquid.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

## Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) C Corrosive

N Dangerous for the environment

R-phrase(s) 34-51/53 Causes burns. Toxic to aquatic organisms, may cause long-

term adverse effects in the aquatic environment.

S-phrase(s) 26-36/37/39-45-61 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment.

Refer to special instructions/ Safety data sheets.

according to Regulation (EC) No. 1907/2006

Catalogue No. 806845

Product name Nonylamine for synthesis

EC-No. 203-945-9

Reduced labelling (≤125 ml)

Symbol(s)

С

Corrosive

Dangerous for the environment

R-phrase(s) 34

Ν

Causes burns.

S-phrase(s) 26-36/37/39-45

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.