

according to Regulation (EC) No. 1907/2006

Revision Date 21.07.2018

Version 8.10

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

REACH Registration Number 01-2119963921-31-XXXX

CAS-No. 60-12-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

### 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

### **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms



Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

### Precautionary statements

#### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Warning

CAS-No. 60-12-8

## 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

### 3.1 Substance

# according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Formula C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>CH<sub>2</sub>OH C<sub>8</sub>H<sub>10</sub>O (Hill)

EC-No. 200-456-2

Molar mass 122,16 g/mol

## Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

2-Phenylethanol (<= 100 %)

60-12-8 01-2119963921-31-

XXXX Acute toxicity, Category 4, H302

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

### 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

irritant effects

Cough, Gastrointestinal disturbance, somnolence, Coma

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

### **SECTION 5. Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

Forms explosive mixtures with air on intense heating.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6. Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

### **SECTION 7. Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1 Control parameters

### 8.2 Exposure controls

## Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0,7 mm

Break through time: > 480 min

splash contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

#### **Environmental exposure controls**

Do not let product enter drains.

### **SECTION 9. Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour characteristic

Odour Threshold No information available.

pH 6 - 7

at 20 g/l 20 °C

Melting point -27 °C

at 1.013 hPa

Boiling point/boiling range 219 °C

at 1.013 hPa

Flash point 101,5 °C

Method: DIN 51758

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 1,4 %(V)

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Upper explosion limit 11,9 %(V)

Vapour pressure 0,08 hPa

at 20 °C

Relative vapour density 4,2

Density 1,02 g/cm3

at 20 °C

Relative density No information available.

Water solubility 20 g/l

at 20 °C

Partition coefficient: n- log Pow: 1,3 (20 °C)

octanol/water OECD Test Guideline 117

Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 7,58 mPa.s

at 25 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 410 °C

Method: DIN 51794

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

### **SECTION 10. Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

Sensitive to air.

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Strong acids, Alkali metals, Alkaline earth metals

#### 10.4 Conditions to avoid

Strong heating.

## 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

no information available

### **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 1.603,3 mg/kg OECD Test Guideline 401

Symptoms: Gastrointestinal disturbance

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations, Cough

Acute dermal toxicity

LD50 Rabbit: 2.535 mg/kg OECD Test Guideline 402

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

Eye irritation

Rabbit

Result: Eye irritation

(IUCLID)

Causes serious eye irritation.

Sensitisation

Patch test: human Result: negative

(IUCLID)

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

#### 11.2 Further information

After absorption:

somnolence, Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): 220 - 460 mg/l; 96 h

(External MSDS)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 287 mg/l; 48 h

(External MSDS)

Toxicity to algae

IC50 Desmodesmus subspicatus (green algae): 490 mg/l; 72 h

(External MSDS)

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Toxicity to bacteria

static test EC50 activated sludge: > 100 mg/l; 3 h

OECD Test Guideline 209

### 12.2 Persistence and degradability

Biodegradability

> 70 %

OECD Test Guideline 302B

Readily eliminated from water

> 60 %

**OECD Test Guideline 301C** 

Readily biodegradable

Biochemical Oxygen Demand (BOD)

1.450 mg/g (5 d)

(IUCLID)

Chemical Oxygen Demand (COD)

2.500 mg/g

(IUCLID)

Theoretical oxygen demand (ThOD)

2.619 mg/g

(IUCLID)

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1,3 (20 °C)

**OECD Test Guideline 117** 

Bioaccumulation is not expected.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Additional ecological information

Discharge into the environment must be avoided.

### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14. Transport information**

### Land transport (ADR/RID)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

#### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

14.5 Environmentally hazardous --

**14.6 Special precautions for** no

user

Sea transport (IMDG)

**14.1 - 14.6** Not classified as dangerous in the meaning of transport

regulations.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

### **SECTION 15. Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

# according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Major Accident Hazard SEVESO III

Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 10 - 13

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

#### Training advice

## according to Regulation (EC) No. 1907/2006

Catalogue No. 807006

Product name 2-Phenylethanol for synthesis

Provide adequate information, instruction and training for operators.

#### Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Precautionary statements

### Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.