

according to Regulation (EC) No. 1907/2006

Revision Date 02.07.2018

Version 3.6

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	814173	
Product name	Polyethylene glycol dimethyl ether 4000 for synthesis	
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.	
CAS-No.	24991-55-7	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).	
1.3 Details of the supplier of th	e safety data sheet	
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This substance is not classified as dangerous according to European Union legislation.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

814173 Polyethylene glycol dimethyl ether 4000 for synthesis

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	CH₃O(CH₂CH₂O) _n CH₃	CH₃O(C₂H₄O) _n CH₃ (Hill)
Molar mass	4.000 g/mol	
Remarks	No disclosure requirement acc 1907/2006.	cording to Regulation (EC) No.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any symptoms of toxicity.

according to Regulation (EC) No. 1907/2006

Catalogue No.814173Product namePolyethylene glycol dimethyl ether 4000 for synthesis

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

according to Regulation (EC) No. 1907/2006

Catalogue No.	814173
Product name	Polyethylene glycol dimethyl ether 4000 for synthesis

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No.	814173
Product name	Polyethylene glycol dimethyl ether 4000 for synthesis

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min
Glove material:	Nitrile rubber

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

814173 Polyethylene glycol dimethyl ether 4000 for synthesis

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties		
Form	liquid	
Colour	light yellow	
Odour	weakly aromatic	
Odour Threshold	No information available.	
рН	at 100 g/l 20 °C neutral	
Melting point	No information available.	
Boiling point/boiling range	241 °C (External MSDS)	
Flash point	135 °C Method: c.c.	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	0,5 %(V)	
Upper explosion limit	No information available.	

according to Regulation (EC) No. 1907/2006

Catalogue No.	814173
Product name	Polyethylene glycol dimethyl ether 4000 for synthesis
Vapour pressure	< 1 Pa
	at 20 °C
Relative vapour density	No information available.
Density	1,03 g/cm3
	at 20 °C
	No information available.
Relative density	No information available.
Water solubility	at 20 °C
	soluble
Partition coefficient: n-	No information available.
octanol/water	
Auto-ignition temperature	No information available.
Decomposition temperature	> 300 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	

none

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

according to Regulation (EC) No. 1907/2006

Catalogue No.814173Product namePolyethylene glycol dimethyl ether 4000 for synthesis

10.3 Possibility of hazardous reactions

Violent reactions possible with:

strong oxidising agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: > 2.000 mg/kg OECD Test Guideline 401

Acute inhalation toxicity

LC50 Rat: > 5,7 mg/l; 4 h ; dust/mist OECD Test Guideline 403

Acute dermal toxicity

This information is not available.

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: No eye irritation

OECD Test Guideline 405

according to Regulation (EC) No. 1907/2006

Catalogue No.814173Product namePolyethylene glycol dimethyl ether 4000 for synthesis

Sensitisation This information is not available. Germ cell mutagenicity This information is not available. Carcinogenicity This information is not available. Reproductive toxicity This information is not available. Teratogenicity This information is not available. Specific target organ toxicity - single exposure This information is not available. Specific target organ toxicity - repeated exposure This information is not available. Aspiration hazard This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Danio rerio (zebra fish): > 10.000 mg/l; 96 h OECD Test Guideline 203

Toxicity to bacteria

EC0 Bacteria: > 1.000 mg/l

(External MSDS)

12.2 Persistence and degradability

according to Regulation (EC) No. 1907/2006

Catalogue No.814173Product namePolyethylene glycol dimethyl ether 4000 for synthesis

Biodegradability < 20 %; 30 d (External MSDS) Not readily biodegradable.

Chemical Oxygen Demand (COD)

1.800 mg/g

(External MSDS)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No.	814173		
Product name	Polyethylene gly	Polyethylene glycol dimethyl ether 4000 for synthesis	
14.1 - 14.6	Not classified as	dangerous in the meaning of transport	
	regulations.		
Sea transport (IMDG)			
14.1 - 14.6	Not classified as regulations.	dangerous in the meaning of transport	
14.7 Transport in bulk accor Not relevant	ding to Annex II of MAR	POL 73/78 and the IBC Code	
-		egislation specific for the substance or mixture	
EU regulations			
Major Accident Hazard	SEVESO III		
Legislation	Not applicable		
Regulation (EC) No 1005/20 deplete the ozone layer	009 on substances that	not regulated	
Regulation (EC) No 850/200 Parliament and of the Counc persistent organic pollutants Directive 79/117/EEC	cil of 29 April 2004 on	not regulated	
Substances of very high cor	ncern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).	
National legislation			
Storage class	10 - 13		
15.2 Chemical safety assess	ment		

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

814173

Polyethylene glycol dimethyl ether 4000 for synthesis

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.