

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 9.9

CTION 1. Identification of the su	ibstance/mixture and of the company/undertaking
1 Product identifier	
Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis
REACH Registration Number	A registration number is not available for this substance as the
	substance or its use are exempted from registration according to
	Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage
	does not require a registration or the registration is envisaged for a
	later registration deadline.
CAS-No.	95-63-6
.2 Relevant identified uses of the	e substance or mixture and uses advised against
Identified uses	Chemical for synthesis
	For additional information on uses please refer to the Merck Chemicals
	portal (www.merckgroup.com).
.3 Details of the supplier of the s	safety data sheet
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
I.4 Emergency telephone number	Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No.814505Product name1,2,4-Trimethylbenzene for synthesis

Flammable liquid, Category 3, H226

Acute toxicity, Category 4, Inhalation, H332

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.


H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements
Prevention
P210 Keep away from heat.
P273 Avoid release to the environment.
Response
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006

Catalogue No.814505Product name1,2,4-Trimethylbenzene for synthesis



Index-No. 601-043-00-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	C9H12 (Hill)
Index-No.	601-043-00-3
EC-No.	202-436-9
Molar mass	120,19 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical nam	e (Concentration)	
CAS-No.	Registration number	Classification
1,2,4-Trimethy	lbenzene <i>(<= 100 %)</i>	
95-63-6	*)	
		Flammable liquid, Category 3, H226
		Acute toxicity, Category 4, H332
		Skin irritation, Category 2, H315
		Eye irritation, Category 2, H319
		Specific target organ toxicity - single exposure, Category 3, H335
		Chronic aquatic toxicity, Category 2, H411

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately. More severe effects if alcohol is consumed. No milk. No castor oil.

4.2 Most important symptoms and effects, both acute and delayed

respiratory paralysis, Pain, Dizziness, Unconsciousness, inebriation, agitation, Nausea, Vomiting, Headache, Convulsions irritant effects, Cough, Shortness of breath

4.3 Indication of any immediate medical attention and special treatment needed

Activated charcoal Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2), Foam, Dry powder

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

according to Regulation (EC) No. 1907/2006

Catalogue No.814505Product name1,2,4-Trimethylbenzene for synthesis

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

	Glove material:	Viton (R)
	Glove thickness:	0,70 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,40 mm
	Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	aromatic
Odour Threshold	No information available.
рН	No information available.
Melting point	-44 °C
Boiling point/boiling range	168 °C at 1.013 hPa
Flash point	48 °C Method: c.c.
Evaporation rate	No information available.

according to Regulation (EC) No. 1907/2006

atalogue No.	814505
roduct name	1,2,4-Trimethylbenzene for synthesis
Flammability (solid, gas)	No information available.
Lower explosion limit	0,8 %(V)
Upper explosion limit	7 %(V)
Vapour pressure	2,8 hPa
	at 25 °C
Relative vapour density	No information available.
Density	0,88 g/cm3
	at 20 °C
Relative density	No information available.
Water solubility	0,057 g/l
	at 20 °C
Partition coefficient: n-	log Pow: 3,63
octanol/water	(experimental)
	(Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis
Ignition temperature	485 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Strong oxidizing agents, Nitric acid

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 5.000 mg/kg

(RTECS)

Symptoms: Vomiting, Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis., Pain

Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

according to Regulation (EC) No. 1907/2006

Catalogue No.814505Product name1,2,4-Trimethylbenzene for synthesis

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation Causes skin irritation.

Repeated exposure with the mixture may cause skin dryness or cracking.

Eye irritation Causes serious eye irritation.

Sensitisation This information is not available.

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative

(IUCLID)

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure May cause respiratory irritation. Target Organs: Respiratory system

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects: After absorption: Headache, Nausea, Dizziness In high doses: inebriation, agitation, Unconsciousness, Drowsiness, Convulsions, respiratory paralysis, narcosis Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Pimephales promelas (fathead minnow): 7,72 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia (water flea): 3,6 mg/l; 48 h (ECOTOX Database)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 3,63 (experimental)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Henry constant 624 Pa*m³/mol Method: (experimental) Distribution preferentially in air. (Lit.)

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (1,2,4-TRIMETHYLBENZENE)
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
Tunnel restriction code	D/E
Inland waterway transport (ADN)	
Not relevant	
Air transport (IATA)	

according to Regulation (EC) No. 1907/2006

talogue No.	814505
oduct name	1,2,4-Trimethylbenzene for synthesis
14.1 UN number	UN 1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (1,2,4-TRIMETHYLBENZENE)
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	no
user	
Sea transport (IMDG)	
14.1 UN number	UN 1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (1,2,4-TRIMETHYLBENZENE)
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
EmS	F-E S-E

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	FLAMMABLE LIQUIDS
	P5c
	Quantity 1: 5.000 t
	Quantity 2: 50.000 t

according to Regulation (EC) No. 1907/2006

italogue No.	814505	
oduct name	1,2,4-Trimethylbe	enzene for synthesis
	SEVESO III	
	ENVIRONMENTAL F	IAZARDS
	E2	
	Quantity 1: 200 t	
	Quantity 2: 500 t	
Occupational restrictions	Take note of Dir 94/3	3/EC on the protection of young people at
	work. Observe work r	estrictions regarding maternity protection in
	accordance to Dir 92/	85/EEC or stricter national regulations where
	applicable.	
Deculation (EQ) No. 4005/20		
Regulation (EC) No 1005/20 deplete the ozone layer		notregulated
Regulation (EC) No 850/200	04 of the European	not regulated
Parliament and of the Coun	cil of 29 April 2004 on	
persistent organic pollutants	s and amending	
Directive 79/117/EEC		
		.
Substances of very high concern (SVHC)		This product does not contain substances
		of very high concern according to
		Degulation (EC) No 1007/2006 (DEACH)
		Regulation (EC) No 1907/2006 (REACH),
		Article 57 above the respective regulatory
<i>National legislation</i> Storage class	3	Article 57 above the respective regulatory

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

814505 1,2,4-Trimethylbenzene for synthesis

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements Prevention P210 Keep away from heat.

according to Regulation (EC) No. 1907/2006

Catalogue No.	814505
Product name	1,2,4-Trimethylbenzene for synthesis

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.