

according to Regulation (EC) No. 1907/2006

Revision Date 07.12.2017

Version 4.6

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

REACH Registration Number 01-2119534576-33-0001

CAS-No. 144-62-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

In compliance with the conditions described in the annex to this safety

data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 4, Dermal, H312

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Danger

Hazard statements

H302 + H312 Harmful if swallowed or in contact with skin.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Reduced labelling (≤125 ml)

Hazard pictograms





according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. P313 Get medical advice/ attention.

Contains: Oxalic acid

Index-No. 607-006-00-8

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula HOOCCOOH C₂H₂O₄ (Hill)

Index-No. 607-006-00-8

EC-No. 205-634-3

Molar mass 90,03 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Oxalic acid (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

144-62-7 01-2119534576-33-

0001 Acute toxicity, Category 4, H302

Acute toxicity, Category 4, H312

Serious eye damage, Category 1, H318

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes.

The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders.

Irritation and corrosion, agitation, spasms, Nausea, Vomiting, cardiovascular disorders, collapse

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Derived No Effect Level (DNEL)

Worker DNEL, acute	Local effects	dermal	0,69 mg/cm2
Worker DNEL, longterm	Systemic effects	dermal	2,29 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	4,03 mg/m³
Consumer DNEL, acute	Local effects	dermal	0,35 mg/cm2
Consumer DNEL, longterm	Systemic effects	oral	1,14 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	dermal	1,14 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

PNEC Fresh water	0,1622 mg/l
PNEC Marine water	0,016 mg/l
PNEC Aquatic intermittent release	1,622 mg/l
PNEC Sewage treatment plant	1550 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour odourless

Odour Threshold Not applicable

pH ca. 1

at 100 g/l 20 °C

Melting point 189 °C

(decomposition)

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure 21,5 hPa

at 50 °C

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

< 1 Pa

at 25 °C

Relative vapour density No information available.

Density 1,9 g/cm³

at 20 °C

Relative density No information available.

Water solubility ca.108 g/l

at 25 °C

Partition coefficient: n- log Pow: -1,7 (23 °C)

octanol/water OECD Test Guideline 107

Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature Decomposes on heating.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density ca.750 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

sensitive to moisture

10.3 Possibility of hazardous reactions

Risk of explosion with:

chlorates, sodium hypochlorite, Strong oxidizing agents, silver, salts of oxyhalogenic acids

Exothermic reaction with:

bases, Ammonia, Mercury

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 375 mg/kg

(IUCLID)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

Acute toxicity estimate: 1.100,1 mg/kg

Expert judgement

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

Causes serious eye damage.

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 473

Carcinogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

After absorption:

agitation, spasms, Nausea, Vomiting, cardiovascular disorders, collapse, disturbed electrolyte balance.

Secondary products cause:

Damage to:

Kidney

The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Leuciscus idus (Golden orfe): 160 mg/l; 48 h

(IUCLID)

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 162,2 mg/l; 48 h

Analytical monitoring: yes OECD Test Guideline 202

(for the dihydrate)

12.2 Persistence and degradability

Biodegradability

89 %; 5 d; aerobic Biochemical oxygen demand within 5 days

(ECHA)

Readily biodegradable

Biochemical Oxygen Demand (BOD)

160 mg/g (5 d)

Chemical Oxygen Demand (COD)

180 mg/g

(Lit.)

(IUCLID)

Theoretical oxygen demand (ThOD)

180 mg/g

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1,7 (23 °C)

OECD Test Guideline 107

Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.H318 Causes serious eye damage.

Training advice

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H302 + H312 Harmful if swallowed or in contact with skin.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: Oxalic acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Chemical for synthesis)

Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC19 Intermediate

PC21 Laboratory chemicals

Process categories

PROC1	Use in closed process, no likelihood of exposure
-------	--

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC3 Use in closed batch process (synthesis or formulation)

PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises

PROC5 Mixing or blending in batch processes for formulation of preparations and articles

(multistage and/ or significant contact)

PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large

containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large

containers at dedicated facilities

PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including

weighing)

PROC10 Roller application or brushing

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC1	Manufacture of substances
ERC2	Formulation of preparations

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

ERC6b Industrial use of reactive processing aids

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, medium dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours. Assumes a good basic standard of occupational hygiene is implemented. Provide adequate information, instruction and training for operators. Regular cleaning of equipment, work area and clothing.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	
2.1	PROC2	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,03	
2.1	PROC3	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	
2.1	PROC4	longterm, inhalative, systemic	0,15	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,32	
2.1	PROC5	longterm, inhalative, systemic	0,15	ECETOC TRA
		longterm, dermal, systemic	0,02	ECETOC TRA
		longterm, combined, systemic	0,17	
2.1	PROC8a	longterm, inhalative, systemic	0,31	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,34	
2.1	PROC8b	longterm, inhalative, systemic	0,07	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,25	
2.1	PROC9	longterm, inhalative, systemic	0,13	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,30	
2.1	PROC10	longterm, inhalative, systemic	0,34	ECETOC TRA
		longterm, dermal, systemic	0,06	ECETOC TRA
		longterm, combined, systemic	0,40	
2.1	PROC15	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,03	

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Chemical for synthesis)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC8a Wide dispersive indoor use of processing aids in open systems

ERC8b Wide dispersive indoor use of reactive substances in open systems

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, low dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours. Assumes a good basic standard of occupational hygiene is

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis

implemented. Provide adequate information, instruction and training for operators. Regular cleaning of equipment, work area and clothing.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

according to Regulation (EC) No. 1907/2006

Catalogue No. 816144

Product name Oxalic acid anhydrous for synthesis