

Revision Date 21.11.2010

Version 4.3

1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	818197	
Product name	N,N-Dimethylallylamine for synthesis	
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).	
1.3 Details of the supplier of the safety data sheet		
Company Responsible Department	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0 LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Flammable liquid, Category 2, H225 Eye irritation, Category 2, H319 Skin irritation, Category 2, H315

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC) F; R11 Xi; R36/38 For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



Signal word Danger

Catalogue No.	818197
Product name	N,N-Dimethylallylamine for synthesis

Hazard statements

H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P403 + P235 Store in a well-ventilated place. Keep cool.







Signal word Danger

CAS-No. 2155-94-4

Labelling (67/548/EEC or 1999/45/EC)

		/
Symbol(s)	F	Highly flammable
	Xi	Irritant
R-phrase(s)	11-36/38	Highly flammable. Irritating to eyes and skin.
S-phrase(s)	7-16-26	Keep container tightly closed. Keep away from sources of ignition - No smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
EC-No.	218-458-7	

Reduced labelling (≤125 ml) Symbol(s) F Xi

Highly flammable Irritant

2.3 Other hazards

None known.

3. Composition/information on ingredients

Formula	CH ₂ =CHCH ₂ N(CH ₃) ₂	C₅H₁₁N (Hill)
CAS-No.	2155-94-4	
EC-No.	218-458-7	
Molar mass	85,14 g/mol	

4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Catalogue No.	818197
Product name	N,N-Dimethylallylamine for synthesis

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** irritant effects, Cough, Shortness of breath
- **4.3 Indication of immediate medical attention and special treatment needed** No information available.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible material, Development of hazardous combustion gases or vapours possible in the event of fire., Vapours are heavier than air and may spread along floors., Forms explosive mixtures with air at ambient temperatures., Pay attention to flashback., Fire may cause evolution of:

nitrogen oxides Forms explosive mixtures with air at ambient temperatures., Pay attention to flashback.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7.2 and 10.5). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

Catalogue No.818197Product nameN,N-Dimethylallylamine for synthesis

7. Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

Store at +15°C to +25°C.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Eye/face protection Safety glasses

Hand protection

full contact:

splash

	Glove material: Glove thickness: Break through time:	butyl-rubber 0,7 mm > 480 min
contact:	C C	
	Glove material: Glove thickness: Break through time:	Nitrile rubber 0,40 mm > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

Catalogue No.	818197
Product name	N,N-Dimethylallylamine for synthesis

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment: Flame retardant antistatic protective clothing

Respiratory protection required when vapours/aerosols are generated.

Environmental exposure controls Do not empty into drains. Risk of explosion.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	yellow
Odour	amine-like
Odour Threshold	No information available.
рН	No information available.
Melting point	No information available.
Boiling point/boiling range	62 - 64 °C
Flash point	8 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	0,730 g/cm³ at 20 °C
Water solubility	at 20 °C soluble

Catalogue No. Product name	818197 N,N-Dimethylallylamine for synthesis	
Partition coefficient: n- octanol/water	log Pow: 0,88 Method: (calculated) (Lit.) Bioaccumulation is not expected (log Pow <1).	
Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	No information available.	
Oxidizing properties	No information available.	
9.2 Other data		

none

10. Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See chapter 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Acute inhalation toxicity Symptoms: Shortness of breath, Cough, mucosal irritations Skin irritation Causes skin irritation. Eye irritation Causes serious eye irritation. Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Catalogue No.	818197
Product name	N,N-Dimethylallylamine for synthesis

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

11.2 Further information

Further information Quantitative data on the toxicity of this product are not available.

Further toxicological data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 0,88 Method: (calculated) (Lit.) Bioaccumulation is not expected (log Pow <1).

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Further information on ecology

Do not allow to run into surface waters, wastewater, or soil.

13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

ADR/RID

UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S. (N,N-DIMETHYLALLYLAMINE), 3 (8), II

IATA

UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S. (N,N-DIMETHYLALLYLAMINE), 3 (8), II

IMDG

UN 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S. (N,N-DIMETHYLALLYLAMINE), 3 (8), II EmS F-E S-C

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

Catalogue No.	818197
Product name	N,N-Dimethylallylamine for synthesis

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>EU regulations</i> Major Accident Hazard Legislation	96/82/EC Highly flammable 7b Quantity 1: 5.000 t Quantity 2: 50.000 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.
National legislation Storage class VCI	3 Flammable Liquids

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

16. Other information

Full text of H-Statements i	referred to under sections 2 and 3.
H225 H315 H319	Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation.
Full text of R-phrases refe	rred to under sections 2 and 3
R11 R36/38	Highly flammable. Irritating to eyes and skin.
Training advice Provide adequate informa	tion, instruction and training for operators.
Regional representation:	This information is given on the authorised Safety Data Sheet for your country.
	tions and acronyms used in the safety data sheet cronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.