

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 21.11.2010

Version 5.4

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No.	818660
Product name	N-Benzyl-tert-butylamine for synthesis
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number	Please contact the regional company representation in your country.
--------------------------------	---

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xn; R22

C; R34

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 818660
Product name N-Benzyl-tert-butylamine for synthesis

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

CAS-No. 3378-72-1

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) C Corrosive

R-phrases(s) 22-34 Harmful if swallowed. Causes burns.

S-phrases(s) 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

EC-No. 222-179-6

Reduced labelling (≤125 ml)

Symbol(s) C Corrosive

R-phrases(s) 22-34 Harmful if swallowed. Causes burns.

S-phrases(s) 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other hazards

None known.

3. Composition/information on ingredients

Formula $\text{C}_6\text{H}_5\text{CH}_2\text{NHC}(\text{CH}_3)_3$ $\text{C}_{11}\text{H}_{17}\text{N}$ (Hill)
CAS-No. 3378-72-1

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	818660
Product name	N-Benzyl-tert-butylamine for synthesis

EC-No.	222-179-6
Molar mass	163,26 g/mol

4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Swab with polyethylene glycol 400. Immediately remove contaminated clothing. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, irritant effects, Cough, Shortness of breath

4.3 Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible material

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:
nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.
Suppress (knock down) gases/vapours/mists with a water spray jet.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 818660
Product name N-Benzyl-tert-butylamine for synthesis

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7.2 and 10.5).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Observe label precautions.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

splash contact:

Glove material:	butyl-rubber
Glove thickness:	0,7 mm
Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (splash contact). The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 818660
Product name N-Benzyl-tert-butylamine for synthesis

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:
protective clothing

Respiratory protection
required when vapours/aerosols are generated.

Environmental exposure controls
Do not empty into drains.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	characteristic
Odour Threshold	No information available.
pH	No information available.
Melting point	-30 - -25 °C
Boiling point/boiling range	218 - 220 °C
Flash point	90 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	0,07 hPa at 53 °C
Relative vapour density	No information available.
Relative density	0,90 g/cm ³ at 20 °C
Water solubility	2 g/l at 20 °C
Partition coefficient: n-octanol/water	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	818660
Product name	N-Benzyl-tert-butylamine for synthesis

Autoignition temperature	No information available.
Decomposition temperature	> 245 °C
Viscosity, dynamic	No information available.
Explosive properties	No information available.
Oxidizing properties	No information available.

9.2 Other data

none

10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

Sensitive to air.

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, acid halides, Acid anhydrides, carbon dioxide, acids

10.4 Conditions to avoid

Strong heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See chapter 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat

Dose: 400 mg/kg

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: Cough, Shortness of breath, mucosal irritations

Acute dermal toxicity

LD50 rabbit

Dose: > 2.000 mg/kg

Skin irritation

Causes skin burns.

Causes burns.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 818660
Product name N-Benzyl-tert-butylamine for synthesis

Eye irritation

Causes eye burns.

Risk of serious damage to eyes.

Risk of blindness!

Sensitisation

In animal experiments:

Result: No sensitising effect.

Genotoxicity in vitro

Ames test

Result: negative

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

11.2 Further information

Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Further information on ecology

Do not allow to run into surface waters, wastewater, or soil.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 818660
Product name N-Benzyl-tert-butylamine for synthesis

13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

ADR/RID

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N-BENZYL-TERT-BUTYLAMINE), 8, II

IATA

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N-BENZYL-TERT-BUTYLAMINE), 8, II

IMDG

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N-BENZYL-TERT-BUTYLAMINE), 8, II
EmS F-A S-B

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

National legislation

Storage class VCI 8 A Combustible substances, corrosive

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed.
R34 Causes burns.

Training advice

Provide adequate information, instruction and training for operators.

Regional representation: This information is given on the authorised Safety Data Sheet for your country.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	818660
Product name	N-Benzyl-tert-butylamine for synthesis

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.