SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 02.12.2019

Version 8.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier

Catalogue No.	818759	
Product name	Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis	
REACH Registration Number	This product is a mixture. REACH Registration Number see section 3.	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).	
1.3 Details of the supplier of the safety data sheet		
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	

1.4 Emergency telephone Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B, H314 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Page 1 of 11



Catalogue No.	818759
Product name	Tetra-n-butylammonium hydroxide (20% solution in water) for
	synthesis

Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration Classification number Tetrabutylammonium hydroxide (>= 20 % - < 25 %)

2052-49-5 *)

Skin corrosion, Category 1B, H314

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Page 2 of 11



Catalogue No. 818759 Product name Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed Nausea, Vomiting, Headache Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Foam, Carbon dioxide (CO2), Dry powder, Water

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Mixture with combustible ingredients. Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of: nitrogen oxides

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire

extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.



Catalogue No.	818759
Product name	Tetra-n-butylammonium hydroxide (20% solution in water) for
	synthesis

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Tightly fitting safety goggles

Hand protection full contact:

Glove material:

natural latex

Page 4 of 11



Catalogue No. Product name	Tetra-n	818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis	
	Glove thickness:	0.6 mm	

	Break through time:	480 min
splash contact:	Glove material: Glove thickness: Break through time:	Nitrile rubber 0,11 mm 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties **9.1** Information on basic physical and chemical properties

Form	liquid
Colour	colourless to light yellow
Odour	No strong odour known.
Odour Threshold	No information available.
рН	14 at 20 °C
Melting point	No information available.

Page 5 of 11



Catalogue No. Product name	818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis
Boiling point/boiling range	102 °C at 1.013 hPa
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	0,99 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	> 80 °C
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

heat-sensitive Sensitive to air. The product is chemically stable under standard ambient conditions (room temperature) .

Page 6 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No. Product name 818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

10.3 Possibility of hazardous reactions

Violent reactions possible with: acids

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

carbon dioxide

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Shortness of breath, Cough, Possible damages:, Lung oedema, damage of respiratory tract

Acute dermal toxicity This information is not available. Skin irritation

Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation This information is not available.

Germ cell mutagenicity This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.



The life science business of Merck operates as MilliporeSigma in the US and Canada

Catalogue No. Product name 818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

Aspiration hazard This information is not available.

11.2 Further information

Systemic effects: Vomiting, Nausea, Headache Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

Components

Tetrabutylammonium hydroxide No information available.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

Components

Tetrabutylammonium hydroxide No information available.



Catalogue No. Product name 818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID))	
14.1 UN number	UN 3267	
14.2 Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TETRABUTYLAMMONIUMHYDROXIDE SOLUTION)	
14.3 Class	8	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions for user	yes	
Tunnel restriction code	E	
Inland waterway transport (ADN) Not relevant		
Air transport (IATA)		
14.1 UN number	UN 3267	
14.2 Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TETRABUTYLAMMONIUMHYDROXIDE SOLUTION)	
14.3 Class	8	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions for user	no	
Sea transport (IMDG)		
14.1 UN number	UN 3267	
14.2 Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (TETRABUTYLAMMONIUMHYDROXIDE SOLUTION)	
14.3 Class	8	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions	yes	
for user EmS	F-A S-B	

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 11

Catalogue No. Product name 818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the
substance or mixture

<i>EU regulations</i> Major Accident Hazard Legislation	SEVESO III Not applicable	
Occupational restrictions	Take note of Dir 94 people at work.	/33/EC on the protection of young
Regulation (EC) No 1005/ that deplete the ozone lay		not regulated
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		not regulated
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).
<i>National legislation</i> Storage class	8A	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H314 Causes severe skin burns and eye damage.

Training advice

Provide adequate information, instruction and training for operators.

Page 10 of 11



Catalogue No. Product name 818759 Tetra-n-butylammonium hydroxide (20% solution in water) for synthesis

Labelling *Hazard pictograms*



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements
Prevention
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

