

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 26.03.2020

Version 8.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

| | |
|---------------------------|--|
| Catalogue No. | 818897 |
| Product name | Polyethylene glycol 20000 (stabilised) for synthesis |
| REACH Registration Number | A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. |
| CAS-No. | 25322-68-3 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|---|
| Identified uses | Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com). |
|-----------------|---|

1.3 Details of the supplier of the safety data sheet

| | |
|------------------------|---|
| Company | Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0 |
| Responsible Department | LS-QHC * e-mail: prodsafe@merckgroup.com |

1.4 Emergency telephone number **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture****REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

| | |
|---------------|--|
| Catalogue No. | 818897 |
| Product name | Polyethylene glycol 20000 (stabilised) for synthesis |

SECTION 3. Composition/information on ingredients

| | |
|-----------------|------------------------------|
| Chemical nature | Mixture of organic compounds |
|-----------------|------------------------------|

3.1 Substance

| | |
|------------|--------------|
| Molar mass | 20.000 g/mol |
|------------|--------------|

| | |
|---------|---|
| Remarks | No disclosure requirement according to Regulation (EC) No. 1907/2006. |
|---------|---|

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any symptoms of toxicity.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

| | |
|---------------------|----------------|
| Glove material: | Nitrile rubber |
| Glove thickness: | 0,11 mm |
| Break through time: | 480 min |

splash contact:

| | |
|---------------------|----------------|
| Glove material: | Nitrile rubber |
| Glove thickness: | 0,11 mm |
| Break through time: | 480 min |

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|------|--------|
| Form | flakes |
|------|--------|

| | |
|--------|-------|
| Colour | white |
|--------|-------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

| | |
|---------------|--|
| Catalogue No. | 818897 |
| Product name | Polyethylene glycol 20000 (stabilised) for synthesis |

| | |
|--|---|
| Odour | odourless |
| Odour Threshold | Not applicable |
| pH | 5 - 7 at 100 g/l 20 °C Method: DIN 19268 |
| Melting point | No information available. |
| Boiling point | No information available. |
| Flash point | 240 °C Method: DIN 51376 |
| Evaporation rate | No information available. |
| Flammability (solid, gas) | No information available. |
| Lower explosion limit | No information available. |
| Upper explosion limit | No information available. |
| Vapour pressure | < 0,01 hPa at 20 °C |
| Relative vapour density | No information available. |
| Density | ca.1,2 g/cm ³ at 20 °C Method: DIN 51757 |
| Relative density | No information available. |
| Water solubility | 500 g/l at 20 °C |
| Partition coefficient: n-octanol/water | log Pow: < -1 (calculated) Bioaccumulation is not expected. |
| Auto-ignition temperature | No information available. |
| Decomposition temperature | ca.340 °C |
| Viscosity, dynamic | No information available. |
| Explosive properties | Not classified as explosive. |
| Oxidizing properties | none |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Stabilizer

Butylmethoxyphenol

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 2.000 mg/kg

OECD Test Guideline 423

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

LD50 Rabbit: > 20.000 mg/kg

(ECHA)

Skin irritation

Rabbit

Result: No skin irritation

(ECHA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

Eye irritation

Rabbit

Result: No eye irritation

Draize Test

(External MSDS)

Sensitisation

Sensitisation test: Guinea pig

Result: negative

Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(ECHA)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 *Poecilia reticulata* (guppy): > 100 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h

OECD Test Guideline 202

Toxicity to bacteria

EC50 activated sludge: > 1.000 mg/l

(External MSDS)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

EC10 *Pseudomonas putida*: 14.730 mg/l
(External MSDS)

12.2 Persistence and degradability

Biodegradability

> 90 %; 28 d

OECD Test Guideline 301E

Readily biodegradable

92 %

OECD Test Guideline 302B

Readily eliminated from water

Chemical Oxygen Demand (COD)

1.790 mg/g

(External MSDS)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: < -1

(calculated)

Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

| | |
|---------------|--|
| Catalogue No. | 818897 |
| Product name | Polyethylene glycol 20000 (stabilised) for synthesis |

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

| | |
|-----------------------------------|------------------------------|
| Major Accident Hazard Legislation | SEVESO III Not applicable |
|-----------------------------------|------------------------------|

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

| | |
|--|--|
| Substances of very high concern (SVHC) | This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w). |
|--|--|

National legislation

| | |
|---------------|---------|
| Storage class | 10 - 13 |
|---------------|---------|

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.

818897

Product name

Polyethylene glycol 20000 (stabilised) for synthesis

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.