

according to Regulation (EC) No. 1907/2006

Revision Date 29.05.2017

Version 6.9

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 820624

Product name 1-Heptanol for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 111-70-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 4, Dermal, H312

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H302 + H312 Harmful if swallowed or in contact with skin

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Warning

CAS-No. 111-70-6

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $CH_3(CH_2)_6OH$ $C_7H_{16}O$ (Hill)

EC-No. 203-897-9 Molar mass 116,2 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Heptan-1-ol (<= 100 %) 111-70-6 *)

> Acute toxicity, Category 4, H302 Acute toxicity, Category 4, H312 Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

^{*)} A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, narcosis, Diarrhoea, Nausea, Vomiting, Headache
The following applies to aliphatic alcohols in general: effect when product is not handled and used properly: mucosal irritations; after absorption of large quantities: narcosis.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,40 mm
Break through time: > 480 min

splash contact:

Glove material: polychloroprene

Glove thickness: 0,65 mm

Break through time: > 120 min

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 730 Camatril® -Velours (full contact), KCL 720 Camapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective
devices are carried out according to the instructions of the producer. These measures have to be
properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour characteristic

Odour Threshold No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

pH No information available.

Melting point -35 °C

Boiling point/boiling range 176 °C

at 1.013 hPa

Flash point 78 °C

Method: c.c.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 0,9 %(V)

Upper explosion limit No information available.

Vapour pressure 0,5 hPa

at 20 °C

Relative vapour density 4,01

Density 0,82 g/cm3

at 20 °C

Relative density No information available.

Water solubility 1 g/l

at 18 °C

Partition coefficient: n- log Pow: 2,62 octanol/water (experimental)

Bioaccumulation is not expected. (Lit.)

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 7,4 mPa.s

at 20 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 350 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong acids, Oxidizing agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 500 mg/kg

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and

pneumonitis. (RTECS)

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

LD50 Rabbit: 2.000 mg/kg

(RTECS)

Skin irritation

Rabbit

Result: No irritation

(External MSDS)

Eye irritation

Causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(External MSDS)

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Ames test

Result: negative

(External MSDS)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

Nausea, Vomiting, Diarrhoea, narcosis, Headache

The following applies to aliphatic alcohols in general: effect when product is not handled and used properly: mucosal irritations; after absorption of large quantities: narcosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 34,5 mg/l; 96 h

(ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia pulex (Water flea): 49 mg/l; 48 h

(ECOTOX Database)

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

EC50 Tetrahymen pyriformis: 112 mg/l; 48 h

(ECOTOX Database)

Toxicity to bacteria

EC5 Pseudomonas putida: 67 mg/l; 16 h

(External MSDS)

12.2 Persistence and degradability

Ratio BOD/ThBOD

BOD5 56,3 %

(HSDB)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 2,62 (experimental)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

Distribution among environmental compartments

log Koc: 1,92

Mobility of the substance in soil is expected (log koc <3). (External MSDS)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport

regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

not regulated

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of $\geq 0.1 \%$ (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.H319 Causes serious eye irritation.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 820624

Product name 1-Heptanol for synthesis

Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H227 Combustible liquid.

H302 + H312 Harmful if swallowed or in contact with skin

H319 Causes serious eye irritation.

Precautionary statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.