Sigma-Aldrich_®

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Revision Date 17.01.2019

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier

Catalogue No.	820959		
Product name	Tetraethylene glycol dimethyl ether for synthesis		
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.		
CAS-No.	143-24-8		
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).		
1.3 Details of the supplier of the safety data sheet			
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0		
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com		
1.4 Emergency telephone number	Please contact the regional company representation in your country.		

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B, H360Df

For the full text of the H-Statements mentioned in this Section, see Section 16.



Catalogue No. Product name

2.2 Label elements Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements H360Df May damage the unborn child. Suspected of damaging fertility.

Precautionary statements Prevention P201 Obtain special instructions before use. Response P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users. *CAS-No.* 143-24-8

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	CH3O(CH2CH2O)4CH3	C10H22O5 (Hill)
EC-No.	205-594-7	
Molar mass	222,28 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration Classification number Bis(2-(2-methoxyethoxy)ethyl) ether (<= 100 %)

143-24-8 *)

Reproductive toxicity, Category 1B, H360Df

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Page 2 of 12



Catalogue No. Product name 820959 Tetraethylene glycol dimethyl ether for synthesis

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** We have no description of any symptoms of toxicity.
- **4.3 Indication of any immediate medical attention and special treatment needed** No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Page 3 of 12



Catalogue No.820959Product nameTetraethylene glycol dimethyl ether for synthesis

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters



Catalogue No.	820959
Product name	Tetraethylene glycol dimethyl ether for synthesis

Derived No Effect Level (DNEL)

	Derived NO Effect			
	Worker DNEL, longterm	Systemic effects	inhalation	22 mg/m ³
	Worker DNEL, longterm	Systemic effects	dermal	3 mg/kg Body weight
	Consumer DNEL, longterm	Systemic effects	inhalation	0,0005 mg/m³
	Consumer DNEL,	Systemic effects	dermal	0,001 mg/kg Body weight
	longterm Consumer DNEL, longterm	Systemic effects	oral	0,001 mg/kg Body weight
Predicted No Effect Concentration (PNEC PNEC Fresh water 32			NEC) 32 mg/l	
PNEC Fresh water sediment		127 mg/kg		
PNEC Marine water		3,2 mg/l		
PNEC Marine sediment		12,7 mg/kg		
PNEC Aquatic intermittent release		50 mg/l		
PNEC Sewage treatment plant		500 mg/l		
PNEC Soil		6,7 mg/kg		

8.2 Exposure controls

PNEC oral

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

8,32 mg/kg

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

	Glove material: Glove thickness: Break through time:	butyl-rubber 0,7 mm > 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,40 mm
	Break through time:	> 30 min



Page 5 of 12

Catalogue No.	820959
Product name	Tetraethylene glycol dimethyl ether for synthesis

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	ether-like
Odour Threshold	No information available.
рН	No information available.
Melting point	-30 °C
Boiling point/boiling range	272 - 277 °C at 1.013 hPa Method: DIN 53171
Flash point	141 °C Method: DIN 51755 Part 1
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	0,8 %(V)

Page 6 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



Catalogue No. Product name	820959 Tetraethylene glycol dimethyl ether for synthesis
Upper explosion limit	No information available.
Vapour pressure	0,01 hPa at 20 °C
	0,1 hPa at 50 °C
Relative vapour density	No information available.
Density	1,01 g/cm3 at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n- octanol/water	log Pow: < -1 (calculated) Bioaccumulation is not expected. (External MSDS)
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	3 - 4 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Ignition temperature	195 °C DIN 51794
Viscosity, kinematic	4,1 mm2/s at 20 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Page 7 of 12



Catalogue No. Product name

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

Peroxides

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 3.850 mg/kg

(External MSDS)

Acute inhalation toxicity This information is not available.

Acute dermal toxicity This information is not available.

Skin irritation Rabbit Result: No irritation OECD Test Guideline 404

(ECHA)

Eye irritation Rabbit Result: No eye irritation OECD Test Guideline 405

Sensitisation This information is not available.

Germ cell mutagenicity Genotoxicity in vitro Ames test Result: negative

(External MSDS)

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.



Catalogue No. Product name

CMR effects Teratogenicity: May damage the unborn child. Reproductive toxicity: May damage fertility.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Repeated dose toxicity Rat male and female Oral NOAEL: 250 mg/l OECD Test Guideline 407

Aspiration hazard This information is not available.

11.2 Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Danio rerio (zebra fish): > 500 mg/l; 96 h OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 7.467 mg/l; 48 h OECD Test Guideline 202 (ECHA)

Toxicity to algae Growth rate ErC50 Pseudokirchneriella subcapitata (green algae): 2.814 mg/l; 72 h OECD Test Guideline 201 (ECHA)

Growth rate NOEC Pseudokirchneriella subcapitata (green algae): < 625 mg/l; 72 h OECD Test Guideline 201 (ECHA)

12.2 Persistence and degradability

Biodegradability < 20 %; 20 d Not readily biodegradable. Chemical Oxygen Demand (COD) 1.800.000 mg/g

12.3 Bioaccumulative potential

Page 9 of 12



The life science business of Merck operates as MilliporeSigma in the US and Canada

Catalogue No. 820959 Tetraethylene glycol dimethyl ether for synthesis Product name

Partition coefficient: n-octanol/water log Pow: < -1(calculated)

Bioaccumulation is not expected. (External MSDS)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RI	D)
14.1 - 14.6	Not classified as dangerous in the meaning of
	transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
Sea transport (IMDG)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
14.7 Transport in bulk a	ecording to Approx II of MADDOL 72/78 and the

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations Major Accident Hazard SEVESO III Legislation

Not applicable

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 12



Catalogue No. Product name	820959 Tetraethylene <u>c</u>	glycol dimethyl ether for synthesis	
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.		
Regulation (EC) No 1005/ that deplete the ozone lay		not regulated	
Regulation (EC) No 850/2 European Parliament and April 2004 on persistent o and amending Directive 7	of the Council of 29 organic pollutants	not regulated	
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).	
<i>National legislation</i> Storage class	6.1C		

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H360Df

May damage the unborn child. Suspected of damaging fertility.

Training advice

Provide adequate information, instruction and training for operators.

Labelling Hazard pictograms



Signal word Danger

Hazard statements H360 May damage fertility or the unborn child.

Page 11 of 12



Merck

Catalogue No.820959Product nameTetraethylene glycol dimethyl ether for synthesis

Precautionary statements Prevention P201 Obtain special instructions before use. Response P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

