

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 7.7

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 78-79-5

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

### 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

# **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Flammable liquid, Category 1, H224

Germ cell mutagenicity, Category 2, H341

Carcinogenicity, Category 1B, H350

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms





Signal word

Danger

#### Hazard statements

H350 May cause cancer.

H224 Extremely flammable liquid and vapour.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

Prevention

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 Ground/bond container and receiving equipment.

P273 Avoid release to the environment.

Response

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

### Restricted to professional users.

### Reduced labelling (≤125 ml)

### Hazard pictograms





#### Signal word

Danger

#### Hazard statements

H224 Extremely flammable liquid and vapour.

H350 May cause cancer.

H341 Suspected of causing genetic defects.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P201 Obtain special instructions before use.

P281 Use personal protective equipment as required.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P403 + P235 Store in a well-ventilated place. Keep cool.

Index-No. 601-014-00-5

### 2.3 Other hazards

None known.

### SECTION 3. Composition/information on ingredients

#### 3.1 Substance

Formula  $CH_2=CHC(CH_3)=CH_2$   $C_5H_8$  (Hill)

Index-No. 601-014-00-5

EC-No. 201-143-3

Molar mass 68,12 g/mol

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Isoprene (>= 50 % - <= 100 %)

78-79-5 \*)

Flammable liquid, Category 1, H224

Germ cell mutagenicity, Category 2, H341

Carcinogenicity, Category 1B, H350

Chronic aquatic toxicity, Category 3, H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

### 4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Dizziness, narcosis, Nausea, Headache

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

<sup>\*)</sup> A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

## **SECTION 5. Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### 6.2 Environmental precautions

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

### SECTION 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Protected from light.

Recommended storage temperature see product label.

# 7.3 Specific end use(s)

according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,40 mm
Break through time: > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter AX (EN 371)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## **Environmental exposure controls**

Do not let product enter drains.

Risk of explosion.

## SECTION 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour mild

Odour Threshold No information available.

pH No information available.

Melting point -146 °C

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Boiling point/boiling range 34 °C

at 1.013 hPa

Flash point -54 °C

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 1 %(V)

Upper explosion limit 9,7 %(V)

Vapour pressure 605 hPa

at 20 °C

1.710 hPa at 50 °C

Relative vapour density No information available.

Density 0,68 g/cm3

at 20 °C

Relative density No information available.

Water solubility 0,7 g/l

at 20 °C

Partition coefficient: n- log Pow: 2,42 octanol/water (experimental)

(External MSDS) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Decomposition temperature No information available.

Viscosity, dynamic 0,23 mPa.s

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 220 °C

## SECTION 10. Stability and reactivity

# 10.1 Reactivity

Vapours may form explosive mixture with air.

## 10.2 Chemical stability

Sensitivity to light

Sensitive to air.

Stabilizer

4-tert-butylpyrocatechol

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

fuming sulfuric acid, Oxidizing agents, sulphuric acid, Nitric acid, Reducing agents, Alcohols,

halogens, chlorosulfonic acid

Violent polymerisation may be caused by:

polymerisation initiators

Ozone, Acetone

Peroxides

## 10.4 Conditions to avoid

Warming.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

### 10.5 Incompatible materials

Iron, copper compounds

## 10.6 Hazardous decomposition products

no information available

## **SECTION 11. Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 2.000 mg/kg

(External MSDS)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

Acute inhalation toxicity

LC50 Rat: 180 mg/l; 4 h; vapour

(External MSDS)

Symptoms: Possible damages:, May cause irritation of respiratory tract.

Acute dermal toxicity

This information is not available.

Skin irritation

slight irritation

Eye irritation

slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

CMR effects

Carcinogenicity:

May cause cancer.

Mutagenicity:

Suspected of causing genetic defects.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

## 11.2 Further information

Possible risk of irreversible effects.

Systemic effects:

After long-term exposure to the chemical:

Nausea, Dizziness, Headache, narcosis

This substance should be handled with particular care.

# **SECTION 12. Ecological information**

#### 12.1 Toxicity

Toxicity to fish

LC50 Lepomis macrochirus (Bluegill sunfish): 43 mg/l; 96 h

(External MSDS)

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 140 mg/l; 48 h

(External MSDS)

Toxicity to algae

IC50 Scenedesmus quadricauda (Green algae): > 1.000 mg/l; 96 h

(External MSDS)

## 12.2 Persistence and degradability

**Biodegradability** 

2 %

(External MSDS)

Not readily biodegradable.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 2,42 (experimental)

(External MSDS) Bioaccumulation is not expected.

## 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

## **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 1218

**14.2 Proper shipping name** ISOPRENE, STABILIZED

**14.3 Class** 3

14.4 Packing group

14.5 Environmentally hazardous --

**14.6 Special precautions for** yes

user

Tunnel restriction code D/E

## Inland waterway transport (ADN)

Not relevant

## Air transport (IATA)

**14.1 UN number** UN 1218

**14.2 Proper shipping name** ISOPRENE, STABILIZED

**14.3 Class** 3

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

**14.1 UN number** UN 1218

**14.2 Proper shipping name** ISOPRENE, STABILIZED

**14.3 Class** 3

14.4 Packing group

14.5 Environmentally hazardous ---

14.6 Special precautions for yes

user

EmS F-E S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

### **SECTION 15. Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation FLAMMABLE LIQUIDS

P5a

Quantity 1: 10 t Quantity 2: 50 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq$  0.1 % (w/w).

National legislation

Storage class 3

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H224 Extremely flammable liquid and vapour.
H341 Suspected of causing genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

## Training advice

Provide adequate information, instruction and training for operators.

### Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H224 Extremely flammable liquid and vapour.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 821258

Product name 2-Methyl-1,3-butadiene (stabilised) for synthesis

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

Prevention

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P273 Avoid release to the environment.

Response

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Further information

Restricted to professional users.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.