

according to Regulation (EC) No. 1907/2006

Revision Date 06.11.2018

Version 3.4

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	821862	
Product name	Epoxycyclohexane for synthesis	
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.	
CAS-No.	286-20-4	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Chemical for synthesis	
	For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).	
1.3 Details of the supplier of the safety data sheet		
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

## **SECTION 2. Hazards identification**

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

Flammable liquid, Category 3, H226

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 3, Inhalation, H331


Acute toxicity, Category 3, Dermal, H311

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)





*Signal word* Danger

## Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

## Precautionary statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

 Reduced labeling (\$125 ml)

 Hazard pictograms

 Image:

 Signal word

 Danger

 Hazard statements

 H311 + H331 Toxic in contact with skin or if inhaled.

 H314 Causes severe skin burns and eye damage.

 Precautionary statements

 P300 Wear protective gloves/ protective clothing/ eye protection.

 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

CAS-No. 286-20-4

### 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

#### 3.1 Substance

Formula	C₀H₁₀O (Hill)
EC-No.	206-007-7
Molar mass	98,14 g/mol

## according to Regulation (EC) No. 1907/2006

Catalogue No.	821862
Product name	Epoxycyclohexane for synthesis

### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration number

1,2-Epoxycyclohexane (<= 100 %) \*)

286-20-4

Flammable liquid, Category 3, H226 Acute toxicity, Category 4, H302 Acute toxicity, Category 3, H331 Acute toxicity, Category 3, H311 Skin corrosion, Category 1B, H314

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

Classification

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 3.2 Mixture

Not applicable

## **SECTION 4. First aid measures**

## 4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

gastric pain, Drowsiness, Diarrhoea, Nausea, Vomiting, Lachrymation, Vertigo Irritation and corrosion, Cough, Shortness of breath Risk of blindness!

**4.3 Indication of any immediate medical attention and special treatment needed** No information available.

## **SECTION 5. Firefighting measures**

#### 5.1 Extinguishing media

*Suitable extinguishing media* Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6.** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

Protective equipment see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

## SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

## 7.3 Specific end use(s)

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8. Exposure controls/personal protection

## 8.1 Control parameters

## 8.2 Exposure controls

## Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

## Eye/face protection

Tightly fitting safety goggles

Hand protection

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

#### Other protective equipment

Flame retardant antistatic protective clothing.

#### Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains. Risk of explosion.

## SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	No strong odour known.
Odour Threshold	No information available.
рН	No information available.
Melting point	-27 °C
Boiling point/boiling range	131 - 132 °C at  1.013 hPa
Flash point	24 °C Method: c.c.

# according to Regulation (EC) No. 1907/2006

Catalogue No.	821862
Product name	Epoxycyclohexane for synthesis
Evaporation rate	No information available.
Evaporation rate	
Flammability (solid, gas)	No information available.
Lower explosion limit	1,2 %(V)
Upper explosion limit	6,5 %(V)
Vapour pressure	12 hPa
	at 20 °C
Relative vapour density	3,38
Density	0,97 g/cm3
	at 20 °C
Relative density	No information available.
Water solubility	at 20 °C
Water colubility	insoluble
Partition coefficient: n-	log Pow: 1,66
octanol/water	(calculated)
	(Lit.) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	> 210 °C
Viscosity, dynamic	1,75 mPa.s
	at 25 °C
Explosive properties	Not classified as explosive.

## according to Regulation (EC) No. 1907/2006

Catalogue No.	821862
Product name	Epoxycyclohexane for synthesis
Oxidizing properties	none
9.2 Other data	
Ignition temperature	335 °C
SECTION 10. Stability and reactivity	

#### **10.1 Reactivity**

Vapour/air-mixtures are explosive at intense warming.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

#### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

no information available

#### **10.6 Hazardous decomposition products**

no information available

## SECTION 11. Toxicological information 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 1.060 mg/kg

## (RTECS)

Symptoms: Nausea, Vomiting, Diarrhoea, gastric pain

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

Acute inhalation toxicity LC50 Rat: 6,6 mg/l; 4 h (External MSDS)

Symptoms: mucosal irritations, Cough, Shortness of breath, Lachrymation, Possible damages:, damage of respiratory tract, Lung oedema

Acute dermal toxicity LD50 Rabbit: 612 mg/kg (RTECS) *Skin irritation* Rabbit Result: Causes burns.

(External MSDS) Causes burns.

Eye irritation

Causes serious eye damage.

Risk of blindness!

Sensitisation

This information is not available.

*Germ cell mutagenicity* This information is not available.

*Carcinogenicity* This information is not available.

*Reproductive toxicity* This information is not available.

Teratogenicity

This information is not available.

*Specific target organ toxicity - single exposure* This information is not available.

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

## **11.2 Further information**

After absorption:

Drowsiness, Vertigo

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

## 12.1 Toxicity

No information available.

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 1,66 (calculated)

(Lit.) Bioaccumulation is not expected.

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Additional ecological information

**Biological effects:** 

Formation of health-hazardous mixtures possible with water.

Forms corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

## according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

821862

Epoxycyclohexane for synthesis

## **SECTION 13.** Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14. Transport information Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1 UN number	UN 2920
14.2 Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (EPOXYCYCLOHEXANE)
14.3 Class	8 (3)
14.4 Packing group	II
14.5 Environmentally hazardous	-
14.6 Special precautions for	yes
user	
Tunnel restriction code	D/E
Inland waterway transport (ADN)	
Not relevant	
Air transport (IATA)	
14.1 UN number	UN 2920
14.2 Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (EPOXYCYCLOHEXANE)
14.3 Class	8 (3)
14.4 Packing group	II
14.5 Environmentally hazardous	
14.6 Special precautions for	no
user	
Sea transport (IMDG)	

# according to Regulation (EC) No. 1907/2006

atalogue No.	821862	
oduct name	Epoxycyclohexane for synthesis	
14.1 UN number	UN 2920	
14.2 Proper shipping name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	
	(EPOXYCYCLOHEXANE)	
14.3 Class	8 (3)	
14.4 Packing group	II	
14.5 Environmentally hazardous		
14.6 Special precautions for	yes	
user		
EmS	F-E S-C	

Not relevant

## **SECTION 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	ACUTE TOXIC
	H2
	Quantity 1: 50 t
	Quantity 2: 200 t
	SEVESO III
	FLAMMABLE LIQUIDS
	P5c
	Quantity 1: 5.000 t
	Quantity 2: 50.000 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that not regulated deplete the ozone layer

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

## according to Regulation (EC) No. 1907/2006

Catalogue No.	821862
Product name	Epoxycyclohexane for synthesis
Regulation (EC) No 850/2004 of the Parliament and of the Council of 2 persistent organic pollutants and a Directive 79/117/EEC	9 April 2004 on
Substances of very high concern (	(SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq$ 0.1 % (w/w).
National legislation Storage class 3	

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

## **SECTION 16. Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.

### Training advice

Provide adequate information, instruction and training for operators.

## according to Regulation (EC) No. 1907/2006

Catalogue No.821862Product nameEpoxycyclohexane for synthesis



*Signal word* Danger

## Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 + H331 Toxic in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

## Precautionary statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

821862 Epoxycyclohexane for synthesis

## **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.