

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 2.7

ECTION 1. Identification of the su	bstance/mixture and of the company/undertaking
1.1 Product identifier	
Catalogue No.	822064
Product name	1-Hexadecene for synthesis
REACH Registration Number	A registration number is not available for this substance as the
	substance or its use are exempted from registration according to
	Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage
	does not require a registration or the registration is envisaged for a
	later registration deadline.
CAS-No.	629-73-2
1.2 Relevant identified uses of the	e substance or mixture and uses advised against
Identified uses	Chemical for synthesis
	For additional information on uses please refer to the Merck Chemicals
	portal (www.merckgroup.com).
1.3 Details of the supplier of the s	safety data sheet
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com
1.4 Emergency telephone number	Please contact the regional company representation in your country.

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

Aspiration hazard, Category 1, H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Contains: Hexadec-1-ene

CAS-No. 629-73-2

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	CH₃(CH₂)₁₃CH=CH₂	C16H32 (Hill)
EC-No.	211-105-8	
Molar mass	224,42 g/mol	

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification Hexadec-1-ene (<= 100 %) 629-73-2 *)

Aspiration hazard, Category 1, H304

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Call a physician immediately. Pulmonary failure possible after aspiration of vomit.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

Suitable extinguishing media Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No.	822064
Product name	1-Hexadecene for synthesis

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 240 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

822064

1-Hexadecene for synthesis

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	No strong odour known.
Odour Threshold	No information available.
рН	No information available.
Melting point	2,2 °C
Boiling point/boiling range	274 °C at 1.013 hPa
Flash point	132 °C Method: closed cup
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	0,5 %(V)
Upper explosion limit	5,8 %(V)

according to Regulation (EC) No. 1907/2006

Catalogue No.	822064
Product name	1-Hexadecene for synthesis
Vapour pressure	0,35 hPa
	at 25 °C
Relative vapour density	No information available.
Density	0,78 g/cm3
	at 20 °C
Relative density	No information available.
Water solubility	0,0012 g/l
	at 25 °C
Partition coefficient: n-	log Pow: 8,06
octanol/water	(calculated)
	Potential bioaccumulation (Lit.)
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not applicable
Oxidizing properties	none
9.2 Other data	
Ignition temperature	240 °C
Viscosity, kinematic	4,03 mm2/s at 20 °C Method: ASTM D 445

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

822064

1-Hexadecene for synthesis

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Peroxides, nitrates, chlorates

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: > 10.000 mg/kg OECD Test Guideline 401

Acute inhalation toxicity LC50 Rat: > 5 mg/l; 4 h ; dust/mist (External MSDS)

according to Regulation (EC) No. 1907/2006

Catalogue No.	822064
Product name	1-Hexadecene for synthesis
Acute dermal toxicity	
LD50 Rabbit: > 10.000 mg/kg OECD Test Guideline 402	
<i>Skin irritation</i> This information is not available.	
<i>Eye irritation</i> This information is not available.	
<i>Sensitisation</i> This information is not available.	
<i>Germ cell mutagenicity</i> This information is not available.	
<i>Carcinogenicity</i> This information is not available.	
<i>Reproductive toxicity</i> This information is not available.	
<i>Teratogenicity</i> This information is not available.	
<i>Specific target organ toxicity - sing</i> This information is not available.	gle exposure
<i>Specific target organ toxicity - rep</i> This information is not available.	peated exposure
<i>Aspiration hazard</i> Aspiration hazard, Aspiration may	cause pulmonary oedema and pneumonitis.

11.2 Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

No information available.

12.2 Persistence and degradability

Biodegradability 71 %; 28 d; aerobic OECD Test Guideline 301D Readily biodegradable

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 8,06 (calculated)

Potential bioaccumulation (Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6

Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

according to Regulation (EC) No. 1907/2006

822064	
1-Hexadecene for synthesis	
Not classified as dangerous in the meaning of transport regulations.	
Not classified as dangerous in the meaning of transport regulations.	

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations		
Major Accident Hazard	SEVESO III	
Legislation	Not applicable	
Occupational restrictions	Take note of Dir 94/33 work.	3/EC on the protection of young people at
Regulation (EC) No 1005/200	9 on substances that	not regulated
deplete the ozone layer		
Regulation (EC) No 850/2004	of the European	not regulated
Parliament and of the Council	of 29 April 2004 on	
persistent organic pollutants a	and amending	
Directive 79/117/EEC		
Substances of very high concern (SVHC)		This product does not contain substances
		of very high concern according to
		Regulation (EC) No 1907/2006 (REACH),
		Article 57 above the respective regulatory
		concentration limit of \geq 0.1 % (w/w).
National legislation		
Storage class	10 - 13	

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

822064 1-Hexadecene for synthesis

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H304 May be fatal if swallowed and enters airways.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Contains: Hexadec-1-ene

Key or legend to abbreviations and acronyms used in the safety data sheet

according to Regulation (EC) No. 1907/2006

Catalogue No.822064Product name1-Hexadecene for synthesis

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.