

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 6.9

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	1319-73-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number	Please contact the regional company representation in your country.
--------------------------------	---

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 3, H226

Acute toxicity, Category 4, Inhalation, H332

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

Prevention

P210 Keep away from heat.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 822098
Product name Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Warning

Contains: methylstyrene, mixed isomers (mixture of 3- and 4-isomers)

CAS-No. 1319-73-9

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	3/4-(CH ₃)C ₆ H ₄ CH=CH ₂	C ₉ H ₁₀ (Hill)
EC-No.	215-292-7	
Molar mass	118,18 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
methylstyrene, mixed isomers (mixture of 3- and 4-isomers) (>= 50 % - <= 100 %)		
1319-73-9	*)	

Flammable liquid, Category 3, H226

Acute toxicity, Category 4, H332

Skin irritation, Category 2, H315

Eye irritation, Category 2, H319

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration.

Oxygen if necessary. Immediately call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Dizziness, Unconsciousness, euphoria, agitation, Headache

Drying-out effect resulting in rough and chapped skin.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	unpleasant
Odour Threshold	No information available.
pH	No information available.
Melting point	-77 °C
Boiling point	No information available.
Flash point	52 °C
Evaporation rate	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Flammability (solid, gas)	No information available.
Lower explosion limit	1,1 %(V)
Upper explosion limit	5,2 %(V)
Vapour pressure	1,47 hPa at 20 °C
Relative vapour density	4,1
Density	0,893 g/cm ³ at 25 °C
Relative density	No information available.
Water solubility	0,09 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: 3,35 (HSDB) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	0,84 mPa.s at 25 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Ignition temperature	575 °C
----------------------	--------

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Stabilizer

4-tert-butylpyrocatechol

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Oxidizing agents

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

various plastics

10.6 Hazardous decomposition products

no information available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 5.000 mg/kg

(IUCLID)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations
absorption

LC50 Rat: 3 mg/l; 4 h ; vapour

(IUCLID)

Acute dermal toxicity

LDLO Rat: 4.500 mg/kg

(Lit.)

Skin irritation

Rabbit

Result: Irritations

(RTECS)

Drying-out effect resulting in rough and chapped skin.

Causes skin irritation.

Eye irritation

Rabbit

Result: Eye irritation

(RTECS)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Causes serious eye irritation.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(IUCLID)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption of large quantities:

Systemic effects:

Headache, Dizziness, euphoria, agitation, Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 3,35

(HSDB) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 2618
14.2 Proper shipping name	VINYLTOLUENES, STABILIZED
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	D/E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 2618
14.2 Proper shipping name	VINYLTOLUENES, STABILIZED
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

14.1 UN number	UN 2618
14.2 Proper shipping name	VINYLTOLUENES, STABILIZED
14.3 Class	3
14.4 Packing group	III
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-E S-D
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	SEVESO III
Legislation	FLAMMABLE LIQUIDS P5c Quantity 1: 5.000 t Quantity 2: 50.000 t

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
---------------------------	---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Substances of very high concern (SVHC)

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 3

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	822098
Product name	Methylstyrene (mixture of 3- and 4-isomers) stabilised with 4-tert-butylpyrocatechol for synthesis

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

Prevention

P210 Keep away from heat.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: methylstyrene, mixed isomers (mixture of 3- and 4-isomers)

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.