

Revision Date 05.11.2010

Version 7.6

1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	822189	
Product name	2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis	
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).	
1.3 Details of the supplier of the safety data sheet		
Company Responsible Department	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0 LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

# 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Flammable liquid, Category 3, H226 Acute toxicity, Category 3, Inhalation, H331 Acute toxicity, Category 3, Dermal, H311 Acute toxicity, Category 3, Oral, H301 Skin corrosion, Category 1B, H314 Specific target organ toxicity - single exposure, Category 3, H335 For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC) R10 T; R25 C; R34 Xn; R20/21 Xi; R37 For the full text of the R-phrases mentioned in this Section, see Section 16. Catalogue No. Product name

# 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



*Signal word* Danger

*Hazard statements* H226 Flammable liquid and vapour. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

# Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

# Reduced labelling (≤125 ml)

Hazard pictograms



*Signal word* Danger

Hazard statements H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

# CAS-No. 100-69-6

Labelling (67/548/EEC or 1999/45/EC)			
Symbol(s)	Т	Toxic	
R-phrase(s)	10-20/21-25-34-37	Flammable. Harmful by inhalation and in contact with skin. Toxic if swallowed. Causes burns. Irritating to respiratory system.	
S-phrase(s)	26-36/37/39-45	In case of contact with eyes, rinse immediately with plenty of	

Catalogu Product i			822189 2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis
EC-N	۱o.	202-879-8	water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
	<b>Reduced labe</b> Symbol(s)	elling (≤125 ml) ⊤	Toxic
	R-phrase(s)	10-20/21-25-3	Flammable. Harmful by inhalation and in contact with skin. Toxic if swallowed. Causes burns.
	S-phrase(s)	26-36/37/39-4	

# 2.3 Other hazards

None known.

# 3. Composition/information on ingredients

Formula	C7H7N (Hill)
CAS-No.	100-69-6
EC-No.	202-879-8
Molar mass	105,14 g/mol

# 4. First aid measures

# 4.1 Description of first aid measures

*General advice* First aider needs to protect himself.

After inhalation: fresh air. If breathing stops: immediately apply artificial respiration, if necessary oxygen. Immediately call in physician.

After skin contact: wash off with plenty of water. Swab with polyethylene glycol 400. Immediately remove contaminated clothing. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, irritant effects, Cough, Shortness of breath Risk of blindness!

**4.3 Indication of immediate medical attention and special treatment needed** No information available.

# 5. Fire-fighting measures

## 5.1 Extinguishing media

*Suitable extinguishing media* Carbon dioxide (CO<sub>2</sub>), Foam, Dry powder

Catalogue No.	822189
Product name	2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Combustible material Vapours are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: nitrogen oxides

# 5.3 Advice for firefighters

*Special protective equipment for fire-fighters* Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

# 6.2 Environmental precautions

Do not empty into drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7.2 and 10.5). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

# 7. Handling and storage

# 7.1 Precautions for safe handling

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols.

Observe label precautions.

*Advice on protection against fire and explosion* Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

# 7.2 Conditions for safe storage, including any incompatibilities

Protected from light. Keep locked up or in an area accessible only to qualified or authorised persons. Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

Catalogue No.822189Product name2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

Store at -20°C to 0°C.

# 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# 8. Exposure controls/personal protection

# 8.1 Control parameters

## 8.2 Exposure controls

# Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

## Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. Work under hood. Do not inhale substance.

*Eye/face protection* Tightly fitting safety goggles

## Hand protection

splash contact:

full contact:

Glove material:	butyl-rubber
Glove thickness:	0,70 mm
Break through time:	> 480 min
Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Other protective equipment:

Flame retardant antistatic protective clothing

## Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Catalogue No. Product name

# 822189 2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

Environmental exposure controls Do not empty into drains. Risk of explosion.

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	pale red-brown
Odour	stinging
Odour Threshold	No information available.
рН	8 at 100 g/l 20 °C
Melting point	-50 °C
Boiling point/boiling range	158 - 160 °C at  1.013 hPa
Flash point	51 °C Method: DIN 51755 Part 1
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1,3 %(V)
Upper explosion limit	10,7 %(V)
Vapour pressure	2,5 hPa at  20 °C
Relative vapour density	No information available.
Relative density	0,97 g/cm³ at 20 °C
Water solubility	27 g/l at 20 °C
Partition coefficient: n- octanol/water	log Pow: 1,54 Method: (experimental) (Lit.)
	No remarkable bioaccumulation potential is expected (log Pow 1-3).
Autoignition temperature	No information available.

Catalogue No. Product name	822189 2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis
Decomposition temperature	No information available.
Viscosity, dynamic	1,4 - 1,6 mPa.s at  20 °C
Explosive properties	No information available.
Oxidizing properties	No information available.
9.2 Other data	440.°C
Ignition temperature	440 °C

# 10. Stability and reactivity

# 10.1 Reactivity

tends to polymerise Vapour/air-mixtures are explosive at intense warming.

# 10.2 Chemical stability

Sensitivity to light

*Stabilizer* 4-tert-butylpyrocatechol

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

polymerisation initiators, Peroxides, Strong oxidizing agents, Strong acids, Strong bases, bases

# 10.4 Conditions to avoid

Heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# 10.5 Incompatible materials

no information available

# 10.6 Hazardous decomposition products

in the event of fire: See chapter 5.

# 11. Toxicological information

# 11.1 Information on toxicological effects Acute oral toxicity LD50 rat Dose: 100 mg/kg (RTECS) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

absorption

Catalogue No.822189Product name2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

Acute inhalation toxicity LC50 rat Dose: 24,04 mg/l, 1,5 h (External MSDS) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract absorption

Acute dermal toxicity absorption

*Skin irritation* Causes burns. *Eye irritation* 

Risk of serious damage to eyes.

Risk of blindness!

*Specific target organ toxicity - single exposure* May cause respiratory irritation.

*Specific target organ toxicity - repeated exposure* The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard No aspiration toxicity classification

# 11.2 Further information

*Further information* Other dangerous properties can not be excluded. This substance should be handled with particular care.

# 12. Ecological information

12.1 Toxicity

No information available.

## 12.2 Persistence and degradability

*Biodegradability* Result: Not readily biodegradable. 23 % Exposure time: 28 d Method: OECD Test Guideline 301E

## 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 1,54 Method: (experimental) (Lit.)

No remarkable bioaccumulation potential is expected (log Pow 1-3).

## 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

# 12.6 Other adverse effects

Catalogue No.	822189
Product name	2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Further information on ecology

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Do not allow to run into surface waters, wastewater, or soil.

# 13. Disposal considerations

# Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# 14. Transport information

# ADR/RID

UN 3073 VINYLPYRIDINES, STABILIZED, 6.1 (3, 8), II

# IATA

UN 3073 VINYLPYRIDINES, STABILIZED, 6.1 (3, 8), II

# IMDG

UN 3073 VINYLPYRIDINES, STABILIZED, 6.1 (3, 8), II EmS F-E S-C

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

# 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	96/82/EC
Legislation	Toxic
	2
	Quantity 1: 50 t
	Quantity 2: 200 t
	96/82/EC
	Flammable.
	6
	Quantity 1: 5.000 t
	Quantity 2: 50.000 t
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.
National legislation	

Storage class VCI 3 Flammable Liquids

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

Catalogue No.	822189
Product name	2-Vinylpyridine (stabilized with 4-tert-butylpyrocatechol) for synthesis

16. Other information			
	Full text of H-Statements referred to under sections 2 and 3.		
	H226 H301 H311 H314 H331 H335	Flammable liquid and vapour. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Toxic if inhaled. May cause respiratory irritation.	
	Full text of R-phrases referred to under sections 2 and 3		
	R10 R20/21 R25 R34 R37	Flammable. Harmful by inhalation and in contact with skin. Toxic if swallowed. Causes burns. Irritating to respiratory system.	
	<b>Training advice</b> Provide adequate information, instruction and training for operators.		
	Regional representation:	This information is given on the authorised Safety Data Sheet for your country.	
		s and acronyms used in the safety data sheet yms can be looked up at www.wikipedia.org.	

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.