

according to Regulation (EC) No. 1907/2006

Revision Date 20.06.2011

Version 2.4

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone:+49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

# **SECTION 2. Hazards identification**

# 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - single exposure, Category 3, H335

Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Classification (67/548/EEC or 1999/45/EC)

Xi Irritant R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Warning

Hazard statements

H315 Causes skin irritation.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

### Precautionary statements

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Warning

CAS-No. 102-97-6

# Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) Xi Irritant

*R-phrase(s)* 36/37/38 Irritating to eyes, respiratory system and skin.

S-phrase(s) 26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

EC-No. 203-067-6

Reduced labelling (≤125 ml)

Symbol(s) Xi Irritant

# 2.3 Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Formula  $C_{10}H_{15}N$  (Hill) CAS-No. 102-97-6 EC-No. 203-067-6 Molar mass 149,24 g/mol

### **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a

physician.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

# 4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Combustible material

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

# 5.3 Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# SECTION 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

### 6.2 Environmental precautions

Do not empty into drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7.2 and 10.5).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

Indications about waste treatment see section 13.

# SECTION 7. Handling and storage

### 7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

Observe label precautions.

# 7.2 Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C.

# 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### SECTION 8. Exposure controls/personal protection

#### 8.1 Control parameters

### 8.2 Exposure controls

# **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

# Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber
Glove thickness: 0,7 mm
Break through time: > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Respiratory protection

required when vapours/aerosols are generated.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

# Environmental exposure controls

Do not empty into drains.

# SECTION 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour No strong odour known.

Odour Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point/boiling range 199 - 200 °C

at 1.013 hPa

Flash point 87 °C

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density 5,18

Relative density 0,91 g/cm³

at 20 °C

Water solubility No information available.

Partition coefficient: n-

octanol/water

log Pow: 1,83 (experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

### 9.2 Other data

none

# SECTION 10. Stability and reactivity

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, acids

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitosamines!

## 10.4 Conditions to avoid

Strong heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.5 Incompatible materials

no information available

## 10.6 Hazardous decomposition products

in the event of fire: See chapter 5.

# **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Cough, Shortness of breath, mucosal irritations, Possible damages:, damage of respiratory tract

Skin irritation

Causes skin irritation.

Eye irritation

Causes serious eye irritation.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2 Further information

Quantitative data on the toxicity of this product are not available.

Other information

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates.

EC50 Daphnia magna (Water flea): 38 mg/l; 48 h (ECOTOX Database)

## 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1,83 (experimental)

(Lit.) Bioaccumulation is not expected.

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

# **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14. Transport information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Storage class 10

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

### **SECTION 16. Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006

Catalogue No. 841618

Product name N-Isopropylbenzylamine for synthesis

H335 May cause respiratory irritation.

Full text of R-phrases referred to under sections 2 and 3

R36/37/38 Irritating to eyes, respiratory system and skin.

### Training advice

Provide adequate information, instruction and training for operators.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

## Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.